

# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Diazoxide (>30%) Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 5

Reproductive toxicity : Category 1B

Specific target organ toxicity

- repeated exposure

Category 1 (Pancreas, Kidney, Heart)

**GHS** label elements

Hazard pictograms

Signal Word : Danger

Hazard Statements : H303 May be harmful if swallowed.

H360D May damage the unborn child.

H372 Causes damage to organs (Pancreas, Kidney, Heart)

through prolonged or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS** 

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diazoxide	364-98-7	>= 30 -< 50

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May be harmful if swallowed.

Most important symptoms and effects, both acute and

. Ma

May damage the unborn child.

delayed

Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**



# Diazoxide (>30%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 4088921-00009 Date of first issue: 21.03.2019

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diazoxide	364-98-7	TWA	50 μg/m3 (OEB 3)	Internal
		Wipe limit	500 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable



# Diazoxide (>30%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 4088921-00009 Date of first issue: 21.03.2019

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

May be harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 3,039 mg/kg

Method: Calculation method

**Components:** 

Diazoxide:

Acute oral toxicity : LD50 (Rat): 980 mg/kg

LD50 (Mouse): 444 mg/kg

LD50 (Guinea pig): 191 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 228 mg/kg Application Route: Intravenous

LD50 (Mouse): 326 mg/kg

Application Route: Intraperitoneal

LD50 (Rat): 510 mg/kg

Application Route: Intraperitoneal

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

## Reproductive toxicity

May damage the unborn child.

#### Components:

## Diazoxide:

Effects on fetal development : Test Type: Development

Species: Rat

**Application Route: Oral** 

Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: Effects on fetal development., Fetal abnormalities.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Effects on fetal development., Fetal abnormalities.

Test Type: Development

Species: Rat

Application Route: Intravenous

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Fetotoxicity.

Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: NOAEL: 30 mg/kg body weight

Result: Fetal mortality.

Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 60 mg/kg body weight

Result: Fetal mortality.

Test Type: Development

Species: Rabbit

Application Route: Intravenous

Developmental Toxicity: NOAEL: 7 mg/kg body weight

Result: Fetal abnormalities.

Test Type: Development

Species: Rabbit

Application Route: Intravenous

Developmental Toxicity: LOAEL: 21 mg/kg body weight

Result: Fetal abnormalities.

Test Type: Development

Species: Dog

Application Route: Intravenous

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Fetal mortality.

Test Type: Development



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

Species: Dog

Application Route: Intravenous

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Fetal mortality.

Test Type: Development

Species: Monkey

Application Route: Intravenous

Developmental Toxicity: LOAEL: 5 mg/kg body weight

Result: No teratogenic effects.

Reproductive toxicity - As-

sessment

May damage the unborn child.

#### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.

#### **Components:**

#### Diazoxide:

Target Organs : Pancreas, Kidney, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### Components:

#### Diazoxide:

Species : Rat LOAEL : 400

LOAEL : 400 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Adrenal gland

Species : Rat

LOAEL : 1,080 mg/kg

Application Route : Oral
Exposure time : 3 Months
Target Organs : Pancreas
Symptoms : hyperglycemia

Species : Rat
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Heart, Liver, Adrenal gland, Thyroid

Species : Dog
NOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 82 Weeks
Target Organs : Pancreas



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

Symptoms : hyperglycemia

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Diazoxide:

General Information : Symptoms: hyperglycemia, hypotension, Nausea, Vomiting,

Dizziness, Weakness

Ingestion : Symptoms: sodium retention, water retention, anorexia, Ab-

dominal pain, Diarrhea, tachycardia, Palpitation

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Diazoxide:

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

Diazoxide:

Partition coefficient: n-

octanol/water

log Pow: 1.2

Mobility in soil

No data available

Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

#### NOM-002-SCT

Not regulated as a dangerous good

## Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for

: Not applicable

producing capsules, tablets and pills.

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



# Diazoxide (>30%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 4088921-00009
 Date of first issue: 21.03.2019

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8