

# Diazoxide (<15%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

**SECTION 1: IDENTIFICATION** 

Product name Diazoxide (<15%) Formulation

Manufacturer or supplier's details

Company **MSD** 

Address Building A - Level 1/26 Talavera Rd

Macquarie Park NSW, Australia 2113

Telephone 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use Not applicable

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Reproductive toxicity : Category 1B

repeated exposure

Specific target organ toxicity - : Category 1 (Pancreas, Kidney, Heart)

**GHS** label elements

Hazard pictograms

Signal word Danger

Hazard statements H360D May damage the unborn child.

H372 Causes damage to organs (Pancreas, Kidney, Heart)

through prolonged or repeated exposure.

Precautionary statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

non nace protection

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Response:

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Diazoxide	364-98-7	>= 10 -< 30

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.



# Diazoxide (<15%) Formulation

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Avoid release to the environment. **Environmental precautions** 

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and dis-



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components with workplace control parameters



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Diazoxide	364-98-7	TWA	50 μg/m3 (OEB 3)	Internal
		Wipe limit	500 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

: Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during pro-

cessing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during pro-

cessing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

# **Components:**

Diazoxide:

Acute oral toxicity : LD50 (Rat): 980 mg/kg

LD50 (Mouse): 444 mg/kg

LD50 (Guinea pig): 191 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 228 mg/kg

Application Route: Intravenous

LD50 (Mouse): 326 mg/kg

Application Route: Intraperitoneal

LD50 (Rat): 510 mg/kg

Application Route: Intraperitoneal

#### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

May damage the unborn child.

#### **Components:**

#### Diazoxide:

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: Effects on foetal development, foetal abnormalities

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Effects on foetal development, foetal abnormalities

Test Type: Development

Species: Rat

Application Route: Intravenous

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: Fetotoxicity

Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: NOAEL: 30 mg/kg body weight

Result: foetal mortality

Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 60 mg/kg body weight

Result: foetal mortality

Test Type: Development



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Species: Rabbit

Application Route: Intravenous

Developmental Toxicity: NOAEL: 7 mg/kg body weight

Result: foetal abnormalities

Test Type: Development

Species: Rabbit

Application Route: Intravenous

Developmental Toxicity: LOAEL: 21 mg/kg body weight

Result: foetal abnormalities

Test Type: Development

Species: Dog

Application Route: Intravenous

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: foetal mortality

Test Type: Development

Species: Dog

Application Route: Intravenous

Developmental Toxicity: LOAEL: 10 mg/kg body weight

Result: foetal mortality

Test Type: Development

Species: Monkey

Application Route: Intravenous

Developmental Toxicity: LOAEL: 5 mg/kg body weight

Result: No teratogenic effects

Reproductive toxicity - As-

sessment

May damage the unborn child.

# STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.

#### Components:

Diazoxide:

Target Organs : Pancreas, Kidney, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

# Repeated dose toxicity

## **Components:**

Diazoxide:

Species : Rat

LOAEL : 400 mg/kg

Application Route : Oral



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Exposure time : 2 Weeks
Target Organs : Adrenal gland

Species : Rat

LOAEL : 1,080 mg/kg

Application Route : Oral
Exposure time : 3 Months
Target Organs : Pancreas
Symptoms : hyperglycemia

Species : Rat

LOAEL : 200 mg/kg Application Route : Oral Exposure time : 52 Weeks

Target Organs : Heart, Liver, Adrenal gland, Thyroid

Species : Dog
NOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 82 Weeks
Target Organs : Pancreas
Symptoms : hyperglycemia

# **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

## **Components:**

Diazoxide:

General Information : Symptoms: hyperglycemia, hypotension, Nausea, Vomiting,

Dizziness, Weakness

Ingestion : Symptoms: sodium retention, water retention, anorexia, Ab-

dominal pain, Diarrhoea, tachycardia, Palpitation

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

# **Components:**

# Diazoxide:

## **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

## Persistence and degradability

No data available



# Diazoxide (<15%) Formulation

Version Revision Date: Date of last issue: 30.09.2023 SDS Number: 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

#### Bioaccumulative potential

# **Components:**

Diazoxide:

Partition coefficient: n-

octanol/water

: log Pow: 1.2

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

**UNRTDG** 

**UN** number Not applicable Proper shipping name : Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable

Environmentally hazardous

**IATA-DGR** 

UN/ID No. Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Packing instruction (cargo Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

**IMDG-Code** 

Not applicable UN number Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**ADG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Standard) Instrument

No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or

threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions

# The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

# **SECTION 16: ANY OTHER RELEVANT INFORMATION**

**Further information** 

Revision Date : 06.04.2024

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/



# Diazoxide (<15%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.2 06.04.2024 4089864-00011 Date of first issue: 20.03.2019

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN