



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	4089868-00012	Date of first issue: 2019/03/20

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Diazoxide (<15%) Formulation					
Supplier's company name, a	Supplier's company name, address and phone number						
Company name of supplier	:	MSD					
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory					
Telephone	:	048-588-8411					
E-mail address	:	EHSDATASTEWARD@msd.com					
Emergency telephone number	:	+1-908-423-6000					

### Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

## 2. HAZARDS IDENTIFICATION

GHS classification of chemical product Reproductive toxicity : Category 1B					
Specific target organ toxicity - repeated exposure	:	Category 1 (Pancreas, Kidney, Heart)			
<b>GHS label elements</b> Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.			
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling.			





Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	4089868-00012	Date of first issue: 2019/03/20

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

#### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 11.36 %

#### Other hazards which do not result in classification

Important symptoms and out- lines of the emergency as- sumed	:	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
		May form combustible dust concentrations in air during pro- cessing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Diazoxide	364-98-7	>= 10 - < 20	-

#### 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air.
		Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse.
		5
		Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water.
		Get medical attention if irritation develops and persists.



Versio 7.0	on	Revision Date: 2024/09/28		0S Number: 89868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20	
M a d F	If swallowed Most important symptoms and effects, both acute and delayed Protection of first-aiders Notes to physician		: :	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying the skin. Dust contact with the eyes can lead to mechanical irritatio First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		
5. FIR	REFIGH	ITING MEASURES				
S	Suitable extinguishing media		:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical		
	Jnsuita nedia	ble extinguishing	:	None known.		
	Specific ighting	hazards during fire-	:	concentrations, and potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. bustion products may be a hazard to health.	
	Hazardo ucts	ous combustion prod-	:	Carbon oxides Chlorine compour Nitrogen oxides (I Sulphur oxides		
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	
	Special or firefi	protective equipment ghters	:		e, wear self-contained breathing apparatus. tective equipment.	

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.





Version 7.0	Revision Date: 2024/09/28	SDS Number: 4089868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
			pose of contaminated wash water. es should be advised if significant spillages ained.
	ods and materials for inment and cleaning up	tainer for dispersa Avoid dispersa with compress Dust deposits a es, as these m leased into the Local or nation posal of this m employed in th mine which reg Sections 13 an	I of dust in the air (i.e., clearing dust surfaces
7. HANDL	ING AND STORAGE		
Hand	ling		
	nical measures /Total ventilation	causing an exp Provide adequ and bonding, c	y may accumulate and ignite suspended dust blosion. ate precautions, such as electrical grounding or inert atmospheres. htilation is unavailable, use with local exhaust
		ventilation.	
Advic	e on safe handling	Do not breathe Do not swallow Avoid contact w Wash skin thor Handle in accor practice, based sessment Keep containe Keep containe Keep away fro Take precautio Do not eat, drin Take care to p	<i>I</i> .
	ance of contact ne measures	flushing systen place. When using dc Wash contami	nts chemical is likely during typical use, provide eye ns and safety showers close to the working o not eat, drink or smoke. nated clothing before re-use. operation of a facility should include review of



Version 7.0	Revision Date: 2024/09/28		Number: 868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
		a ir	ppropriate dego	ols, proper personal protective equipment, wning and decontamination procedures, monitoring, medical surveillance and the tive controls.
Stora	age			
Cond	litions for safe storage	S K	tore locked up. eep tightly close	labelled containers. ed. nce with the particular national regulations.
Mate	rials to avoid	: D		the following product types:
Pack	aging material	: U	nsuitable mater	ial: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Diazoxide	364-98-7	TWA	50 µg/m3 (OEB 3)	Internal
		Wipe limit	500 µg/100 cm <sup>2</sup>	Internal
Engineering measures :	design and op protect produc Containment t are required to the compound tainment devic Minimize oper	verated in accord cts, workers, and rechnologies suit o control at sourd to uncontrolled ces).	d be implemented by lance with GMP princ I the environment. able for controlling co ce and to prevent mig areas (e.g., open-fac	iples to ompounds gration of
Personal protective equipmen				
Respiratory protection : Filter type : Hand protection	sure assessm	ent demonstrate uidelines, use res	ilation is not available s exposures outside spiratory protection.	
Material :	Chemical-resi	stant gloves		
Remarks : Eye protection :	If the work en mists or aeros Wear a faces	lasses with side vironment or acti sols, wear the ap nield or other full	shields or goggles. vity involves dusty co propriate goggles. face protection if the ne face with dusts, m	re is a





/ersion ′.0	Revision Date: 2024/09/28		S Number: 39868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
Skin a	and body protection	:	Additional body task being perf posable suits)	or laboratory coat. y garments should be used based upon the formed (e.g., sleevelets, apron, gauntlets, dis- to avoid exposed skin surfaces. re degowning techniques to remove potentially clothing.
. PHYSIC	AL AND CHEMICAL P	ROF	PERTIES	
Physic	cal state	:	powder	
Colou	r	:	white	
Odou	-	:	No data availa	able
Odou	Threshold	:	No data availa	able
Meltin	g point/freezing point	:	No data availa	able
	g point, initial boiling and boiling range	:	No data availa	able
Flamn	nability (solid, gas)	:		bustible dust concentrations in air during pro- ling or other means.
Flamn	nability (liquids)	:	Not applicable	)
Up	explosion limit and upp per explosion limit / Up r flammability limit			
	wer explosion limit / wer flammability limit	:	No data availa	able
Flash	point	:	No data availa	able
Decor	nposition temperature	:	No data availa	able
pН		:	No data availa	able
Evapo	oration rate	:	Not applicable	
Auto-i	gnition temperature	:	No data availa	able
Viscos Vis	sity cosity, kinematic	:	Not applicable	
	ility(ies) ater solubility	:	No data availa	able
	on coefficient: n- bl/water	:	Not applicable	)





Version 7.0	Revision Date: 2024/09/28		98 Number: 89868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
Vapo	our pressure	:	Not applicable	
	ity and / or relative dens elative density	sity :	No data availabl	e
D	ensity	:	No data availabl	e
Relat	ive vapour density	:	Not applicable	
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance c	r mixture is not classified as oxidizing.
Mole	cular weight	:	No data availabl	e
	cle characteristics article size	:	No data availabl	e

## **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Not classified as a reactivity hazard. Stable under normal conditions. May form combustible dust concentrations in air during pro- cessing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

## Acute toxicity

Not classified based on available information.

## Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
		Method: Calculation method



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	4089868-00012	Date of first issue: 2019/03/20

## **Components:**

Diazoxide:		
Acute oral toxicity	:	LD50 (Rat): 980 mg/kg
		LD50 (Mouse): 444 mg/kg
		LD50 (Guinea pig): 191 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Mouse): 228 mg/kg Application Route: Intravenous
		LD50 (Mouse): 326 mg/kg Application Route: Intraperitoneal
		LD50 (Rat): 510 mg/kg Application Route: Intraperitoneal

### Skin corrosion/irritation

Not classified based on available information.

## Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

## **Reproductive toxicity**

May damage the unborn child.

## Components:

## Diazoxide:

Effects on foetal develop- ment	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: Effects on foetal development, foetal abnormalities
		Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight



ersion )	Revision Date: 2024/09/28	SDS Number: 4089868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
II		Result: Effects of	on foetal development, foetal abnormalities
		Test Type: Deve Species: Rat Application Rou Developmental Result: Fetotoxi	te: Intravenous Toxicity: LOAEL: 10 mg/kg body weight
			e te: Intraperitoneal Toxicity: NOAEL: 30 mg/kg body weight
			e te: Intraperitoneal Toxicity: LOAEL: 60 mg/kg body weight
		Test Type: Deve Species: Rabbit Application Rou Developmental Result: foetal at	te: Intravenous Toxicity: NOAEL: 7 mg/kg body weight
		Test Type: Deve Species: Rabbit Application Rou Developmental Result: foetal at	te: Intravenous Toxicity: LOAEL: 21 mg/kg body weight
		Test Type: Deve Species: Dog Application Rou Developmental Result: foetal m	te: Intravenous Toxicity: NOAEL: 5 mg/kg body weight
		Test Type: Deve Species: Dog Application Rou Developmental Result: foetal m	te: Intravenous Toxicity: LOAEL: 10 mg/kg body weight
		Test Type: Deve Species: Monke Application Rou Developmental Result: No terat	ey te: Intravenous Toxicity: LOAEL: 5 mg/kg body weight
Reproc sessme	ductive toxicity - As- ent	: May damage the	e unborn child.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	4089868-00012	Date of first issue: 2019/03/20

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.

### **Components:**

#### Diazoxide:

Target Organs	:	Pancreas, Kidney, Heart
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

### Repeated dose toxicity

#### **Components:**

#### Diazoxide:

Species	: Rat
LOAEL	: 400 mg/kg
Application Route	: Oral
Exposure time	: 2 Weeks
Target Organs	: Adrenal gland
Species	: Rat
LOAEL	: 1,080 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Pancreas
Symptoms	: hyperglycemia
Species	: Rat
LOAEL	: 200 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Heart, Liver, Adrenal gland, Thyroid
Species	: Dog

opeoleo	•	Dog
NOAEL	:	200 mg/kg
Application Route	:	Oral
Exposure time	:	82 Weeks
Target Organs	:	Pancreas
Symptoms	:	hyperglycemia
Symptoms	:	hyperglycemi

### Aspiration toxicity

Not classified based on available information.

#### Experience with human exposure

#### Components:

Diazoxide:





Version 7.0	Revision Date: 2024/09/28		DS Number: 189868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20		
Gene	eral Information	:	Symptoms: hype Dizziness, Weak	erglycemia, hypotension, Nausea, Vomiting, mess		
Inges	Ingestion		Symptoms: sodium retention, water retention, anorexia, Ab- dominal pain, Diarrhoea, tachycardia, Palpitation			
12. ECOL	OGICAL INFORMATIO	N				
Ecot	oxicity					
Com	ponents:					
Diazo	oxide:					
	oxicology Assessment e aquatic toxicity	:	Toxic effects car	nnot be excluded		
Chro	nic aquatic toxicity	:	Toxic effects cannot be excluded			
	<b>istence and degradabil</b> ata available	ity				
Bioa	ccumulative potential					
Com	ponents:					
Partit	<b>oxide:</b> ion coefficient: n- iol/water	:	log Pow: 1.2			
	<b>lity in soil</b> ata available					
	rdous to the ozone lay	er				
	<b>r adverse effects</b> ata available					
13. DISPO	SAL CONSIDERATION	NS				
Disp	osal methods					
-	e from residues	:		cordance with local regulations.		
Conta	Contaminated packaging :		Do not dispose of waste into sewer. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.			

## 14. TRANSPORT INFORMATION

## International Regulations



VersionRevision Date:7.02024/09/28	SDS Number: 4089868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
UNRTDG		
UN number	: Not applicable	
Proper shipping name	: Not applicable	
Class Subsidiary risk	: Not applicable : Not applicable	
Packing group	: Not applicable	
Labels	: Not applicable	
Environmentally hazardous	: no	
IATA-DGR		
UN/ID No.	: Not applicable	
Proper shipping name	: Not applicable	
Class	: Not applicable	
Subsidiary risk	: Not applicable	
Packing group	: Not applicable	
Labels	: Not applicable	
Packing instruction (cargo aircraft)	: Not applicable	
Packing instruction (passen- ger aircraft)	: Not applicable	
IMDG-Code		
UN number	: Not applicable	
Proper shipping name	: Not applicable	
Class	: Not applicable	
Subsidiary risk	: Not applicable	
Packing group	: Not applicable	
Labels	: Not applicable	
EmS Code	: Not applicable	
Marine pollutant	: Not applicable	
Transport in bulk according	g to Annex II of MAR	POL 73/78 and the IBC Code

Not applicable for product as supplied.

## National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

### **15. REGULATORY INFORMATION**

## **Related Regulations**

## **Fire Service Law**

Not applicable to dangerous materials / designated flammables.

#### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.





Version 7.0	Revision Date: 2024/09/28	SDS Number: 4089868-00012	Date of last issue: 2024/04/06 Date of first issue: 2019/03/20
Indus	strial Safety and Hea	alth Law	
	n <b>ful Substances Pro</b> pplicable	hibited from Manufact	ture
	n <b>ful Substances Req</b> pplicable	uired Permission for	Manufacture
	tances Prevented F	rom Impairment of He	alth
on Ex	Ilar concerning Info xisting Chemicals ha		having Mutagenicity - Annex 2: Information
on N	Ilar concerning Info otified Substances I pplicable		having Mutagenicity - Annex 1: Informati
	tances Subject to b pplicable	e Notified Names	
	tances Subject to b pplicable	e Indicated Names	
	and Eye Damage Su pplicable	Ibstances for PPE Re	quirements (ISHL MO Art. 594-2)
tions	-	s (Article 577-2 of the	Occupational Health and Safety Regula-
	nance on Preventior pplicable	ո of Hazards Due to Տր	pecified Chemical Substances
	nance on Preventior pplicable	of Lead Poisoning	
	nance on Prevention	of Tetraalkyl Lead Po	bisoning
	nance on Preventior pplicable	of Organic Solvent P	Poisoning
Subs	stances)	e Industrial Safety and	d Health Law - Attached table 1 (Dangerou
Poise	pplicable <b>onous and Deleterio</b> pplicable	us Substances Contro	ol Law
Act o viron	on Confirmation, etc		of Specific Chemical Substances in the E the Management Thereof





rsion )	Revision Date: 2024/09/28	SDS Numbe 4089868-000	
-	Pressure Gas Safety	/ Act	
•	osive Control Law		
	el Safety Law	ous good	
Aviat	i <b>on Law</b> gulated as a dangero	-	
Marin	e Pollution and Sea	Disaster Preve	ntion etc Law
Bulk t	ransportation	: Not class	ified as noxious liquid substance
Pack	transportation	: Not class	ified as marine pollutant
Narco Not aj Speci	oplicable	aw Material (Exp	<b>t</b> ort / Import Permission) erial (Export / Import permission)
Waste	e Disposal and Publ	ic Cleansing La	w
The c	omponents of this p	product are repo	orted in the following inventories:
AICS		: not deter	mined
DSL		: not deter	mined
IECS	C	: not deter	mined

## Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

## Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

## SAFETY DATA SHEET



## **Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	4089868-00012	Date of first issue: 2019/03/20

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN