

Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Diazoxide (<15%) Formulation
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture		Pharmaceutical
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

responsible for the SDS

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B
Specific target organ toxicity - repeated
exposure, Category 1

H360D: May damage the unborn child. H372: Causes damage to organs through prolonged or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs through prolonged or re- peated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

Precautionary statements

Prevention:

P201 Obtain special instructions before use.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Hazardous components which must be listed on the label: Diazoxide

2

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 11,36 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Diazoxide	364-98-7	Acute Tox. 4; H302	>= 10 - < 20
	206-668-1	Repr. 1B; H360D	
		STOT RE 1; H372	
		(Pancreas, Kidney,	
		Heart)	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid mea	
General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
4.2 Most important symptoms	and effects, both acute and delayed
Risks	: May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
4.3 Indication of any immediate	e medical attention and special treatment needed
Treatment	: Treat symptomatically and supportively.
SECTION 5: Firefighting me	asures

5.1 Extinguishing media

Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024		OS Number: 90054-00013	Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
			Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media		:	None known.	
5.2 Spec	cial hazards arising from	the	e substance or mi	xture
Specific hazards during fire- fighting		:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.	
Hazardous combustion prod- ucts		:	Carbon oxides Chlorine compou Nitrogen oxides (Sulphur oxides	
5.3 Advi	ce for firefighters			
	cial protective equipment irefighters	:	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	
Spe ods	cific extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to d so. Evacuate area.	

SECTION 6: Accidental release measures

6.1 Personal precautions, prote	ctive	e equipment and emergency procedures
Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for co	ontai	nment and cleaning up
Methods for cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces



Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019
		Local or nationa posal of this ma employed in the mine which reg Sections 13 and	atmosphere in sufficient concentration. al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION	7: Handling	and storage
---------	-------------	-------------

7.1 Precautions for safe handling

		5	
	Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding
			and bonding, or inert atmospheres.
	Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
	Advice on safe handling	:	Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed.
			Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
	Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2	Conditions for safe storage,	inc	luding any incompatibilities

areas and containers tig	Keep in properly labelled containers. Store locked up. Keep ghtly closed. Store in accordance with the particular national egulations.
--------------------------	--

Advice on common storage : Do not store with the following product types:



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024	SDS Number: 4090054-0001	Date of last issue: 06.04.2024 3 Date of first issue: 20.03.2019
-	i c end use(s) ïic use(s)	: No data av	ailable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Dust

5 mg/m3 Value type (Form of exposure): TWA (respirable dust) Basis: FOR-2011-12-06-1358

10 mg/m3 Value type (Form of exposure): TWA (total dust) Basis: FOR-2011-12-06-1358

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Diazoxide	364-98-7	TWA	50 µg/m3 (OEB 3)	Internal
		Wipe limit	500 µg/100 cm ²	Internal

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

		Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condition mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.	
Hand protection			
Material	:	Chemical-resistant gloves	
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat.	



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024	SDS Number: 4090054-00013	Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
Respi	iratory protection	being performed suits) to avoid e Use appropriate contaminated cl : If adequate loca sure assessmen ommended guid	garments should be used based upon the task d (e.g., sleevelets, apron, gauntlets, disposable exposed skin surfaces. e degowning techniques to remove potentially lothing. al exhaust ventilation is not available or expo- nt demonstrates exposures outside the rec- delines, use respiratory protection. uld conform to NS EN 143
Fil	ter type	: Particulates type	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air during pro- cessing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies)		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024	SDS Number: 4090054-00013Date of last issue: 06.04.2024 Date of first issue: 20.03.2019	
V	later solubility	: No data available	
	tion coefficient: n- nol/water	: Not applicable	
Vapo	our pressure	: Not applicable	
Rela	tive density	: No data available	
Den	sity	: No data available	
Rela	tive vapour density	: Not applicable	
	cle characteristics article size	: No data available	
9.2 Other	r information		
Expl	osives	: Not explosive	
Oxid	izing properties	: The substance or mixture is not classified as oxidi	zing.
Evap	poration rate	: Not applicable	
Mole	ecular weight	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: May form combustible dust concentrations in air during pro- cessing, handling or other means. Can react with strong oxidizing agents.
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
10 E Incompatible metericle	

10.5 Incompatible materials

:	Oxidizing agents
	:

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. **Product:** : Acute toxicity estimate: > 2.000 mg/kg Acute oral toxicity Method: Calculation method Components: Diazoxide: Acute oral toxicity : LD50 (Rat): 980 mg/kg LD50 (Mouse): 444 mg/kg LD50 (Guinea pig): 191 mg/kg Acute toxicity (other routes of : LD50 (Mouse): 228 mg/kg administration) **Application Route: Intravenous** LD50 (Mouse): 326 mg/kg Application Route: Intraperitoneal LD50 (Rat): 510 mg/kg Application Route: Intraperitoneal Skin corrosion/irritation Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024	SDS Number: 4090054-00013	Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
-	roductive toxicity damage the unborn child	d.	
Com	ponents:		
Diaz	oxide:		
Effec ment	cts on foetal develop- t		te: Oral Toxicity: NOAEL: 30 mg/kg body weight on foetal development, foetal abnormalities
			te: Oral Toxicity: LOAEL: 100 mg/kg body weight on foetal development, foetal abnormalities
		Test Type: Deve Species: Rat Application Rout Developmental ⁻ Result: Fetotoxic	te: Intravenous Toxicity: LOAEL: 10 mg/kg body weight
			te: Intraperitoneal Toxicity: NOAEL: 30 mg/kg body weight
			te: Intraperitoneal Toxicity: LOAEL: 60 mg/kg body weight
		Test Type: Deve Species: Rabbit Application Rout Developmental ⁻ Result: foetal ab	te: Intravenous Toxicity: NOAEL: 7 mg/kg body weight
		Test Type: Deve Species: Rabbit Application Rout Developmental ⁻ Result: foetal ab	te: Intravenous Toxicity: LOAEL: 21 mg/kg body weight
		Test Type: Deve Species: Dog Application Rout Developmental Result: foetal mo	te: Intravenous Toxicity: NOAEL: 5 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

ersion 3	Revision Date: 28.09.2024	SDS Number: 4090054-00013	Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
			ute: Intravenous Toxicity: LOAEL: 10 mg/kg body weight
		Developmenta	
Repro sessr	oductive toxicity - As- nent	: May damage th	ne unborn child.
	F - single exposure lassified based on avail	able information	
	Γ - repeated exposure		
Caus	es damage to organs th	nrough prolonged or i	epeated exposure.
Com	ponents:		
Targe	oxide: et Organs ssment	: Pancreas, Kidr	
ASSE	SSITIETI	exposure.	e to organs through prolonged or repeated
Repe	ated dose toxicity	-	je to organs through proionged or repeated
Repe		-	je to organs through proionged or repeated
Repe Com Diazo Spec LOAE Applie Expo	eated dose toxicity ponents: pxide:	-	je to organs through proionged or repeated
Repe Com Diazo Spec LOAE Applie Expo Targe Spec LOAE Applie Expo Targe	eated dose toxicity ponents: oxide: ies EL cation Route sure time et Organs	exposure. : Rat : 400 mg/kg : Oral : 2 Weeks	e to organs through prolonged or repeated
Repe Com Diazo Spec LOAE Applie Expo Targe Spec LOAE Applie Expo Targe Symp	eated dose toxicity ponents: poxide: ies EL cation Route sure time et Organs ies EL cation Route sure time et Organs otoms	exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal gland Rat 1.080 mg/kg Oral 3 Months Pancreas hyperglycemia Rat 200 mg/kg Oral 2 Weeks	drenal gland, Thyroid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

Version 2.3	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.04.20244090054-00013Date of first issue: 20.03.2019	
Expos	cation Route sure time t Organs	 200 mg/kg Oral 82 Weeks Pancreas hyperglycemia 	
Aspir	ation toxicity		
Not cl	assified based on ava	ble information.	
11.2 Inform	mation on other haza	ls	
Endo	crine disrupting pro	rties	
Produ	uct:		
Asses	ssment	: The substance/mixture does not contain components control of the endocrine disrupting properties according REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/0 levels of 0.1% or higher.	to on
Expe	rience with human ex	osure	
Comp	oonents:		
Diazo	xide:		
Gene	ral Information	: Symptoms: hyperglycemia, hypotension, Nausea, Vom Dizziness, Weakness	iting,
Inges	tion	: Symptoms: sodium retention, water retention, anorexia dominal pain, Diarrhoea, tachycardia, Palpitation	, Ab-

SECTION 12: Ecological information

12.1 Toxicity		
Components:		
Diazoxide:		
Ecotoxicology Assessment Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded
 12.2 Persistence and degradabili No data available 12.3 Bioaccumulative potential 	ty	
Components:		
Diazoxide: Partition coefficient: n-	:	log Pow: 1,2



Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging :	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

: Not regulated as a dangerous good	ł
: Not regulated as a dangerous good	ł
: Not regulated as a dangerous good	ł
: Not regulated as a dangerous good	ł
: Not regulated as a dangerous good	ł
	 Not regulated as a dangerous good

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Diazoxide (<15%) Formulation

Versic 2.3	on	Revision Date: 28.09.2024		DS Number: 990054-00013	Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
A	ADN		:	Not regulated as	a dangerous good
Α	ADR		:	Not regulated as	a dangerous good
R	RID		:	Not regulated as	a dangerous good
I	MDG		:	Not regulated as	a dangerous good
1/	ΑΤΑ		:	Not regulated as	a dangerous good
14.3 T	Frans	port hazard class(es)			
A	ADN		:	Not regulated as	a dangerous good
A	٨DR		:	Not regulated as	a dangerous good
R	RID		:	Not regulated as	a dangerous good
I	MDG		:	Not regulated as	a dangerous good
I/	ΑΤΑ		:	Not regulated as	a dangerous good
14.4 F	14.4 Packing group				
А			:	Not regulated as	a dangerous good
А	ADR		:	0	a dangerous good
R	RID		:	Not regulated as	a dangerous good
I	MDG		:	Not regulated as	a dangerous good
I/	ΑΤΑ (Cargo)	:	Not regulated as	a dangerous good
L/	ΑΤΑ (Passenger)	:	Not regulated as	a dangerous good
14.5 Environmental hazards Not regulated as a dangerous good					
	14.6 Special precautions for user Not applicable				
	Maritii Remar	me transport in bulk a ks	acco :	-	r uments r product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High	: Not applicable
Concern for Authorisation (Article 59). REACH - List of substances subject to authorisation	: Not applicable
(Annex XIV)	
Regulation (EC) on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable



Diazoxide (<15%) Formulation

			Date of last issue: 06.04.2024 Date of first issue: 20.03.2019
--	--	--	---

Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous vertice are highlighted in the body of this document by two vertice lines.

Full text of H-Statements

H302 H360D		Harmful if swallowed. May damage the unborn child.
H372	:	Causes damage to organs through prolonged or repeated

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Repr.	:	Reproductive toxicity
STOT RE	:	Specific target organ toxicity - repeated exposure
FOR-2011-12-06-1358	:	Norway. Occupational Exposure limits
FOR-2011-12-06-1358 /	:	Long term exposure limit
TWA		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-



Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
2.3	28.09.2024	4090054-00013	Date of first issue: 20.03.2019

cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixtur	Classification procedure:	
Repr. 1B	H360D	Calculation method
STOT RE 1	H372	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN