



Versio 2.1	n Revision Date: 30.09.2023	SDS Number: 4089874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
SECT	ION 1: Identification of	the substance/mix	cture and of the company/undertaking
1.1 Pro	oduct identifier		
Tr	ade name	: Diazoxide (<15	%) Formulation
U	levant identified uses of t se of the Sub- ance/Mixture	the substance or mix : Pharmaceutical	xture and uses advised against
	ecommended restrictions	: Not applicable	
1.3 De	tails of the supplier of the	e safety data sheet	
	ompany	: MSD 117 16th Road	nouse, Midrand, South Africa
Te	elephone	: +27 11 655 300	0
	mail address of person sponsible for the SDS	: EHSDATASTE	WARD@msd.com
1.4 Em	nergency telephone numb	ber	

+1-908-423-6000

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1B Specific target organ toxicity - repeated exposure, Category 1 H360D: May damage the unborn child. H372: Causes damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs through prolonged or re- peated exposure.

# SAFETY DATA SHEET



# **Diazoxide (<15%) Formulation**

Version 2.1	Revision Date: 30.09.2023	SDS Number: 4089874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
Preca	utionary statements	Prevention:	
		P260 Do not P264 Wash s P270 Do not	special instructions before use. breathe dust. skin thoroughly after handling. eat, drink or smoke when using this product. rotective gloves/ protective clothing/ eye protec- ction.
		<b>Response:</b> P308 + P313 attention.	IF exposed or concerned: Get medical advice/

Hazardous components which must be listed on the label: Diazoxide

#### **Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 11,36 %

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Diazoxide	364-98-7 206-668-1	Acute Tox. 4; H302 Repr. 1B; H360D STOT RE 1; H372 (Pancreas, Kidney, Heart)	>= 10 - < 20

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

- : In the case of accident or if you feel unwell, seek medical advice immediately.
  - When symptoms persist or in all cases of doubt seek medical advice.

# SAFETY DATA SHEET



Version 2.1	Revision Date: 30.09.2023		OS Number: 89874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
Protec	tion of first-aiders	:	and use the recor	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).
lf inhal	ed	:	If inhaled, remove Get medical atter	
In case	e of skin contact	:	of water. Remove contamin Get medical atter Wash clothing be	
In case	e of eye contact	:	If in eyes, rinse w Get medical atter	ell with water. ition if irritation develops and persists.
If swal	lowed	:	Get medical atter	NOT induce vomiting. Ition. oughly with water.
4.2 Most in	nportant symptoms a	nd e	effects, both acute	and delaved
Risks		:	May damage the	-
			the skin.	can cause mechanical irritation or drying of the eyes can lead to mechanical irritation.
4.3 Indicat	ion of anv immediate	meo	dical attention and	d special treatment needed
Treatm	•	:		cally and supportively.
SECTION	5: Firefighting meas	sur	es	
5.1 Extina	uishing media			
-	le extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (( Dry chemical	
Unsuit media	able extinguishing	:	None known.	
5.2 Specia	I hazards arising from	h the	e substance or mi	xture
-	ic hazards during fire-	:	Avoid generating concentrations, a potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a
Hazaro	dous combustion prod-	:	Carbon oxides	



Version 2.1	Revision Date: 30.09.2023		DS Number: 89874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
ucts			Chlorine compou Nitrogen oxides ( Sulphur oxides	
5.3 Advice	for firefighters			
	al protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.
Specific extinguishing meth- ods		:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment.
		Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).

#### **6.2 Environmental precautions**

Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Environmental precautions	Prevent furthe Retain and dis Local authoriti	ities should be advised if significant spillages
--	---------------------------	---	--

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable crainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surface with compressed air). Dust deposits should not be allowed to accumulate on sures, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and deposal of this material, as well as those materials and item employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regar certain local or national requirements.</li> </ul>	ces rfac- - lis- is ter-
-------------------------	--	---

# 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures

: Static electricity may accumulate and ignite suspended dust



Version 2.1	Revision Date: 30.09.2023	SDS Numbe 4089874-000	
Advi	al/Total ventilation ce on safe handling	Provide a and bond If sufficie ventilatio Do not ge Do not be Do not be Do not sw Avoid con Wash ski Handle ir practice, sessmen Keep cor Keep cor Keep aw Take pre Do not ea Take car environm If exposu flushing s place. W nated clo The effec engineer appropria industrial	et on skin or clothing. reathe dust. vallow. ntact with eyes. n thoroughly after handling. accordance with good industrial hygiene and safety based on the results of the workplace exposure as- t intainer tightly closed. dust generation and accumulation. intainer closed when not in use. ay from heat and sources of ignition. cautionary measures against static discharges. at, drink or smoke when using this product. e to prevent spills, waste and minimize release to the
7.2 Cond	litions for safe storage,	including any	/ incompatibilities
Req	uirements for storage s and containers	: Keep in p	properly labelled containers. Store locked up. Keep osed. Store in accordance with the particular national
Advi	ce on common storage	Strong or Self-read	ore with the following product types: kidizing agents tive substances and mixtures peroxides es
7.3 Spec	ific end use(s)		
-	cific use(s)	: No data a	available

### \_\_\_\_\_

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		



Version 2.1	Revision D 30.09.2023		8 Number: 9874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019	
Diazo	oxide	364-98-7	TWA	50 µg/m3 (OEB 3)	Internal
			Wipe limit	500 µg/100 cm <sup>2</sup>	Internal

### 8.2 Exposure controls

#### **Engineering measures**

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection Hand protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks Skin and body protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection Filter type	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type (P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

internation en sacre prijerea	~	a enemiear preper
Appearance Colour Odour Odour Threshold	:	powder white No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	No data available
Evaporation rate	:	Not applicable



Ver 2.1	sion	Revision Date: 30.09.2023		S Number: 39874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
	Flamm	ability (solid, gas)	:		stible dust concentrations in air during pro- g or other means.
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapour	rpressure	:	Not applicable	
	Relativ	e vapour density	:	Not applicable	
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Partitio octano	ter solubility n coefficient: n-	:	No data available Not applicable No data available	
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ity cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
9.2		nformation ability (liquids)	:	Not applicable	
	Molecu	ılar weight	:	No data available	9
	Particle	e size	:	No data available	9

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form combustible dust concentrations in air during pro-
		cessing, handling or other means.
		Can react with strong oxidizing agents.

10.4 Conditions to avoid



Version 2.1	Revision Date: 30.09.2023		S Number: 39874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
Cond	itions to avoid	:	Heat, flames and Avoid dust forma	
10.5 Incor	npatible materials			
Mater	ials to avoid	:	Oxidizing agents	
10.6 Haza	rdous decomposition p	oroc	lucts	
No ha	azardous decomposition	proc	ducts are known.	
SECTION	11: Toxicological in	for	mation	
1.1 Infor	mation on toxicologica	l eff	ects	
	nation on likely routes of		Inhalation	
expos	sure		Skin contact Ingestion	
			Eye contact	
Acute	e toxicity			
Not c	lassified based on availa	ble	information.	
Prod	uct:			
Acute	e oral toxicity	:	Acute toxicity estin Method: Calculation	mate: > 2.000 mg/kg on method
<u>Com</u>	ponents:			
Diazo	oxide:			
Acute	e oral toxicity	:	LD50 (Rat): 980 n	ng/kg
			LD50 (Mouse): 44	4 mg/kg
			LD50 (Guinea pig	): 191 mg/kg
	toxicity (other routes of	:	LD50 (Mouse): 22	
admir	nistration)		Application Route	: Intravenous
			LD50 (Mouse): 32 Application Route	
			LD50 (Rat): 510 n Application Route	
	<b>corrosion/irritation</b> lassified based on availa	ble	information.	
Serio	us eye damage/eye irri	tatio	on	
Not c	lassified based on availa	ble	information.	
Resp	iratory or skin sensitis	atio	n	
Skin	sensitisation			
Not c	lassified based on availa	hle	information	

Not classified based on available information.

# SAFETY DATA SHEET



Vers 2.1	sion	Revision Date: 30.09.2023		OS Number: 89874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
	-	ratory sensitisation			
		assified based on availa	able	information.	
		cell mutagenicity assified based on availa	ahla	information	
		nogenicity		information.	
		assified based on availa	able	information.	
	Repro	oductive toxicity			
	May d	lamage the unborn child	d.		
	Comp	oonents:			
	Diazo	xide:			
	Effect ment	s on foetal develop-	:		
				Test Type: Develo Species: Rat Application Route Developmental To Result: Fetotoxicit	: Intravenous oxicity: LOAEL: 10 mg/kg body weight
				Test Type: Develo Species: Mouse Application Route Developmental To Result: foetal mor	: Intraperitoneal oxicity: NOAEL: 30 mg/kg body weight
				Test Type: Develo Species: Mouse Application Route Developmental To Result: foetal mor	: Intraperitoneal oxicity: LOAEL: 60 mg/kg body weight
				Test Type: Develor Species: Rabbit Application Route Developmental To Result: foetal above	: Intravenous pxicity: NOAEL: 7 mg/kg body weight
				Test Type: Develo Species: Rabbit Application Route Developmental To Result: foetal abn	: Intravenous oxicity: LOAEL: 21 mg/kg body weight



/ersion 2.1	Revision Date: 30.09.2023		DS Number: 089874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
			Test Type: Dev Species: Dog Application Rou Developmental Result: foetal m	ite: Intravenous Toxicity: NOAEL: 5 mg/kg body weight
			Test Type: Dev Species: Dog Application Rou Developmental Result: foetal m	ite: Intravenous Toxicity: LOAEL: 10 mg/kg body weight
			Test Type: Dev Species: Monke Application Rou Developmental Result: No terat	ey ite: Intravenous Toxicity: LOAEL: 5 mg/kg body weight
Repro sessm	oductive toxicity - As- nent	:	May damage th	e unborn child.
Not cl <b>STOT</b>	- single exposure assified based on avail - repeated exposure			
	es damage to organs th ponents:	rou	gh prolonged or re	epeated exposure.
	<b>oxide:</b> It Organs Issment	:	Pancreas, Kidn Causes damag exposure.	ey, Heart e to organs through prolonged or repeated
Repe	ated dose toxicity			
<u>Comp</u>	oonents:			
Expos	es	:	Rat 400 mg/kg Oral 2 Weeks Adrenal gland	
Expos	L cation Route sure time t Organs	:	Rat 1.080 mg/kg Oral 3 Months Pancreas hyperglycemia	
Speci LOAE Applic		:	Rat 200 mg/kg Oral	



VersionRevision Date:2.130.09.2023		OS Number: 89874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
Exposure time Target Organs	:	52 Weeks Heart, Liver, Adre	enal gland, Thyroid
Species NOAEL Application Route Exposure time Target Organs Symptoms		Dog 200 mg/kg Oral 82 Weeks Pancreas hyperglycemia	
Aspiration toxicity Not classified based on availa	able	information.	
Experience with human exp	ວວຣເ	ıre	
Components:			
<b>Diazoxide:</b> General Information	:	Symptoms: hyper Dizziness, Weakr	glycemia, hypotension, Nausea, Vomiting,
Ingestion	:	Symptoms: sodiu	m retention, water retention, anorexia, Ab- rrhoea, tachycardia, Palpitation
SECTION 12: Ecological info	rma	tion	
12.1 Toxicity			
Components:			
Diazoxide:			
Ecotoxicology Assessment Acute aquatic toxicity	t :	Toxic effects can	not be excluded
Chronic aquatic toxicity	:	Toxic effects can	not be excluded
<b>12.2 Persistence and degradabi</b> No data available	lity		
12.3 Bioaccumulative potential			
Components:			
<b>Diazoxide:</b> Partition coefficient: n- octanol/water	:	log Pow: 1,2	
<b>12.4 Mobility in soil</b> No data available			
12.5 Results of PBT and vPvB a	sse	ssment	
Product: Assessment	:		ixture contains no components considered stent, bioaccumulative and toxic (PBT), or
		11 / 15	



Version 2.1	Revision Date: 30.09.2023	SDS Number: 4089874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
		very persistent 0.1% or higher.	and very bioaccumulative (vPvB) at levels of
12.6 Othe	r adverse effects		
Prod	uct:		
Endo tial	crine disrupting poten-	ered to have er REACH Article	mixture does not contain components consid- adocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Dispose of in accordance with local regulations.</li> <li>According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.</li> <li>Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.</li> <li>Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

# **SECTION 14: Transport information**

# 14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



Version 2.1	Revision Date: 30.09.2023		DS Number: 089874-00010	Date of last issue: 04.04.2023 Date of first issue: 20.03.2019
IMDO	6	:	Not regulated as	a dangerous good
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.4 Pack	ing group			
ADN		:	Not regulated as	a dangerous good
ADR		:	Not regulated as	a dangerous good
RID		:	Not regulated as	a dangerous good
IMDO	3	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	:	Not regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	:	Not regulated as	a dangerous good
Not re 14.6 Spec	ronmental hazards egulated as a dangerou ial precautions for us pplicable	-	od	
	sport in bulk accordir	na to	Annex II of Marn	ol and the IBC Code
Rema	•	:9 :0	-	r product as supplied.
	N 15: Regulatory inf ty, health and environ			gislation specific for the substance or mix-
ture The o AICS		rodu :	<b>ct are reported in</b> not determined	the following inventories:
DSL		:	not determined	
IECS	С	:	not determined	
A Chemic	nical safety assessme al Safety Assessment h N 16: Other informat	nas n	ot been carried out	i.
	r information	:		nges have been made to the previous version the body of this document by two vertical

### Full text of H-Statements

H302	:	Harmful if swallowed.
H360D	:	May damage the unborn child.
H372	:	Causes damage to organs through prolonged or repeated
		exposure.

## Full text of other abbreviations

Acute Tox.	:	Acute toxicity
------------	---	----------------



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
2.1		4089874-00010	Date of first issue: 20.03.2019
Repr.	RE	: Reproductive toxi	icity
STOT		: Specific target or	gan toxicity - repeated exposure
Water Road; ing of tion (E of the Europ associ cy Scl sociate borato Transj rying I tional IMDG - Indu: KECI tion; L tional NO(A) fect L Chem of Che stance tative) Parlian strictic Goods SVHC Thaila - Unite	ways; ADR - Agreeme AIIC - Australian Inver Materials; bw - Body w C) No 1272/2008; CM German Institute for S ean Chemicals Agency ated with x% response nedule; ENCS - Existing ed with x% growth rate ry Practice; IARC - Inte out Association; IBC - Dangerous Chemicals i Civil Aviation Organiza - International Maritime strial Safety and Health - Korea Existing Chemic D50 - Lethal Dose to S Convention for the Pre EC - No Observed (Ad evel; NOELR - No Ob icals; OECD - Organiza emical Safety and Pollu structure Activity Rela ment and of the Coun on of Chemicals; RID s by Rail; SADT - Self- - Substance of very h nd Existing Chemicals	concerning the Interna- ent concerning the Interna- tory of Industrial Chem- veight; CLP - Classifica R - Carcinogen, Mutage tandardisation; DSL - r; EC-Number - Europe ; ELx - Loading rate as g and New Chemical S e response; GHS - GI ernational Agency for International Code for n Bulk; IC50 - Half ma- tion; IECSC - Inventor e Dangerous Goods; IM n Law (Japan); ISO - I cals Inventory; LC50 - 50% of a test population evention of Pollution f lverse) Effect Concent servable Effect Loadin ation for Economic Co- ution Prevention; PBT nventory of Chemicals ationship; REACH - Re cil concerning the Re - Regulations concern Accelerating Decompos- igh concern; TCSI - T Inventory; TSCA - Toxi- United Nations Record	tional Carriage of Dangerous Goods by Inland ernational Carriage of Dangerous Goods by nicals; ASTM - American Society for the Test- ation Labelling Packaging Regulation; Regula- gen or Reproductive Toxicant; DIN - Standard Domestic Substances List (Canada); ECHA - ean Community number; ECx - Concentration ssociated with x% response; EmS - Emergen- Substances (Japan); ErCx - Concentration as- obally Harmonized System; GLP - Good La- Research on Cancer; IATA - International Air the Construction and Equipment of Ships car- ximal inhibitory concentration; ICAO - Interna- ry of Existing Chemical Substances in China; IO - International Maritime Organization; ISHL nternational Organisation for Standardization; Lethal Concentration to 50 % of a test popula- on (Median Lethal Dose); MARPOL - Interna- rom Ships; n.o.s Not Otherwise Specified; ration; NO(A)EL - No Observed (Adverse) Ef- ng Rate; NZIOC - New Zealand Inventory of -operation and Development; OPPTS - Office - Persistent, Bioaccumulative and Toxic sub- and Chemical Substances; (Q)SAR - (Quanti- gulation (EC) No 1907/2006 of the European gistration, Evaluation, Authorisation and Re- ing the International Carriage of Dangerous sition Temperature; SDS - Safety Data Sheet; aiwan Chemical Substance Inventory; TECI - ic Substances Control Act (United States); UN mmendations on the Transport of Dangerous

## Further information

Sources of key data used to : compile the Safety Data Sheet	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Classification of the mixture:	Classification procedure:

		•
Repr. 1B	H360D	Calculation method
STOT RE 1	H372	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	4089874-00010	Date of first issue: 20.03.2019

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN