

**Doravirine Formulation**

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

**SECTION 1: IDENTIFICATION**

Product name : Doravirine Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Building A - Level 1/26 Talavera Rd  
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 10 -< 30
Doravirine	1338225-97-0	>= 10 -< 30
Magnesium stearate	557-04-0	< 10
Silicon, amorphous	112945-52-5	< 10

---

**SECTION 4. FIRST AID MEASURES**

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.
- 

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Doravirine Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
 Date of first issue: 16.02.2015

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	AU OEL
			TWA	10 mg/m <sup>3</sup>
Doravirine	1338225-97-0	TWA	500 ug/m <sup>3</sup> (OEB2)	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	AU OEL
			TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Silicon, amorphous	112945-52-5	TWA	10 mg/m <sup>3</sup>	AU OEL

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection  
 Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : off-white

Odour : No data available

# SAFETY DATA SHEET



## Doravirine Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

**Doravirine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Doravirine:**

Acute oral toxicity : LD50 (Rat): > 750 mg/kg  
Remarks: No mortality observed at this dose.

(Rat): Method: Phototoxicity  
Remarks: No evidence of phototoxicity was observed

LD50 (Dog): > 1,000 mg/kg  
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 450 mg/kg  
Remarks: No mortality observed at this dose.

**Doravirine Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Silicon, amorphous:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Doravirine:**

Remarks : No data available

**Magnesium stearate:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Silicon, amorphous:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Doravirine Formulation**

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

**Components:****Doravirine:**

Remarks : No data available

**Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Silicon, amorphous:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Doravirine:**

Remarks : No data available

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative



**Doravirine Formulation**

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Doravirine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

**Silicon, amorphous:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	72 weeks
Result	:	negative

**Doravirine:**

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	6 Months
Result	:	negative
Remarks	:	No significant adverse effects were reported

**Silicon, amorphous:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

**Reproductive toxicity**

Not classified based on available information.

**Components:****Cellulose:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	---	--

**Doravirine:**

Effects on fertility	:	Test Type: Fertility Species: Rat, male and female Fertility: NOAEL: 450 mg/kg body weight Result: No effects on fertility
----------------------	---	---

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral
-------------------------------	---	---

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

Developmental Toxicity: NOAEL: 450 mg/kg body weight  
Result: No adverse effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Result: No adverse effects

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Silicon, amorphous:**

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Doravirine:**

Species : Rat  
NOAEL : 450 mg/kg

## Doravirine Formulation

Version 4.1      Revision Date: 30.09.2023      SDS Number: 58370-00023      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

Application Route : Oral  
Exposure time : 6 Months  
Remarks : No significant adverse effects were reported

Species : Mouse  
NOAEL : > 450 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL : > 1,000 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Remarks : No significant adverse effects were reported

**Magnesium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Silicon, amorphous:**

Species : Rat  
NOAEL : 1.3 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Doravirine:**

Ingestion : Symptoms: confusion, Headache, Dizziness, Nausea, Rash, abnormal dreams, flushing, Neurological disorders, mental depression

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

Remarks: Based on data from similar materials

**Doravirine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 39 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202  
 Remarks: No toxicity at the limit of solubility

EC50 (Americamysis): 9.1 mg/l  
 Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 5.8 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 5.8 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l  
 Exposure time: 32 d  
 Method: OECD Test Guideline 210  
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6.7 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211  
 Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

NOEC: 1,000 mg/l  
 Exposure time: 3 h  
 Test Type: Respiration inhibition  
 Method: OECD Test Guideline 209

**Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
 Exposure time: 48 h  
 Method: DIN 38412  
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
 Exposure time: 47 h

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Silicon, amorphous:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l

Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Doravirine:**Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 %  
Exposure time: 28 d**Magnesium stearate:**Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials**Bioaccumulative potential****Components:****Doravirine:**

Partition coefficient: n-octanol/water : log Pow: 2.08

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: &gt; 4

**Mobility in soil****Components:****Doravirine:**

Distribution among environmental compartments : log Koc: 2.86

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

**UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition,



## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION**

**Further information**

Revision Date	:	30.09.2023
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
Date format	:	dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

## Doravirine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	58370-00023	Date of first issue: 16.02.2015

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN