

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

SECTION 1. IDENTIFICATION

Product identifier : Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Manufacturer or supplier's details

Company : MSD

Address : Avenida Tanner de Melo, Quadra 10 Lote 4A, Galpão A
Parque Industrial Vice Presidente José Alencar Aparecida de
Goiás – GO, Brazil

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Acute toxicity (Oral) : Category 5

Skin irritation : Category 3

Eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity - : Category 2 (Blood, Bone, Kidney)
repeated exposure (Oral)

Short-term (acute) aquatic : Category 3
hazard

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version 10.0 Revision Date: 28.09.2024 SDS Number: 58618-00028 Date of last issue: 30.09.2023
Date of first issue: 16.02.2015

Hazard Statements	: H303 May be harmful if swallowed. H316 Causes mild skin irritation. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Blood, Bone, Kidney) through prolonged or repeated exposure if swallowed. H402 Harmful to aquatic life.
Precautionary Statements	: Prevention: P201 Obtain special instructions before use. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cellulose	9004-34-6		>= 20 -< 30
Lamivudine	134678-17-4	Repr., 2 STOT RE, (Oral)(Blood) , 2	>= 10 -< 20
Tenofovir	202138-50-9	Acute Tox. (Oral), 4 Skin Irrit., 3 Eye Irrit., 2A STOT RE, (Oral)(Bone, Kidney) , 2 Aquatic Acute, 3	>= 10 -< 20

Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 10.0 Revision Date: 28.09.2024 SDS Number: 58618-00028 Date of last issue: 30.09.2023
Date of first issue: 16.02.2015

Doravirine	1338225-97-0	Aquatic Acute, 2	≥ 5 -< 10
------------	--------------	------------------	----------------

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
Causes mild skin irritation.
Causes serious eye irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Halogenated compounds

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version 10.0	Revision Date: 28.09.2024	SDS Number: 58618-00028	Date of last issue: 30.09.2023 Date of first issue: 16.02.2015
-----------------	------------------------------	----------------------------	---

Metal oxides

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety

Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 10.0 Revision Date: 28.09.2024 SDS Number: 58618-00028 Date of last issue: 30.09.2023
Date of first issue: 16.02.2015

- practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
Lamivudine	134678-17-4	TWA	100 µg/m ³ (OEB 2)	Internal
Tenofovir	202138-50-9	TWA	150 µg/m ³ (OEB 2)	Internal
Doravirine	1338225-97-0	TWA	500 µg/m ³ (OEB2)	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions,
mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a
potential for direct contact to the face with dusts, mists, or
aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: powder
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 2.605 mg/kg Method: Calculation method
---------------------	---	--

Components:**Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,8 mg/l Exposure time: 4 h Test atmosphere: dust/mist

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Lamivudine:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
LD50 (Mouse): 4.000 mg/kg
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): > 2.000 mg/kg
Application Route: Intravenous

Tenofovir:

Acute oral toxicity : LD50 (Rat): > 1.500 mg/kg
LD50 (Dog): 30 mg/kg

Doravirine:

Acute oral toxicity : LD50 (Rat): > 750 mg/kg
Remarks: No mortality observed at this dose.

(Rat): Method: Phototoxicity
Remarks: No evidence of phototoxicity was observed

LD50 (Dog): > 1.000 mg/kg
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 450 mg/kg
Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Causes mild skin irritation.

Components:**Lamivudine:**

Species : Rabbit
Result : Mild skin irritation

Tenofovir:

Species : Rabbit
Result : Mild skin irritation

Doravirine:

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye irritation.

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Components:**Lamivudine:**

Species	: Rabbit
Result	: No eye irritation

Tenofovir:

Species	: Rabbit
Result	: Severe irritation

Doravirine:

Remarks	: No data available
---------	---------------------

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Lamivudine:**

Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Tenofovir:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Not a skin sensitizer.

Doravirine:

Remarks	: No data available
---------	---------------------

Germ cell mutagenicity

Not classified based on available information.

Components:**Cellulose:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: In vitro mammalian cell gene mutation test
	Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo)

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Lamivudine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Species: Rat
Result: negative

Tenofovir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity -
Assessment : Weight of evidence does not support classification as a germ
cell mutagen.

Doravirine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Cell type: Bone marrow
Application Route: Oral

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

|| Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

|| Species : Rat
|| Application Route : Ingestion
|| Exposure time : 72 weeks
|| Result : negative

Lamivudine:

|| Species : Rat
|| Exposure time : 2 Years
|| Result : negative

|| Species : Mouse
|| Exposure time : 2 Years
|| Result : negative

Tenofovir:

|| Species : Mouse
|| Application Route : Oral
|| Exposure time : 104 weeks
|| Result : negative

|| Species : Rat
|| Application Route : Oral
|| Exposure time : 104 weeks
|| Result : negative

Doravirine:

|| Species : Mouse
|| Application Route : Oral
|| Exposure time : 6 Months
|| Result : negative
|| Remarks : No significant adverse effects were reported

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Cellulose:**

|| Effects on fertility : Test Type: One-generation reproduction toxicity study
|| Species: Rat
|| Application Route: Ingestion
|| Result: negative

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Effects on fetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Lamivudine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 900 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Symptoms: Preimplantation loss., Skeletal malformations.
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 45 mg/kg body weight
Symptoms: Effects on fetal development.
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Tenofovir:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Result: No adverse effects.

Test Type: Embryo-fetal development
Species: Rabbit
Result: No adverse effects.

Doravirine:

Effects on fertility : Test Type: Fertility
Species: Rat, male and female
Fertility: NOAEL: 450 mg/kg body weight
Result: No effects on fertility.

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 450 mg/kg body weight
Result: No adverse effects.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Result: No adverse effects.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood, Bone, Kidney) through prolonged or repeated exposure if swallowed.

Components:**Lamivudine:**

Routes of exposure : Ingestion
Target Organs : Blood
Assessment : May cause damage to organs through prolonged or repeated exposure.

Tenofovir:

Target Organs : Bone, Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cellulose:**

Species : Rat
NOAEL : ≥ 9.000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Lamivudine:

Species : Rat
NOAEL : 425 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Blood
Symptoms : Gastrointestinal discomfort, Breathing difficulties, Fatality
Remarks : Significant toxicity observed in testing

Species : Dog

Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

LOAEL	:	90 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Target Organs	:	Blood, spleen, Liver
Symptoms	:	Salivation, Diarrhea, Changes in the blood count, Liver disorders, Gastrointestinal disturbance

Species	:	Mouse
NOAEL	:	500 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Blood

Tenofovir:

Species	:	Rat
NOAEL	:	30 mg/kg
LOAEL	:	300 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Bone

Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	>= 10 mg/kg
Application Route	:	Oral
Exposure time	:	42 Weeks
Target Organs	:	Kidney

Species	:	Monkey
LOAEL	:	10 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	10 Months
Target Organs	:	Bone

Doravirine:

Species	:	Rat
NOAEL	:	450 mg/kg
Application Route	:	Oral
Exposure time	:	6 Months
Remarks	:	No significant adverse effects were reported

Species	:	Mouse
NOAEL	:	> 450 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Remarks	:	No significant adverse effects were reported

Species	:	Dog
NOAEL	:	> 1.000 mg/kg
Application Route	:	Oral
Exposure time	:	9 Months
Remarks	:	No significant adverse effects were reported

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Lamivudine:**

Ingestion	: Symptoms: Headache, Fatigue, Respiratory disorders, Diarrhea, Cough
-----------	---

Tenofovir:

Ingestion	: Symptoms: Nausea, Diarrhea, Vomiting, flatulence, Headache, Rash
-----------	--

Doravirine:

Ingestion	: Symptoms: confusion, Headache, Dizziness, Nausea, Rash, abnormal dreams, flushing, Neurological disorders, mental depression
-----------	--

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cellulose:**

Toxicity to fish	: LC50 (<i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	--

Lamivudine:

Toxicity to fish	: LC50 (<i>Pimephales promelas</i> (fathead minnow)): > 97,7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---

Toxicity to algae/aquatic plants	: EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 96,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 96,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	--

Tenofovir:

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

<p>Toxicity to algae/aquatic plants</p>	<p>: EC50 (Raphidocelis subcapitata (freshwater green alga)): 69 mg/l End point: Growth Exposure time: 72 h Method: OECD Test Guideline 201</p> <p>NOEC (Raphidocelis subcapitata (freshwater green alga)): 18 mg/l Exposure time: 72 h Method: OECD Test Guideline 201</p>
<p>Toxicity to fish (Chronic toxicity)</p>	<p>: NOEC (Pimephales promelas (fathead minnow)): 9 mg/l Exposure time: 32 d Method: OECD Test Guideline 210</p>
<p>Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)</p>	<p>: NOEC (Daphnia magna (Water flea)): 12 mg/l Exposure time: 21 d Method: OECD Test Guideline 211</p>
<p>Toxicity to microorganisms</p>	<p>: EC50: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209</p> <p>NOEC: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209</p>

<p>Toxicity to daphnia and other aquatic invertebrates</p>	<p>: EC50 (Daphnia magna (Water flea)): > 39 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.</p> <p>EC50 (Americamysis): 9,1 mg/l Exposure time: 96 h</p>
<p>Toxicity to algae/aquatic plants</p>	<p>: EC50 (Pseudokirchneriella subcapitata (green algae)): > 5,8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.</p> <p>NOEC (Pseudokirchneriella subcapitata (green algae)): 5,8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.</p>
<p>Toxicity to fish (Chronic toxicity)</p>	<p>: NOEC (Pimephales promelas (fathead minnow)): 1 mg/l Exposure time: 32 d Method: OECD Test Guideline 210</p>

Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 10.0	Revision Date: 28.09.2024	SDS Number: 58618-00028	Date of last issue: 30.09.2023 Date of first issue: 16.02.2015
-----------------	------------------------------	----------------------------	---

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6,7 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 1.000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Lamivudine:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4 %
Exposure time: 28 d

Tenofovir:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3,66 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Doravirine:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d

Bioaccumulative potential

Components:

Lamivudine:

Partition coefficient: n-octanol/water : log Pow: -1,44

Tenofovir:

Partition coefficient: n-octanol/water : log Pow: 1,06
pH: 7

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version 10.0	Revision Date: 28.09.2024	SDS Number: 58618-00028	Date of last issue: 30.09.2023 Date of first issue: 16.02.2015
-----------------	------------------------------	----------------------------	---

II**Doravirine:**

Partition coefficient: n-octanol/water : log Pow: 2,08

Mobility in soil**Components:****Lamivudine:**

Distribution among environmental compartments : log Koc: 2,03

Tenofovir:

Distribution among environmental compartments : log Koc: 3,33
Method: OECD Test Guideline 106

Doravirine:

Distribution among environmental compartments : log Koc: 2,86

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

Not regulated as a dangerous good

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 28.09.2024
Date format	: dd.mm.yyyy

Further informationSources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

**Doravirine / Lamivudine / Tenofovir Disoproxil
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
10.0	28.09.2024	58618-00028	Date of first issue: 16.02.2015

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8