

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 58631-00026      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

#### Manufacturer or supplier's details

Company name of supplier : MSD  
Address : Avenida 16 de Septiembre No. 301  
Xaltocan - Xochimilco Mexico 16090  
Telephone : +52 55 57284444  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 5  
Skin corrosion/irritation : Category 3  
Serious eye damage/eye irritation : Category 2A  
Reproductive toxicity : Category 2  
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Blood, Bone, Kidney)

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H303 May be harmful if swallowed.  
H316 Causes mild skin irritation.  
H319 Causes serious eye irritation.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Blood, Bone, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 20 -< 30
Lamivudine	134678-17-4	>= 10 -< 20
Tenofovir	202138-50-9	>= 10 -< 20
Doravirine	1338225-97-0	>= 5 -< 10

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

		for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May be harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Halogenated compounds Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

**Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation**

Version 6.1	Revision Date: 30.09.2023	SDS Number: 58631-00026	Date of last issue: 04.04.2023 Date of first issue: 16.02.2015
----------------	------------------------------	----------------------------	---

cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 58631-00026      Date of last issue: 04.04.2023  
 Date of first issue: 16.02.2015

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	VLE-PPT	10 mg/m <sup>3</sup>	NOM-010-STPS-2014
		TWA	10 mg/m <sup>3</sup>	ACGIH
Lamivudine	134678-17-4	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Tenofovir	202138-50-9	TWA	150 µg/m <sup>3</sup> (OEB 2)	Internal
Doravirine	1338225-97-0	TWA	500 µg/m <sup>3</sup> (OEB2)	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection  
 Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

**Doravirine / Lamivudine / Tenofovir Disoproxil  
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	May form explosive dust-air mixture during processing,

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

tions	handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

May be harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 2,605 mg/kg  
Method: Calculation method

#### Components:

##### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### Lamivudine:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): 4,000 mg/kg  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg  
Application Route: Intravenous

##### Tenofovir:

Acute oral toxicity : LD50 (Rat): > 1,500 mg/kg  
LD50 (Dog): 30 mg/kg

##### Doravirine:

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

Acute oral toxicity : LD50 (Rat): > 750 mg/kg  
Remarks: No mortality observed at this dose.

(Rat): Method: Phototoxicity  
Remarks: No evidence of phototoxicity was observed

LD50 (Dog): > 1,000 mg/kg  
Remarks: No mortality observed at this dose.

LD50 (Mouse): > 450 mg/kg  
Remarks: No mortality observed at this dose.

### Skin corrosion/irritation

Causes mild skin irritation.

#### Components:

##### **Lamivudine:**

Species : Rabbit  
Result : Mild skin irritation

##### **Tenofovir:**

Species : Rabbit  
Result : Mild skin irritation

##### **Doravirine:**

Remarks : No data available

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

##### **Lamivudine:**

Species : Rabbit  
Result : No eye irritation

##### **Tenofovir:**

Species : Rabbit  
Result : Severe irritation

##### **Doravirine:**

Remarks : No data available

### Respiratory or skin sensitization

#### **Skin sensitization**

Not classified based on available information.



**Doravirine / Lamivudine / Tenofovir Disoproxil  
Fumarate Bilayer Formulation**

Version 6.1      Revision Date: 30.09.2023      SDS Number: 58631-00026      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

**Respiratory sensitization**

Not classified based on available information.

**Components:****Lamivudine:**

Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Tenofovir:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Doravirine:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Lamivudine:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: Mouse Lymphoma  
Result: equivocal  
  
Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

mammalian liver cells in vivo

Species: Rat

Result: negative

### Tenofovir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Doravirine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Cellulose:

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

#### Lamivudine:

Species : Rat  
Exposure time : 2 Years  
Result : negative

Species : Mouse

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

Exposure time : 2 Years  
Result : negative

### Tenofovir:

Species : Mouse  
Application Route : Oral  
Exposure time : 104 weeks  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
Result : negative

### Doravirine:

Species : Mouse  
Application Route : Oral  
Exposure time : 6 Months  
Result : negative  
Remarks : No significant adverse effects were reported

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### Lamivudine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 900 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Symptoms: Preimplantation loss., Skeletal malformations.  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 45 mg/kg body weight  
 Symptoms: Effects on fetal development.  
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Tenofovir:

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Oral  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Result: No adverse effects.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Result: No adverse effects.

### Doravirine:

Effects on fertility : Test Type: Fertility  
 Species: Rat, male and female  
 Fertility: NOAEL: 450 mg/kg body weight  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 450 mg/kg body weight  
 Result: No adverse effects.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 300 mg/kg body weight  
 Result: No adverse effects.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Blood, Bone, Kidney) through prolonged or repeated exposure if swallowed.

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 58631-00026      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

### Components:

#### **Lamivudine:**

Routes of exposure : Ingestion  
Target Organs : Blood  
Assessment : May cause damage to organs through prolonged or repeated exposure.

#### **Tenofovir:**

Target Organs : Bone, Kidney  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### **Lamivudine:**

Species : Rat  
NOAEL : 425 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Blood  
Symptoms : Gastrointestinal discomfort, Breathing difficulties, Fatality  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 90 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Blood, spleen, Liver  
Symptoms : Salivation, Diarrhea, Changes in the blood count, Liver disorders, Gastrointestinal disturbance

Species : Mouse  
NOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Blood

#### **Tenofovir:**

Species : Rat  
NOAEL : 30 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Oral

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

Exposure time : 13 Weeks  
Target Organs : Bone

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL :  $\geq 10$  mg/kg  
Application Route : Oral  
Exposure time : 42 Weeks  
Target Organs : Kidney

Species : Monkey  
LOAEL : 10 mg/kg  
Application Route : Subcutaneous  
Exposure time : 10 Months  
Target Organs : Bone

### Doravirine:

Species : Rat  
NOAEL : 450 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Remarks : No significant adverse effects were reported

Species : Mouse  
NOAEL :  $> 450$  mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Remarks : No significant adverse effects were reported

Species : Dog  
NOAEL :  $> 1,000$  mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Remarks : No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Lamivudine:

Ingestion : Symptoms: Headache, Fatigue, Respiratory disorders, Diarrhea, Cough

#### Tenofovir:

Ingestion : Symptoms: Nausea, Diarrhea, Vomiting, flatulence, Headache, Rash

#### Doravirine:

Ingestion : Symptoms: confusion, Headache, Dizziness, Nausea, Rash, abnormal dreams, flushing, Neurological disorders, mental

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

depression

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

##### **Lamivudine:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): > 97.7 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 96.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 96.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

##### **Tenofovir:**

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): 69 mg/l  
End point: Growth  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Raphidocelis subcapitata* (freshwater green alga)): 18 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 9 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 12 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Doravirine / Lamivudine / Tenofovir Disoproxil  
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Doravirine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

EC50 (Americamysis): 9.1 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 5.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 5.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 6.7 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209



**Doravirine / Lamivudine / Tenofovir Disoproxil  
Fumarate Bilayer Formulation**

Version 6.1      Revision Date: 30.09.2023      SDS Number: 58631-00026      Date of last issue: 04.04.2023  
Date of first issue: 16.02.2015

---

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Lamivudine:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4 %  
Exposure time: 28 d

**Tenofovir:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3.66 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

**Doravirine:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****Lamivudine:**

Partition coefficient: n-octanol/water : log Pow: -1.44

**Tenofovir:**

Partition coefficient: n-octanol/water : log Pow: 1.06  
pH: 7

**Doravirine:**

Partition coefficient: n-octanol/water : log Pow: 2.08

**Mobility in soil****Components:****Lamivudine:**

Distribution among environmental compartments : log Koc: 2.03

**Tenofovir:**

Distribution among environmental compartments : log Koc: 3.33  
Method: OECD Test Guideline 106

**Doravirine / Lamivudine / Tenofovir Disoproxil  
Fumarate Bilayer Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

**Doravirine:**

Distribution among environmental compartments : log Koc: 2.86

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****NOM-002-SCT**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

---

## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

IECSC : not determined

### SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023  
Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
NOM-010-STPS-2014 / VLE- : Time weighted average limit value  
PPT

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

# SAFETY DATA SHEET



## Doravirine / Lamivudine / Tenofovir Disoproxil Fumarate Bilayer Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	58631-00026	Date of first issue: 16.02.2015

---

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8