

**Efavirenz Liquid Formulation**

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
Date of first issue: 01.04.2015

---

**SECTION 1. IDENTIFICATION**

Product name : Efavirenz Liquid Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use :  
Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**



Reproductive toxicity : Category 1B

Specific target organ toxicity - : Category 2 (Central nervous system, Skin)  
repeated exposure

Short-term (acute) aquatic : Category 2  
hazard

Long-term (chronic) aquatic : Category 2  
hazard

**GHS label elements**

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system,  
Skin) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

---

## Efavirenz Liquid Formulation

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
 Date of first issue: 01.04.2015

Precautionary Statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapors.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Efavirenz	154598-52-4	>= 2,5 -< 5

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and : May damage the unborn child.  
 May cause damage to organs through prolonged or repeated

## Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

delayed exposure.  
 Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).  
 Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
 Prevent further leakage or spillage if safe to do so.  
 Prevent spreading over a wide area (e.g., by containment or oil barriers).  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
 Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Efavirenz Liquid Formulation

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
 Date of first issue: 01.04.2015

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Efavirenz	154598-52-4	TWA	100 µg/m <sup>3</sup>	Internal

- Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending

## Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white to off-white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: No data available

**Efavirenz Liquid Formulation**

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
Date of first issue: 01.04.2015

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****Efavirenz:**

Acute oral toxicity : LD50 (Rat, female): 419 mg/kg

**Efavirenz Liquid Formulation**

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
Date of first issue: 01.04.2015

---

LDLo (Rat, male): 1.000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Efavirenz:**

Result : Mild skin irritation  
Remarks : slight irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Efavirenz:**

Remarks : Moderate eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Efavirenz:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitization.  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Efavirenz:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse

## Efavirenz Liquid Formulation

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
 Date of first issue: 01.04.2015

---

Application Route: Oral

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **Efavirenz:**

Species : Mouse  
 Application Route : Oral  
 Exposure time : 2 Years  
 Target Organs : Lungs, Liver  
 Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 Result : negative

### Reproductive toxicity

May damage the unborn child.

#### Components:

##### **Efavirenz:**

Effects on fertility : Species: Rat, male and female  
 Application Route: Oral  
 Fertility: NOAEL: 200 - 400 mg/kg body weight  
 Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 50 mg/kg body weight  
 Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
 Species: Monkey  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 60 mg/kg body weight  
 Symptoms: Malformations were observed.

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 75 mg/kg body weight  
 Result: No embryotoxic effects.



## Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

#### Components:

##### Efavirenz:

Target Organs : Central nervous system  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Efavirenz:

Species : Rat  
 LOAEL : 50 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : Kidney

Species : Monkey  
 LOAEL : 100 mg/kg  
 Application Route : Oral  
 Exposure time : 1 - 2 y  
 Target Organs : Central nervous system, Liver, Kidney, Thyroid, Adrenal gland

Species : Monkey  
 LOAEL : 90 mg/kg  
 Application Route : Oral  
 Exposure time : 1 Months  
 Target Organs : Central nervous system  
 Symptoms : Lethargy, Weakness

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Efavirenz:

Ingestion : Target Organs: Skin  
 Symptoms: Rash  
 Target Organs: Central nervous system  
 Symptoms: Dizziness, insomnia  
 Target Organs: Heart  
 Symptoms: irregular heart beat

## Efavirenz Liquid Formulation

Version 5.10      Revision Date: 04.04.2023      SDS Number: 88171-00022      Date of last issue: 01.10.2022  
 Date of first issue: 01.04.2015

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Efavirenz:**

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0,85 mg/l  
 Exposure time: 96 h  
 Method: FDA 4.11
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1,1 mg/l  
 Exposure time: 48 h  
 Method: FDA 4.08
- Toxicity to algae/aquatic plants : NOEC (*Selenastrum capricornutum* (green algae)): 0,026 mg/l  
 Exposure time: 12 d  
 Method: FDA 4.01
- NOEC (*Microcystis aeruginosa* (blue-green algae)): 0,76 mg/l  
 Exposure time: 12 d  
 Method: FDA 4.01
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0,066 mg/l  
 Exposure time: 33 d  
 Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0,16 mg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

#### Persistence and degradability

##### Components:

##### **Efavirenz:**

- Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 11 %  
 Exposure time: 32 d  
 Method: FDA 3.11

#### Bioaccumulative potential

##### Components:

##### **Efavirenz:**

- Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
 Bioconcentration factor (BCF): 454  
 Method: OECD Test Guideline 305

## Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

Partition coefficient: n-octanol/water : log Pow: 5,4

### Mobility in soil

#### Components:

#### Efavirenz:

Distribution among environmental compartments : log Koc: 3,36  
Method: FDA 3.08

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Efavirenz)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Efavirenz)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Efavirenz)  
Class : 9

**Efavirenz Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date	:	04.04.2023
Date format	:	dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

**Efavirenz Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
5.10	04.04.2023	88171-00022	Date of first issue: 01.04.2015

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8