

according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Efavirenz Liquid Formulation				
Manufacturer or supplier's details						
Company	:	MSD				
Address	:	199 Wenhai North Road HEDA, Hangzhou - Zhejiang Province - CHINA 310018				
Telephone	:	908-740-4000				
Emergency telephone number	:	86-571-87268110				
E-mail address	:	EHSDATASTEWARD@msd.com				
Recommended use of the chemical and restrictions on use						
Recommended use Restrictions on use	:	Pharmaceutical Not applicable				

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance Colour Odour	:	liquid white to off-white No data available		
May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.				
GHS Classification				
Reproductive toxicity	:	Category 1B		
Specific target organ toxicity - repeated exposure	:	Category 2		
Short-term (acute) aquatic hazard	:	Category 2		
Long-term (chronic) aquatic hazard	:	Category 2		

GHS label elements



according to GB/T 16483 and GB/T 17519

ersion 0	Revision Date: 2024/07/06	SDS Number: 86832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
Hazaı	rd pictograms		¥2
Signa	l word	: Danger	•
Hazaı	rd statements	H373 May cat peated expos	amage the unborn child. use damage to organs through prolonged or re- ure. aquatic life with long lasting effects.
Preca	utionary statements	P202 Do not h and understoo P260 Do not h P273 Avoid re	preathe mist or vapours. elease to the environment. otective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect s	IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
		Disposal: P501 Dispose disposal plant	of contents/ container to an approved waste
•	ical and chemical ha		
	-	ild. May cause damag	e to organs through prolonged or repeated ex-
	onmental hazards to aquatic life. Toxic to	o aquatic life with long	lasting effects.
	hazards which do n known.	ot result in classific	ation
СОМРС	SITION/INFORMATIO	ON ON INGREDIENT	S
Subst	ance / Mixture	: Mixture	
•	oonents		
Comp			



according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

VersionRevision Date:SDS Number:Date of last issue: 2024/04/066.02024/07/0686832-00024Date of first issue: 2015/04/01	
---	--

Efavirenz	154598-52-4	>= 2.5 -< 10
Benzyl alcohol	100-51-6	< 0.1

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes. Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
•		Get medical attention if irritation develops and persists.
If swallowed		If swallowed, DO NOT induce vomiting.
	•	Get medical attention.
		Rinse mouth thoroughly with water.
Most important symptoms		May damage the unborn child.
	•	
and effects, both acute and		May cause damage to organs through prolonged or repeated
delayed		exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

according to GB/T 16483 and GB/T 17519



Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling	
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	: Oxidizing agents



according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Version 6.0	Revision Date: 2024/07/06	SDS Number: 86832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01	

Storage

Conditions for safe storage	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
Packaging material	:	Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Efavirenz	154598-52-		100 µg/m3	Internal
Engineering measures		orkplace exposure ventilation is unav		l exhaust
Personal protective equipme	ent			
Respiratory protection	sure asses ommended	sment demonstrat I guidelines, use re	tilation is not availabl es exposures outside espiratory protection.	
Filter type Eye/face protection		bllowing personal p	rganic vapour type protective equipment:	
Skin and body protection	: Select app resistance potential. Skin conta	opriate protective data and an asses	clothing based on ch sment of the local ex l by using impervious	posure
Hand protection	olotining (g			
Material	: Chemical-r	esistant gloves		
Remarks	on the con- stance and determined application chemicals	centration and qua specific to place of for the product. C s, we recommend of the aforemention ufacturer. Wash ha	ids against chemicals ntity of the hazardous of work. Breakthrough change gloves often! F clarifying the resistan ned protective gloves ands before breaks ar	s sub- time is not For special ice to with the
Hygiene measures	: If exposure eye flushin ing place.	to chemical is like	ely during typical use, ety showers close to or smoke.	

according to GB/T 16483 and GB/T 17519



Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

Wash contaminated clothing before re-use.

9. PHYSICAL AN	D CHEMICAL PRO	PI	ERTIES
Appearance	:		liquid
Colour	:		white to off-white
Odour	:		No data available
Odour Thresh	nold :		No data available
рН	:		No data available
Melting point/	freezing point :		No data available
Initial boiling range	point and boiling :		No data available
Flash point	:		No data available
Evaporation r	ate :		No data available
Flammability	(solid, gas) :		Not applicable
Flammability	(liquids) :		No data available
Upper explos flammability li	ion limit / Upper : imit		No data available
Lower explos flammability li	ion limit / Lower : imit		No data available
Vapour press	ure :		No data available
Relative vapo	our density :		No data available
Density	:		No data available
Solubility(ies) Water solu			No data available
Partition coef			No data available
Auto-ignition			No data available
Decompositio	on temperature :		No data available
Viscosity Viscosity,	dynamic :		No data available
Viscosity,	kinematic :		No data available



according to GB/T 16483 and GB/T 17519

	Revision Date: 2024/07/06		S Number: 832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
Explo	sive properties	:	Not explosive	
Oxidiz	zing properties	:	The substance	or mixture is not classified as oxidizing.
Molec	cular weight	:	No data availa	ble
	le characteristics le size	:	No data availa	ble
STABI	LITY AND REACTIVIT	Y		
	ivity ical stability bility of hazardous read	: : - :	Stable under r	as a reactivity hazard. ormal conditions. strong oxidizing agents.
Condi Incom	tions to avoid patible materials dous decomposition cts	:	None known. Oxidizing ager No hazardous	nts decomposition products are known.
тохіс			1	
Expos	sure routes	:	Inhalation Skin contact Ingestion Eye contact	
Acute	e toxicity			
	e toxicity assified based on avai	lable	information.	
Not cl Prod u	assified based on avai <u>Jct:</u>			
Not cl Prod u	assified based on avai			stimate: > 5,000 mg/kg ation method
Not cl <u>Produ</u> Acute	assified based on avai <u>Jct:</u>		Acute toxicity e	
Not cl <u>Produ</u> Acute	assified based on avai <u>uct:</u> oral toxicity ponents:		Acute toxicity e	
Not cl <u>Produ</u> Acute <u>Comp</u> Efavi	assified based on avai <u>uct:</u> oral toxicity ponents:		Acute toxicity e	ation method
Not cl <u>Produ</u> Acute <u>Comp</u> Efavi	assified based on avai <u>uct:</u> oral toxicity <u>conents:</u> renz:	:	Acute toxicity e Method: Calcul LD50 (Rat, fem	ation method
Not cl Produ Acute Comp Efavit Acute Benz	assified based on avai <u>uct:</u> oral toxicity <u>ponents:</u> renz: oral toxicity yl alcohol:	:	Acute toxicity e Method: Calcul LD50 (Rat, fem LDLo (Rat, mal	ation method ale): 419 mg/kg e): 1,000 mg/kg
Not cl Produ Acute Comp Efavit Acute Benz	assified based on avai <u>uct:</u> oral toxicity <u>ponents:</u> renz: oral toxicity	:	Acute toxicity e Method: Calcul LD50 (Rat, fem	ation method ale): 419 mg/kg e): 1,000 mg/kg

according to GB/T 16483 and GB/T 17519



Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

Efavirenz:

Result Remarks : Mild skin irritation : slight irritation

Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Efavirenz:

Remarks

: Moderate eye irritation

Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Efavirenz:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	negative

Benzyl alcohol:

Test Type

: Maximisation Test



according to GB/T 16483 and GB/T 17519

Version 6.0	Revision Date: 2024/07/06	SDS Number: 86832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
Expos Speci Metho Resul	bd	: Skin contact : Guinea pig : OECD Test (: negative	Guideline 406
	cell mutagenicity assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
Efavi	renz:		
Geno	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: Ir Result: nega	n vitro mammalian cell gene mutation test tive
		Test Type: C Result: nega	chromosome aberration test in vitro
Geno	toxicity in vivo	: Test Type: M cytogenetic a Species: Mo Application F Result: nega	use Route: Oral
	cell mutagenicity - ssment	: Weight of ev cell mutagen	idence does not support classification as a germ
Benz	yl alcohol:		
	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
Geno	toxicity in vivo	cytogenetic a Species: Mo	use Route: Intraperitoneal injection
	nogenicity assified based on ava	ailable information	
	onents:		
Efavi			
Speci Applic Expos	es cation Route sure time t Organs	: Mouse : Oral : 2 Years : Lungs, Liver : The mechan	ism or mode of action may not be relevant in hu-



according to GB/T 16483 and GB/T 17519

rsion)	Revision Date: 2024/07/06		8 Number: 32-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
Specie Applic	es ation Route	:	mans. Rat Oral	
Expos Result	sure time t		2 Years negative	
Specie Applic	ation Route sure time od	:	Mouse Ingestion 103 weeks DECD Test Gu negative	ideline 451
May d	oductive toxicity lamage the unborn ch ponents:	ild.		
Efavir Effects	r enz: s on fertility		Application Ro Fertility: NOAE	L: 200 - 400 mg/kg body weight cts on fertility and early embryonic develop-
Effects ment	s on foetal develop-		Species: Rat Application Ro Developmental	bryo-foetal development ute: Oral Toxicity: LOAEL: 50 mg/kg body weight b-foetal toxicity
			Species: Monk Application Ro Developmental	
			Species: Rabb Application Ro Developmental	
Repro sessm	ductive toxicity - As- nent		Clear evidence animal experim	of adverse effects on development, based o ents.
Benzv	/l alcohol:			
-	s on fertility		Test Type: Fer Species: Rat	tility/early embryonic development

Version



Date of last issue: 2024/04/06

according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Revision Date:

SDS Number:

rsion	Revision Date: 2024/07/06	-	0S Number: 832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
			Application Rou	
			Result: negativ Remarks: Base	e d on data from similar materials
Effect ment	s on foetal develop-	:	Test Type: Eml Species: Mous	oryo-foetal development
ment			Application Rou Result: negativ	ute: Ingestion
	- single exposure			
Not cl	assified based on avai	ilable	information.	
	- repeated exposure			
May c	cause damage to organ	ns thr	ough prolonged	or repeated exposure.
<u>Comp</u>	oonents:			
Efavi	renz:			
	et Organs	:	Central nervous	
Δοορο	ssment	:	Causes damag exposure.	e to organs through prolonged or repeated
A3363				
73363			expected	
	ated dose toxicity			
Repe	ated dose toxicity conents:			
Repe	ponents:			
Repe <u>Comp</u> Efavin Speci	oonents: renz: es	:	Rat	
Repe Comp Efavit Speci LOAE	oonents: renz: es :L	:	Rat 50 mg/kg	
Reper Comp Efavin Speci LOAE Applic	oonents: renz: es :L cation Route	:	Rat 50 mg/kg Oral	
Reper Comp Efavin Speci LOAE Applic Expos	oonents: renz: es :L	:	Rat 50 mg/kg	
Reper Comp Efavin Speci LOAE Applic Expos Targe	oonents: renz: es EL cation Route sure time et Organs	:	Rat 50 mg/kg Oral 3 Months Kidney	
Reper Comp Efavin Speci LOAE Applic Expos	oonents: renz: es EL cation Route sure time et Organs es		Rat 50 mg/kg Oral 3 Months	
Reper Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic	conents: renz: es EL cation Route sure time et Organs es EL cation Route		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral	
Reper Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos	oonents: renz: es EL cation Route sure time et Organs es EL cation Route sure time		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr	
Reper Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos	conents: renz: es EL cation Route sure time et Organs es EL cation Route		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr	s system, Liver, Kidney, Thyroid, Adrenal gla
Reperior Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey	s system, Liver, Kidney, Thyroid, Adrenal gla
Reperior Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg	s system, Liver, Kidney, Thyroid, Adrenal gla
Reperior Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE Applic Expos	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral	s system, Liver, Kidney, Thyroid, Adrenal gla
Reperior Comp Efavia Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE Applic Expos	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral 1 Months	
Reperior Comp Efavia Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE Applic Expos	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral	s system
Reper Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci Speci Speci	es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral 1 Months Central nervous	s system
Reper Comp Efavin Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci Speci Speci	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs yl alcohol:		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral 1 Months Central nervous	s system
Reperior Comp Efavin Speci LOAE Applic Expose Targe Speci LOAE Applic Expose Targe Speci LOAE Applic Expose Targe Speci LOAE Applic Expose Targe Speci LOAE Applic Expose Targe	ponents: renz: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		Rat 50 mg/kg Oral 3 Months Kidney Monkey 100 mg/kg Oral 1 - 2 yr Central nervous Monkey 90 mg/kg Oral 1 Months Central nervous Lethargy, Weal	s system kness



according to GB/T 16483 and GB/T 17519

Version 6.0	Revision Date: 2024/07/06		DS Number: 832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01			
	posure time thod	:	28 Days OECD Test Guide	eline 412			
	Aspiration toxicity Not classified based on available information.						
Exp	Experience with human exposure						
Co	mponents:						
	virenz: estion	:	Target Organs: S Symptoms: Rash Target Organs: C Symptoms: Dizzir Target Organs: H Symptoms: irregu	entral nervous system ness, insomnia eart			
12. ECC	LOGICAL INFORMATION	١					
Eco	otoxicity						
Co	mponents:						
Efa	virenz:						
То	ricity to fish	:	LC50 (Lepomis m Exposure time: 96 Method: FDA 4.17				
	cicity to daphnia and other natic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: FDA 4.08				
To» plai	ticity to algae/aquatic nts	:	NOEC (Selenastr Exposure time: 12 Method: FDA 4.0				
			NOEC (Microcyst Exposure time: 12 Method: FDA 4.0				
M-F	Factor (Acute aquatic tox-	:	1				
icity To> icity	cicity to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 33 Method: OECD T				
aqu	cicity to daphnia and other natic invertebrates (Chron- pxicity)	:	NOEC (Daphnia r Exposure time: 2 ⁴ Method: OECD T	nagna (Water flea)): 0.16 mg/l I d est Guideline 211			



according to GB/T 16483 and GB/T 17519

M-Factor (Chronic aquatic : 1 toxicity) Benzyl alcohol: : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic : : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Persistence and degradability Components: : Efavirenz: : : Biodegradability : : <th>ersion 0</th> <th>Revision Date: 2024/07/06</th> <th>-</th> <th>9S Number: 832-00024</th> <th>Date of last issue: 2024/04/06 Date of first issue: 2015/04/01</th>	ersion 0	Revision Date: 2024/07/06	-	9S Number: 832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01		
toxicity) Benzyl alcohol: Toxicity to fish Enzyl alcohol: Toxicity to fish EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other aquatic invertebrates NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 201 Toxicity to daphnia and other Exposure time: 21 d Method: OECD Test Guideline 211 Persistence and degradability Components: Efavirenz: Biodegradability Result: Not readily biodegradable. Biodegradation: 11 % Exposure time: 32 d Method: FDA 3.11 Benzyl alcohol: Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential Components: Efavirenz: Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305							
Toxicity to fish:LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202Toxicity to algae/aquatic plants::EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity):NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h 			:	1			
Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other aquatic invertebrates (Chronic to toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Persistence and degradability Components: Efavirenz: Biodegradability : Result: Not readily biodegradable. Biodegradable. Biodegradable. Biodegradation: 11 % Exposure time: 32 d Method: FDA 3.11 Benzyl alcohol: : Result: Readily biodegradable. Biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential Components: : Efavirenz: Bioaccumulation : Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Benzy	yl alcohol:					
aquatic invertebrates Exposure time: 48 h Method: OECD Test Guideline 202 Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Persistence and degradability Components: Efavirenz: Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability Biodegradabile. Biodegradabile. Biodegradability Bioaccumulative potential Components: Efavirenz: Bioaccumulative potential Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Toxici	ty to fish	:				
plants mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 31 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other : aquatic invertebrates (Chronic toxicity) : Persistence and degradability Components: Efavirenz: Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability : Biodegradability : <tr< td=""><td></td><td></td><td>:</td><td colspan="3">Exposure time: 48 h</td></tr<>			:	Exposure time: 48 h			
mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) NOEC (Daphnia magna (Water flea)): 51 mg/l Persistence and degradability Exposure time: 21 d Persistence and degradability Method: OECD Test Guideline 211 Persistence and degradability Efavirenz: Biodegradability : Result: Not readily biodegradable. Biodegradability : Bioaccumulative potential : Components: : Efavirenz: : Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305			:	mg/l Exposure time:	72 h		
aquatic invertebrates (Chron- ic toxicity) Exposure time: 21 d Method: OECD Test Guideline 211 Persistence and degradability Components: Efavirenz: Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability Biodegradability : Result: Readily biodegradable. Biodegradability Biodegradability : Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential Components: Efavirenz: : Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305				mg/l Exposure time:	72 h		
Components: Efavirenz: Biodegradability : Result: Not readily biodegradable. Biodegradation: 11% Exposure time: 32 d Method: FDA 3.11 Benzyl alcohol: Biodegradability : Result: Readily biodegradable. Biodegradability Biodegradability : Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential Exposure time: 14 d Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	aquat	ic invertebrates (Chron-	:	Exposure time:	21 d		
Efavirenz: Biodegradability : Result: Not readily biodegradable. Biodegradation: 11 % Exposure time: 32 d Method: FDA 3.11 Benzyl alcohol: : Result: Readily biodegradable. Biodegradability Biodegradability : Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential : Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d Bioaccumulative potential : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Persi	stence and degradabili	ity				
Biodegradability:Result: Not readily biodegradable. Biodegradation: 11 % Exposure time: 32 d Method: FDA 3.11Benzyl alcohol: Biodegradability:Result: Readily biodegradable. Biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 dBioaccumulative potential:Components: Efavirenz: Bioaccumulation:Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	<u>Comp</u>	oonents:					
Biodegradability:Result: Not readily biodegradable. Biodegradation: 11 % Exposure time: 32 d Method: FDA 3.11Benzyl alcohol: Biodegradability:Result: Readily biodegradable. Biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 dBioaccumulative potential:Components: Efavirenz: Bioaccumulation:Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Efaviı	renz:					
Biodegradability:Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 dBioaccumulative potential:Components::Efavirenz::Bioaccumulation:Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305			:	Biodegradation: Exposure time:	11 % 32 d		
Biodegradability:Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 dBioaccumulative potential:Components::Efavirenz::Bioaccumulation:Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Benzy	yl alcohol:					
Components: Efavirenz: Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Biode	gradability	:	Biodegradation:	92 - 96 %		
Efavirenz: Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Bioac	cumulative potential					
Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Comp	oonents:					
Bioconcentration factor (BCF): 454 Method: OECD Test Guideline 305	Efaviı	renz:					
Partition coefficient: n- : log Pow: 5.4	Bioac	cumulation	:	Bioconcentration	n factor (BCF): 454		
	Partiti	on coefficient: n-	:	log Pow: 5.4			



according to GB/T 16483 and GB/T 17519

Version 6.0	Revision Date: 2024/07/06		DS Number: 832-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01
octa	nol/water			
Part	zyl alcohol: ition coefficient: n- nol/water	:	log Pow: 1.05	
Mob	ility in soil			
<u>Com</u>	<u>iponents:</u>			
Efav	virenz:			
	ribution among environ- tal compartments	:	log Koc: 3.36 Method: FDA 3.0	8
• • • • •	er adverse effects lata available			
13. DISP	OSAL CONSIDERATION	١S		
•	osal methods			· · · · ·
Was	te from residues	:		f waste into sewer. ordance with local regulations.
Con	taminated packaging	:	Empty containers dling site for recy	s should be taken to an approved waste han-
14. TRAN	NSPORT INFORMATION	I		
Inte	rnational Regulations			
UNF	RTDG			
	number	:	UN 3082	
Prop	per shipping name	:	ENVIRONMENT/ N.O.S. (Efavirenz)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Clas		:	9	
Pack Labe	king group	:	 9	
	ronmentally hazardous	÷	yes	
	A-DGR			
	D No.	:	UN 3082	
	per shipping name	:	(Efavirenz)	nazardous substance, liquid, n.o.s.
Clas	s king group	:	9 III	
Labe		:	Miscellaneous	
Pack	king instruction (cargo	:	964	
	ait) king instruction (passen- aircraft)	:	964	



according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Version 6.0	Revision Date: 2024/07/06		S Number: 332-00024	Date of last issue: 2024/04/06 Date of first issue: 2015/04/01		
Enviro	onmentally hazardous	:	yes			
IMDG	-Code					
UN ni	umber	:	UN 3082			
Prope	er shipping name	:	ENVIRONMENT N.O.S. (Efavirenz)	ALLY HAZARDOUS SUBSTANCE, LIQUID,		
Class		:	9			
Packi	ng group	:	111			
Label	-	:	9			
EmS		:	F-A, S-F			
Marin	e pollutant	:	yes			
Trans	sport in bulk accordin	g to A	Annex II of MAR	POL 73/78 and the IBC Code		
Not a	Not applicable for product as supplied.					
Natio	nal Regulations					
GB 6	944/12268					

GD 0944/12200		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
		(Efavirenz)
Class	:	9
Packing group	:	
Labels	:	9
Marine pollutant	:	no
•		

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined

IECSC : not determined



according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

16. OTHER INFORMATION

 Revision Date
 : 2024/07/06

 Further information
 : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



according to GB/T 16483 and GB/T 17519

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/07/06	86832-00024	Date of first issue: 2015/04/01

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN