



Version 3.0	Revision Date: 2024/07/06		S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
1 PROD	UCT AND COMPANY ID	=NT	IFICATION	
-	duct name	:		id Formulation
Mar	nufacturer or supplier's d	letai	ils	
	npany	:	MSD	
Add	Address		126 E. Lincolr Rahway, New	n Avenue v Jersey U.S.A. 07065
Tele	ephone	:	908-740-4000)
Eme	ergency telephone number	• :	1-908-423-60	00
E-m	E-mail address		EHSDATAST	EWARD@msd.com
Rec	ommended use of the ch	nem	ical and restri	ctions on use
	ommended use trictions on use	:	Pharmaceutic Not applicable	
2. HAZA	RDS IDENTIFICATION			
GHS	S Classification			
Acu	te toxicity (Oral)	:	Category 4	

Acute toxicity (Oral)	:	Category 4
Serious eye damage/eye irri- tation	:	Category 2A
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure	:	Category 1 (Central nervous system, Skin)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	

Signal word





Efavirenz Solid Formulation

Version 3.0	Revision Date: 2024/07/06	SDS Number: 86794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Hazar	d statements	H360D May dar H372 Causes d Skin) through pi	swallowed. erious eye irritation. nage the unborn child. amage to organs (Central nervous system, rolonged or repeated exposure. e to aquatic life with long lasting effects.
Preca	utionary statements	P202 Do not ha and understood P260 Do not bre P264 Wash skir P270 Do not ea P273 Avoid rele	eathe dust. a thoroughly after handling. t, drink or smoke when using this product. ase to the environment. ective gloves/ protective clothing/ eye protec-
		CENTER/ docto P305 + P351 + for several minu easy to do. Con P308 + P313 IF attention.	exposed or concerned: Get medical advice/ eye irritation persists: Get medical advice/ at-
		Storage: P405 Store lock Disposal:	
Other	hazards which do no	t result in classificat	ion

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Efavirenz	154598-52-4	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30
Magnesium stearate	557-04-0	< 10
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 2.5
Titanium dioxide	13463-67-7	< 1



VersionRevision Date:SDS Number:Date of last issue: 2024/04/063.02024/07/0686794-00027Date of first issue: 2015/04/02	
---	--

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	advice.If inhaled, remove to fresh air.Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of wate for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	 If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	 Harmful if swallowed. Causes serious eye irritation. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	 First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.
FIREFIGHTING MEASURES	
Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire- fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	: Carbon oxides Metal oxides Sulphur oxides
Specific extinguishing meth- ods	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.



Version 3.0	Revision Date: 2024/07/06		OS Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02	
for fir	ial protective equipment efighters ENTAL RELEASE MEA		so. Evacuate area In the event of Use personal p	maged containers from fire area if it is safe to de fire, wear self-contained breathing apparatus. protective equipment.	
Perse tive e	onal precautions, protec- equipment and emer- y procedures		Use personal p Follow safe ha	protective equipment. ndling advice (see section 7) and personal pro- ent recommendations (see section 8).	
Envir	Environmental precautions Methods and materials for containment and cleaning up		 Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spilla cannot be contained. 		
			tainer for dispersa Avoid dispersa with compress Dust deposits es, as these m leased into the Local or nation posal of this m employed in th mine which reg Sections 13 an	I of dust in the air (i.e., clearing dust surfaces	
7. HANDI	ING AND STORAGE				
	nical measures I/Total ventilation	:	causing an exp Provide adequ and bonding, c	y may accumulate and ignite suspended dust blosion. ate precautions, such as electrical grounding or inert atmospheres. htilation is unavailable, use with local exhaust	
Advid	ce on safe handling	:	Do not get on s Do not breathe Do not swallow Do not get in e	Ι.	

Keep container closed when not in use.



Version	Revision Date: 2024/07/06	SDS Number:	Date of last issue: 2024/04/06
3.0		86794-00027	Date of first issue: 2015/04/02
	itions for safe storage rials to avoid	 Take precaution Do not eat, drint Take care to previronment. Keep in properly Store locked up Keep tightly closed Store in accord 	sed. ance with the particular national regulations. th the following product types:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Efavirenz	154598-52-4	TWA	100 µg/m3	Internal
Cellulose	9004-34-6	NAB	10 mg/m3	ID OEL
		TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	NAB	10 mg/m3	ID OEL
		classify these r	fied as carcinogenic t materials as carcinog	
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH
Titanium dioxide	13463-67-7	NÁB	10 mg/m3	ID OEL
		classify these r	fied as carcinogenic t materials as carcinog	

Components with workplace control parameters

:	Minimize workplace exposure concentrations.
	Apply measures to prevent dust explosions.
	Ensure that dust-handling systems (such as exhaust ducts,
	dust collectors, vessels, and processing equipment) are de-
	signed in a manner to prevent the escape of dust into the
	work area (i.e., there is no leakage from the equipment).
	If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Engineering measures

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo-
		sure assessment demonstrates exposures outside the rec-
		ommended guidelines, use respiratory protection.



Versi 3.0	on	Revision Date: 2024/07/06		S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02		
Filter type Hand protection		:	Particulates type				
I							
	Mat	erial	:	Chemical-resistar	nt gloves		
	Remarks		:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.			
E	Eye pro	otection	:	Wear the following	g personal protective equipment:		
	Skin and body protection Hygiene measures		:	Safety goggles Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protectiv clothing (gloves, aprons, boots, etc). If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work- ing place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.			
9. PH	IYSICA	AL AND CHEMICAL P	ROF	PERTIES			
ŀ	Appear	rance	:	powder			
(Colour		:	white to off-white	•		
(Odour		:	No data available	9		
(Odour Threshold		:	No data available	9		
ķ	рН		:	No data available	9		
Ν	Melting point/freezing point		:	No data available	9		

- Initial boiling point and boiling : No data available range
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : No data available
- Upper explosion limit / Upper : No data available



Version 3.0	n Revision Dat 2024/07/06		9S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
fla	mmability limit			
Lower explosion limit / Lower flammability limit		:/Lower :	No data available	9
Va	pour pressure	:	No data available)
Re	elative vapour dens	sity :	No data available)
De	ensity	:	No data available	9
So	lubility(ies) Water solubility	:	No data available)
Partition coefficient: n-		n- :	No data available	9
	tanol/water ito-ignition tempera	ature :	No data available)
Decomposition temperature		erature :	No data available)
Vis	scosity Viscosity, dynami	c :	No data available	9
	Viscosity, kinema	tic :	No data available)
Ex	plosive properties	:	Not explosive	
Ox	kidizing properties	:	The substance of	r mixture is not classified as oxidizing.
Мс	blecular weight	:	No data available	9
	rticle characteristic rticle size	cs :	No data available	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	

11. TOXICOLOGICAL INFORMATION



ersion 0	Revision Date: 2024/07/06		9S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Infori expo	mation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity nful if swallowed.			
Prod	luct:			
Acute	e oral toxicity	:	Acute toxicity esti Method: Calculati	mate: 849.05 mg/kg on method
<u>Com</u>	ponents:			
Efav	irenz:			
Acut	e oral toxicity	:	LD50 (Rat, female	e): 419 mg/kg
			LDLo (Rat, male):	: 1,000 mg/kg
Cellu	llose:			
Acute	e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): > 5.8 Exposure time: 4 Test atmosphere:	h
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2	2,000 mg/kg
Mag	nesium stearate:			
	e oral toxicity	:	icity	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2 Remarks: Based	2,000 mg/kg on data from similar materials
Sodi	um n-dodecyl sulfate:			
	e oral toxicity	:	LD50 (Rat): 1,200 Method: OECD T	
Acute	e dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD T Remarks: Based	
Titar	nium dioxide:			
	e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg



Version 3.0	Revision Date: 2024/07/06		98 Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Acute	e inhalation toxicity	:	LC50 (Rat): > 6.8 Exposure time: 4 Test atmosphere: Assessment: The tion toxicity	h
_	corrosion/irritation	able	information.	
Com	ponents:			
Efavi Resu Rema		:	Mild skin irritation slight irritation	
Magi Spec Resu Rema	llt	:	Rabbit No skin irritation Based on data fro	om similar materials
Sodi Spec Resu		:	Rabbit Skin irritation	
Titan Spec Resu		:	Rabbit No skin irritation	
Caus	ous eye damage/eye iri es serious eye irritation. ponents:		on	
	irenz:	:	Moderate eye irrit	ation
Magi Spec Resu Rema	llt	:	Rabbit No eye irritation Based on data fro	om similar materials
Sodi Spec Resu Meth	lt	:	Rabbit Irreversible effect OECD Test Guide	



Version 3.0	Revision Date: 2024/07/06	SDS Number: 86794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02	
Titan	ium dioxide:			
Spec Resu		: Rabbit : No eye irritati	on	
Resp	iratory or skin sens	itisation		
•••••	sensitisation lassified based on av	ailable information.		
-	iratory sensitisatior lassified based on av			
Com	ponents:			
Efavi	renz:			
Test Expo	Type sure routes	: Maximisation : Dermal	Test	

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Test Type Exposure routes Species Assessment Result	: negative

Magnesium stearate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Test Type Exposure routes Species Method Result Remarks	: Based on data from similar materials

Sodium n-dodecyl sulfate:

: Maximisation Test
: Skin contact
: Guinea pig
: negative
: Based on data from similar materials

Titanium dioxide:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Test Type Exposure routes Species Result	:	negative

:

Germ cell mutagenicity

Not classified based on available information.

Components:

Efavirenz:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES) Result: negative



ersion)	Revision Date: 2024/07/06		S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
			Result: negativ Test Type: Ch	romosome aberration test in vitro
Geno	toxicity in vivo	:	Result: negative Test Type: Macytogenetic as Species: Mouse Application Ro Result: negative	mmalian erythrocyte micronucleus test (in viv say) se ute: Oral
	cell mutagenicity - ssment	:	Weight of evid cell mutagen.	ence does not support classification as a ger
II Cellu	lose:			
	toxicity in vitro	:	Test Type: Ba Result: negativ	cterial reverse mutation assay (AMES) /e
			Test Type: In Result: negativ	<i>r</i> itro mammalian cell gene mutation test /e
Geno	toxicity in vivo	:	Test Type: Ma cytogenetic as Species: Mous Application Ro Result: negativ	e ute: Ingestion
Magn	esium stearate:			
-	toxicity in vitro	:	Result: negativ	vitro mammalian cell gene mutation test ve ed on data from similar materials
			Method: OECI Result: negativ	romosome aberration test in vitro D Test Guideline 473 /e ed on data from similar materials
			Result: negativ	cterial reverse mutation assay (AMES) /e ed on data from similar materials
Sodiu	ım n-dodecyl sulfate:			
	toxicity in vitro	:		cterial reverse mutation assay (AMES) D Test Guideline 471 /e
			Test Type: In Result: negativ	/itro mammalian cell gene mutation test /e



Version 3.0	Revision Date: 2024/07/06		OS Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02	
Genot	Genotoxicity in vivo :		: Test Type: Rodent dominant lethal test (germ cell) (in Species: Mouse Application Route: Ingestion Result: negative		
Titani	um dioxide:				
	oxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)	
Genot	oxicity in vivo	:	Test Type: In viv Species: Mouse Result: negative		
Not cla	n ogenicity assified based on avai ponents:	ilable	information.		
Specie Applic Expos	es ation Route ure time t Organs		Mouse Oral 2 Years Lungs, Liver The mechanism mans.	or mode of action may not be relevant in hu-	
	ation Route sure time	:	Rat Oral 2 Years negative		
	es ation Route sure time	:	Rat Ingestion 72 weeks negative		
	m n-dodecyl sulfate:	:			
	ation Route sure time d		Rat Ingestion 2 Years OECD Test Guid negative Based on data fr	deline 453 rom similar materials	
Titani	um dioxide:				
Specie		:	Rat inhalation (dust/r	mist/fume)	



Version 3.0			Date of last issue: 2024/04/06 Date of first issue: 2015/04/02			
Metho Resu Rema	lt arks	: posi : The man	CD Test Guide tive mechanism c s.	or mode of action may not be relevant in hu-		
ment		: Limi anin		of carcinogenicity in inhalation studies with		
Mayo	oductive toxicity damage the unborn chil ponents:	d.				
Efavi	renz:					
Effect	ts on fertility	App Fert Res	lication Route lity: NOAEL:	200 - 400 mg/kg body weight s on fertility and early embryonic develop-		
Effect ment	ts on foetal develop-	Spe App Dev	cies: Rat lication Route	oxicity: LOAEL: 50 mg/kg body weight		
		Spe App Dev	cies: Monkey lication Route elopmental T	vo-foetal development e: Oral oxicity: LOAEL: 60 mg/kg body weight rmations were observed.		
		Spe App Dev	cies: Rabbit lication Route elopmental Te	vo-foetal development :: Oral oxicity: NOAEL: 75 mg/kg body weight otoxic effects		
Repro sessr	oductive toxicity - As- nent		r evidence of nal experimer	adverse effects on development, based on tts.		
Cellu	lose:					
	ts on fertility	Spe App	Type: One-g cies: Rat lication Route ult: negative	eneration reproduction toxicity study		
Effect ment	Effects on foetal develop- : ment		Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion			



ersion D	Revision Date: 2024/07/06	SDS Number: 86794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
П		Result: negativ	/e
		5	
Magn	esium stearate:		
Effect	s on fertility	reproduction/d Species: Rat Application Ro Method: OECI Result: negativ	D Test Guideline 422
Effect ment	s on foetal develop-	Species: Rat Application Ro Result: negativ	
Sodiu	Im n-dodecyl sulfate	:	
Effect	s on fertility	Species: Rat Application Ro Method: OECI Result: negativ	D Test Guideline 416
Effect ment	s on foetal develop-	Species: Rat Application Ro Result: negativ	
STOT	- single exposure		
Not of	assified based on ava		

Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

Components:

Efavirenz:

Target Organs Assessment	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated
	exposure.

Repeated dose toxicity

Components:

Efavirenz:



rsion	Revision Date: 2024/07/06	SDS Number: 86794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Speci		: Rat	
LOAE		: 50 mg/kg	
	ation Route	: Oral	
	sure time t Organs	: 3 Months : Kidney	
Speci	es	: Monkey	
LÒAE		: 100 mg/kg	
	ation Route	: Oral	
	sure time	: 1 - 2 yr	
Targe	t Organs	: Central nervous	s system, Liver, Kidney, Thyroid, Adrenal gla
Speci		: Monkey	
	ation Route	: 90 mg/kg : Oral	
	sure time	: 1 Months	
	t Organs	: Central nervous	system
Symp		: Lethargy, Weak	
Cellu	lose:		
Speci	es	: Rat	
NOAE		: >= 9,000 mg/kg	
	ation Route	: Ingestion	
Expos	sure time	: 90 Days	
Magn	esium stearate:		
Speci		: Rat	
NOAE		: > 100 mg/kg	
	ation Route	: Ingestion	
	sure time	: 90 Days	from similar motorials
Rema	IſKS	: Based on data	from similar materials
	Im n-dodecyl sulfat	e:	
Speci		: Rat	
NOAE		: 488 mg/kg	
Applic	ation Route	: Ingestion	
Expos		: 90 Days Based on data	from similar materials
		. Dasca on data	
	um dioxide:		
Speci		: Rat	
NOAE		: 24,000 mg/kg	
	ation Route	: Ingestion : 28 Days	
Speci		: Rat	
NOAE		: 10 mg/m3	(mict/fume)
	ation Route	: inhalation (dust	(mistrume)
Expos		: 2 yr	



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Efavirenz:

Ingestion

: Target Organs: Skin Symptoms: Rash Target Organs: Central nervous system Symptoms: Dizziness, insomnia Target Organs: Heart Symptoms: irregular heart beat

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Efavirenz:

Elavirenz:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.85 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.1 mg/l Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	:	NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l Exposure time: 12 d Method: FDA 4.01
		NOEC (Microcystis aeruginosa (blue-green algae)): 0.76 mg/l Exposure time: 12 d Method: FDA 4.01
M-Factor (Acute aquatic tox- icity)	:	1
Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.066 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.16 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
Cellulose:		



ersion)	Revision Date: 2024/07/06	-	9S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02	
Toxici	ty to fish	:	Exposure time:	latipes (Japanese medaka)): > 100 mg/l 48 h ed on data from similar materials	
Magn	esium stearate:				
Toxici	ty to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Method: DIN 38412 Remarks: Based on data from similar materials		
	ty to daphnia and other c invertebrates	:	Exposure time: Test substance Method: Directi Remarks: Base	a magna (Water flea)): > 1 mg/l 47 h e: Water Accommodated Fraction ive 67/548/EEC, Annex V, C.2. ed on data from similar materials he limit of solubility	
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time: Test substance Method: OECD Remarks: Base	kirchneriella subcapitata (green algae)): > 1 72 h e: Water Accommodated Fraction 0 Test Guideline 201 ed on data from similar materials ne limit of solubility	
			mg/l Exposure time: Test substance Method: OECD	dokirchneriella subcapitata (green algae)): > 1 72 h e: Water Accommodated Fraction 9 Test Guideline 201 ed on data from similar materials	
Toxici	ty to microorganisms	:	Exposure time: Test substance	monas putida): > 100 mg/l : 16 h e: Water Accommodated Fraction ed on data from similar materials	
Sodiu	m n-dodecyl sulfate:				
Toxici	ty to fish	:	LC50 (Pimepha Exposure time:	ales promelas (fathead minnow)): 29 mg/l : 96 h	
	ty to daphnia and other ic invertebrates	:	EC50 (Cerioda Exposure time:	phnia dubia (water flea)): 5.55 mg/l : 48 h	
Toxici plants	ty to algae/aquatic	:	ErC50 (Desmo Exposure time:	desmus subspicatus (green algae)): > 120 m 72 h	
			NOEC (Desmo Exposure time:	desmus subspicatus (green algae)): 30 mg/l 72 h	
Toxici	ty to fish (Chronic tox-	:	NOEC (Pimeph	nales promelas (fathead minnow)): >= 1.357	



ersion .0	Revision Date: 2024/07/06	-	0S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
icity)			mg/I Exposure time: 42	2 d
	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Ceriodapl Exposure time: 7	hnia dubia (water flea)): 0.88 mg/l d
	ty to microorganisms	:	EC50: 135 mg/l Exposure time: 3	h
Titaniu	um dioxide:			
Toxicit	ry to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD T	chus mykiss (rainbow trout)): > 100 mg/l 6 h est Guideline 203
	ty to daphnia and other cinvertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): > 100 mg/l 3 h
Toxicit plants	y to algae/aquatic	:	EC50 (Skeletoner Exposure time: 72	ma costatum (marine diatom)): > 10,000 m 2 h
Toxicit	ty to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 Method: OECD T	ĥ
Persis	stence and degradabili	ty		
Comp	onents:			
Efavir	enz:			
Biodeç	gradability	:	Result: Not readily Biodegradation: Exposure time: 32 Method: FDA 3.12	11 % 2 d
Cellul	ose:			
Biodeg	gradability	:	Result: Readily bi	odegradable.
Magne	esium stearate:			
Biodeg	gradability	:		gradable on data from similar materials
Sodiu	m n-dodecyl sulfate:			
Biodeg	gradability	:	Result: Readily bi Biodegradation: S Exposure time: 28 Method: OECD T	95 %



Version 3.0	Revision Date: 2024/07/06		OS Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Bioa	ccumulative potential			
Com	ponents:			
Efavi	renz:			
Bioac	ccumulation	:	Bioconcentratio	is macrochirus (Bluegill sunfish) n factor (BCF): 454 Test Guideline 305
	ion coefficient: n- ol/water	:	log Pow: 5.4	
Partit	nesium stearate: ion coefficient: n- iol/water	:	log Pow: > 4	
Sodi Partit	um n-dodecyl sulfate: ion coefficient: n- iol/water	:	log Pow: 0.83	
Mobi	lity in soil			
Com	ponents:			
Efavi	renz:			
Distri	bution among environ- al compartments	:	log Koc: 3.36 Method: FDA 3.	08
	r adverse effects ata available			
13. DISPC	SAL CONSIDERATION	١S		
Disp	osal methods			
-	e from residues	:	Do not dispose	of waste into sewer.
Conta	aminated packaging	:	Empty containe dling site for rec	cordance with local regulations. 's should be taken to an approved waste han- ycling or disposal. specified: Dispose of as unused product.
14. TRAN	SPORT INFORMATION	l		
Interi	national Regulations			
UNR	TDG			
UN n	umber er shipping name	:	N.O.S.	FALLY HAZARDOUS SUBSTANCE, SOLID,
Class Packi Label	ing group	:	(Efavirenz) 9 III 9	



Version 3.0	Revision Date: 2024/07/06	-	0S Number: 794-00027	Date of last issue: 2024/04/06 Date of first issue: 2015/04/02
Enviro	nmentally hazardous	:	yes	
IATA- UN/ID Prope		:		azardous substance, solid, n.o.s.
Labels		: : :	(Efavirenz) 9 III Miscellaneous	
aircraf Packir ger air	instruction (passen-	:	956 956 ves	
	-	•	yco	
IMDG- UN nu Prope		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
Labels EmS (:	(Efavirenz) 9 III 9 F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable



Version 3.0	Revision Date: 2024/07/06		DS Number: 794-00027		e of last issue: 2024/04/06 e of first issue: 2015/04/02
Rest	ricted substances			:	: Not applicable
	ulation of the Ministry o erials	of T	rade No. 7 of 2022	2 on Di	Distribution and Control of Hazardous
	e of hazardous materials rol, Annex I	sub	ject to distribution a	and :	: Not applicable
	e of hazardous materials rol, Annex II	sub	ject to distribution a	and :	: Not applicable
The AICS	components of this pro	odu :	ct are reported in not determined	the fo	ollowing inventories:
DSL		:	not determined		
IECS	SC	:	not determined		
16. OTHE					
	sion Date her information	:	2024/07/06		
Sou	ces of key data used to pile the Safety Data	:		arch re	, data from raw material SDSs, OECD results and European Chemicals Agen- eu/
	s where changes have b iment by two vertical line		made to the previo	ous vei	ersion are highlighted in the body of this
Date	format	:	yyyy/mm/dd		
Full	text of other abbreviati	ions	;		
ACG ID O		:			ld Limit Values (TLV) nal Exposure Limits
	IH / TWA EL / NAB	:	8-hour, time-weig Long term expos		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
3.0	2024/07/06	86794-00027	Date of first issue: 2015/04/02

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN