

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
Date of first issue: 2015/04/02

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Efavirenz Solid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Central nervous system, Skin)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Hazard statements : H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H360D May damage the unborn child.
H372 Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : May form explosive dust-air mixture during processing, handling or other means.
lines of the emergency assumed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) | ENCS No. |
|--------------------------|-------------|-----------------------|----------|
| Efavirenz | 154598-52-4 | >= 40 - < 50 | |
| Cellulose | 9004-34-6 | >= 10 - < 20 | |
| Sodium n-dodecyl sulfate | 151-21-3 | 1 | 2-1679 |

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

| | | | |
|--------------------|------------|------------------|---------------|
| Magnesium stearate | 557-04-0 | $\geq 1 - < 10$ | 2-611 |
| Titanium dioxide | 13463-67-7 | $\geq 0.1 - < 1$ | 1-558, 5-5225 |

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes serious eye irritation.
May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

| | | |
|---|---|---|
| ucts | | Metal oxides Sulphur oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

7. HANDLING AND STORAGE

Handling

| | | |
|-------------------------|---|--|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. |

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
 Date of first issue: 2015/04/02

Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Minimize dust generation and accumulation.
 Keep container closed when not in use.
 Keep away from heat and sources of ignition.
 Take precautionary measures against static discharges.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents
 Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.

Storage

Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
 Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Reference concentration / Permissible concentration | Basis |
|--|-------------|---------------------------------------|--|----------------|
| Efavirenz | 154598-52-4 | TWA | 100 µg/m ³ | Internal |
| Cellulose | 9004-34-6 | TWA | 10 mg/m ³ | ACGIH |
| Magnesium stearate | 557-04-0 | TWA (Inhalable particulate matter) | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable particulate matter) | 3 mg/m ³ | ACGIH |
| Titanium dioxide | 13463-67-7 | OEL-M (Respirable particulate matter) | 1.5 mg/m ³ (Titanium) | JP OEL JSOH |
| Further information: Group 2B: possibly carcinogenic to humans | | | | |

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
 Date of first issue: 2015/04/02

| | | | | |
|--|--|-------------------------------------|--|----------------|
| | | OEL-M (Total particulate matter) | 2 mg/m ³ (Titanium) | JP OEL JSOH |
| | Further information: Group 2B: possibly carcinogenic to humans | | | |
| | | TWA (Respirable particulate matter) | 2.5 mg/m ³ (Titanium dioxide) | ACGIH |

Engineering measures : Minimize workplace exposure concentrations.
 Apply measures to prevent dust explosions.
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
 Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : white to off-white

Odour : No data available

Odour Threshold : No data available

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density
Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 849.05 mg/kg
Method: Calculation method

Components:**Efavirenz:**

Acute oral toxicity : LD50 (Rat, female): 419 mg/kg
LDLo (Rat, male): 1,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Sodium n-dodecyl sulfate:

| | | |
|-----------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 1,200 mg/kg Method: OECD Test Guideline 401 |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials |

Magnesium stearate:

| | | |
|-----------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg Remarks: Based on data from similar materials |

Titanium dioxide:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): > 6.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |

Skin corrosion/irritation

Not classified based on available information.

Components:**Efavirenz:**

| | | |
|---------|---|----------------------|
| Result | : | Mild skin irritation |
| Remarks | : | slight irritation |

Sodium n-dodecyl sulfate:

| | | |
|---------|---|-----------------|
| Species | : | Rabbit |
| Result | : | Skin irritation |

Magnesium stearate:

| | | |
|---------|---|--------------------------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |
| Remarks | : | Based on data from similar materials |

Titanium dioxide:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
Date of first issue: 2015/04/02

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Efavirenz:**

Remarks : Moderate eye irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Efavirenz:**

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative

Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Magnesium stearate:

| | |
|-----------------|--|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |
| Remarks | : Based on data from similar materials |

Titanium dioxide:

| | |
|-----------------|---------------------------------|
| Test Type | : Local lymph node assay (LLNA) |
| Exposure routes | : Skin contact |
| Species | : Mouse |
| Result | : negative |

Germ cell mutagenicity

Not classified based on available information.

Components:

Efavirenz:

| | |
|-------------------------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | : Test Type: Chromosome aberration test in vitro Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: negative |
| Germ cell mutagenicity - Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |

Cellulose:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative |

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

||

Sodium n-dodecyl sulfate:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) |
| | | Method: OECD Test Guideline 471 |
| | | Result: negative |
| | | Test Type: In vitro mammalian cell gene mutation test |
| | | Result: negative |
| Genotoxicity in vivo | : | Test Type: Rodent dominant lethal test (germ cell) (in vivo) |
| | | Species: Mouse |
| | | Application Route: Ingestion |
| | | Result: negative |

Magnesium stearate:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test |
| | | Result: negative |
| | | Remarks: Based on data from similar materials |
| | | Test Type: Chromosome aberration test in vitro |
| | | Method: OECD Test Guideline 473 |
| | | Result: negative |
| | | Remarks: Based on data from similar materials |
| | | Test Type: Bacterial reverse mutation assay (AMES) |
| | | Result: negative |
| | | Remarks: Based on data from similar materials |

Titanium dioxide:

| | | |
|-----------------------|---|--|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) |
| | | Result: negative |
| Genotoxicity in vivo | : | Test Type: In vivo micronucleus test |
| | | Species: Mouse |
| | | Result: negative |

Carcinogenicity

Not classified based on available information.

Components:

Efavirenz:

| | | |
|-------------------|---|--|
| Species | : | Mouse |
| Application Route | : | Oral |
| Exposure time | : | 2 Years |
| Target Organs | : | Lungs, Liver |
| Remarks | : | The mechanism or mode of action may not be relevant in humans. |

| | | |
|---------|---|-----|
| Species | : | Rat |
|---------|---|-----|

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

| | |
|-------------------|------------|
| Application Route | : Oral |
| Exposure time | : 2 Years |
| Result | : negative |

Cellulose:

| | |
|-------------------|-------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 72 weeks |
| Result | : negative |

Sodium n-dodecyl sulfate:

| | |
|-------------------|--|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 2 Years |
| Method | : OECD Test Guideline 453 |
| Result | : negative |
| Remarks | : Based on data from similar materials |

Titanium dioxide:

| | |
|-------------------|--|
| Species | : Rat |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time | : 2 Years |
| Method | : OECD Test Guideline 453 |
| Result | : positive |
| Remarks | : The mechanism or mode of action may not be relevant in humans. |

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : Limited evidence of carcinogenicity in inhalation studies with animals. |
|------------------------------|---|

Reproductive toxicity

May damage the unborn child.

Components:**Efavirenz:**

| | |
|-------------------------------|---|
| Effects on fertility | : Species: Rat, male and female Application Route: Oral Fertility: NOAEL: 200 - 400 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Embryo-foetal toxicity |
| | : Test Type: Embryo-foetal development Species: Monkey |

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Application Route: Oral
 Developmental Toxicity: LOAEL: 60 mg/kg body weight
 Symptoms: Malformations were observed.

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 75 mg/kg body weight
 Result: No embryotoxic effects

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

Components:

Efavirenz:

| | | |
|---------------|---|---|
| Target Organs | : | Central nervous system |
| Assessment | : | Causes damage to organs through prolonged or repeated exposure. |

Repeated dose toxicity

Components:

Efavirenz:

| | | |
|-------------------|---|----------|
| Species | : | Rat |
| LOAEL | : | 50 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 3 Months |
| Target Organs | : | Kidney |

| | | |
|-------------------|---|---|
| Species | : | Monkey |
| LOAEL | : | 100 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 1 - 2 yr |
| Target Organs | : | Central nervous system, Liver, Kidney, Thyroid, Adrenal gland |

| | | |
|-------------------|---|------------------------|
| Species | : | Monkey |
| LOAEL | : | 90 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 1 Months |
| Target Organs | : | Central nervous system |
| Symptoms | : | Lethargy, Weakness |

Cellulose:

| | | |
|-------------------|---|----------------|
| Species | : | Rat |
| NOAEL | : | >= 9,000 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |

Sodium n-dodecyl sulfate:

| | | |
|---------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 488 mg/kg |

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

| | |
|-------------------|--|
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Remarks | : Based on data from similar materials |

Magnesium stearate:

| | |
|-------------------|--|
| Species | : Rat |
| NOAEL | : > 100 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Remarks | : Based on data from similar materials |

Titanium dioxide:

| | |
|-------------------|----------------|
| Species | : Rat |
| NOAEL | : 24,000 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 28 Days |

| | |
|-------------------|-------------------------------|
| Species | : Rat |
| NOAEL | : 10 mg/m ³ |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time | : 2 yr |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Efavirenz:

| | |
|-----------|--|
| Ingestion | : Target Organs: Skin Symptoms: Rash |
| | Target Organs: Central nervous system Symptoms: Dizziness, insomnia |
| | Target Organs: Heart Symptoms: irregular heart beat |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Efavirenz:

| | |
|------------------|---|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.85 mg/l Exposure time: 96 h Method: FDA 4.11 |
|------------------|---|

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
 Date of first issue: 2015/04/02

| | | |
|--|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1.1 mg/l Exposure time: 48 h Method: FDA 4.08 |
| Toxicity to algae/aquatic plants | : | NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l Exposure time: 12 d Method: FDA 4.01 NOEC (Microcystis aeruginosa (blue-green algae)): 0.76 mg/l Exposure time: 12 d Method: FDA 4.01 |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0.066 mg/l Exposure time: 33 d Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.16 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 |
| M-Factor (Chronic aquatic toxicity) | : | 1 |

Cellulose:

| | | |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials |
|------------------|---|--|

Sodium n-dodecyl sulfate:

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 29 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l Exposure time: 42 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d |
| Toxicity to microorganisms | : | EC50: 135 mg/l Exposure time: 3 h |

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
 Date of first issue: 2015/04/02

II

Magnesium stearate:

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
 Exposure time: 48 h
 Method: DIN 38412
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
 Exposure time: 47 h
 Test substance: Water Accommodated Fraction
 Method: Directive 67/548/EEC, Annex V, C.2.
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
 No toxicity at the limit of solubility
- NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
 Exposure time: 72 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
 Exposure time: 16 h
 Test substance: Water Accommodated Fraction
 Remarks: Based on data from similar materials

Titanium dioxide:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
 Exposure time: 72 h
- Toxicity to microorganisms : EC50: > 1,000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
Date of first issue: 2015/04/02

Persistence and degradability**Components:****Efavirenz:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 32 d
Method: FDA 3.11

Cellulose:

Biodegradability : Result: Readily biodegradable.

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Efavirenz:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 454
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.4

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil**Components:****Efavirenz:**

Distribution among environmental compartments : log Koc: 3.36
Method: FDA 3.08

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

| | | |
|------------------------|---|---|
| Waste from residues | : | Dispose of in accordance with local regulations. Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

| | | |
|---------------------------|---|--|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | yes |

IATA-DGR

| | | |
|--|---|--|
| UN/ID No. | : | UN 3077 |
| Proper shipping name | : | Environmentally hazardous substance, solid, n.o.s. (Efavirenz) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 956 |
| Packing instruction (passenger aircraft) | : | 956 |
| Environmentally hazardous | : | yes |

IMDG-Code

| | | |
|----------------------|---|--|
| UN number | : | UN 3077 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

| Chemical name | Number |
|------------------------------|--------|
| Sodium alkyl(C=8-18) sulfate | 214 |

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

| Chemical name | Concentration (%) | Remarks |
|-------------------------|-------------------|----------------------|
| Magnesium stearate | >=1 - <10 | - |
| sodium dodecyl sulphate | >=1 - <10 | From April 1st, 2025 |
| Titanium(IV) oxide | >=0.1 - <1 | - |

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Efavirenz Solid Formulation

Version 8.0 Revision Date: 2023/09/30 SDS Number: 86797-00025 Date of last issue: 2023/04/04
Date of first issue: 2015/04/02

| Chemical name | Remarks |
|-------------------------|----------------------|
| Magnesium stearate | - |
| sodium dodecyl sulphate | From April 1st, 2025 |

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Class I Designated Chemical Substances**

| Chemical name | Administration number | Concentration (%) |
|------------------------|-----------------------|-------------------|
| Sodium dodecyl sulfate | 275 | 1.0 |

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

| | | |
|-------|---|----------------|
| AICS | : | not determined |
| DSL | : | not determined |
| IECSC | : | not determined |

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

| | | |
|---------------------|---|--|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| JP OEL JSOH | : | Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| JP OEL JSOH / OEL-M | : | Occupational Exposure Limit-Mean |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

Efavirenz Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2023/04/04 |
| 8.0 | 2023/09/30 | 86797-00025 | Date of first issue: 2015/04/02 |

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN