

Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	06.07.2024	86799-00026	Date of first issue: 02.04.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Efavirenz Solid Formulation Manufacturer or supplier's details

Company name of supplier	:	MSD		
Address	:	126 E. Lincoln Avenue		
		Rahway, New Jersey U.S.A. 07065		
Telephone	:	908-740-4000		
Emergency telephone	:	1-908-423-6000		
E-mail address	:	EHSDATASTEWARD@msd.com		
Recommended use of the chemical and restrictions on use				

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Acute toxicity (Oral)	:	Category 4
Skin corrosion/irritation	:	Category 3
Serious eye damage/eye irritation	:	Category 2A
Carcinogenicity (Inhalation)	:	Category 2
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - repeated exposure	:	Category 1 (Central nervous system, Skin)
GHS label elements Hazard pictograms	:	

Signal Word:DangerHazard Statements:H302 Harmful if swallowed.
H316 Causes mild skin irritation.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer if inhaled.
H360D May damage the unborn child.
H372 Causes damage to organs (Central nervous system, Skin)
through prolonged or repeated exposure.Precautionary Statements:Prevention:

P201 Obtain special instructions before use.



Efavirenz Solid Formulation

ersion .0	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
		and understoc P260 Do not b P264 Wash sk P270 Do not e	breathe dust. kin thoroughly after handling. Pat, drink or smoke when using this product. otective gloves/ protective clothing/ eye protection
		CENTER or de P305 + P351 - for several mir to do. Continu P308 + P313 attention. P332 + P313 tion.	 + P330 IF SWALLOWED: Call a POISON octor/ physician if you feel unwell. Rinse mouth. + P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and easy e rinsing. IF exposed or concerned: Get medical advice/ If skin irritation occurs: Get medical advice/ atten- If eye irritation persists: Get medical advice/ atten-
		Storage: P405 Store loo	cked up.
		Disposal: P501 Dispose	of contents/ container to an approved waste dis-

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Efavirenz	154598-52-4	>= 30 -< 50
Cellulose	9004-34-6	>= 10 -< 20
Magnesium stearate	557-04-0	>= 1 -< 5
Sodium n-dodecyl sulfate	151-21-3	>= 1 -< 3
Titanium dioxide	13463-67-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention.



Efavirenz Solid Formulation

Version 6.0	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
		Wash clothing	before reuse.
		Thoroughly clo	ean shoes before reuse.
In cas	e of eye contact	: In case of con for at least 15	tact, immediately flush eyes with plenty of water minutes.
		If easy to do,	remove contact lens, if worn.
		Get medical a	ttention.
lf swa	llowed	: If swallowed, I	DO NOT induce vomiting.
		Get medical a	ttention.
		Rinse mouth t	horoughly with water.
		Never give an	ything by mouth to an unconscious person.
Most i	important symptoms	: Harmful if swa	allowed.
and e	ffects, both acute and	Causes mild s	kin irritation.
delaye	ed		is eye irritation.
			causing cancer if inhaled.
		May damage	the unborn child.
		Causes dama exposure.	ge to organs through prolonged or repeated
Protec	ction of first-aiders	: First Aid respo and use the re	onders should pay attention to self-protection, ecommended personal protective equipment
Notes	to physician		ential for exposure exists (see section 8). natically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.
Unsuitable extinguishing media	•	
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides Sulfur oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :		Use personal protective equipment.	
tive equipment and emer-		Follow safe handling advice (see section 7) and personal	
gency procedures		protective equipment recommendations (see section 8).	
Environmental precautions	:	Avoid release to the environment.	



Efavirenz Solid Formulation

Version 6.0	Revision Date: 06.07.2024	SDS Number 86799-00026	
		Retain an Local auth	orther leakage or spillage if safe to do so. d dispose of contaminated wash water. norities should be advised if significant spillages contained.
	ods and materials for inment and cleaning up	container Avoid disp with comp Dust depo surfaces, released i Local or n disposal o employed determine Sections	or vacuum up spillage and collect in suitable for disposal. bersal of dust in the air (i.e., clearing dust surfaces bressed air). beits should not be allowed to accumulate on as these may form an explosive mixture if they are nto the atmosphere in sufficient concentration. ational regulations may apply to releases and of this material, as well as those materials and items in the cleanup of releases. You will need to which regulations are applicable. 13 and 15 of this SDS provide information regarding cal or national requirements.
SECTION 7. HANDLING AND STORAGE			
Techr	nical measures	causing a Provide a	ctricity may accumulate and ignite suspended dust n explosion. dequate precautions, such as electrical grounding ng, or inert atmospheres.

	and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation.
	Keep container closed when not in use. Keep away from heat and sources of ignition.
	Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
	When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
Conditions for safe storage	: Keep in properly labeled containers.

- Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:



Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	06.07.2024	86799-00026	Date of first issue: 02.04.2015
		Strong oxidizir Self-reactive s Organic perox Explosives Gases	substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Efavirenz	154598-52-4	TWA	100 µg/m ³	Internal
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010- STPS-2014
		TWA	10 mg/m ³	ACGIH
Magnesium stearate	557-04-0	VLE-PPT	10 mg/m ³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	VLE-PPT	10 mg/m ³	NOM-010- STPS-2014

Ingredients with workplace control parameters

Engineering measures	:	Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If sufficient ventilation is unavailable, use with local exhaust ventilation.			
Personal protective equipme	ent				
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.			
Filter type Hand protection	:	Particulates type			
Material	:	Chemical-resistant gloves			
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective			



Version 6.0	Revision Date: 06.07.2024		S Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
	Eye protection Skin and body protection		breaks and at the Wear the following Safety goggles Select appropriate resistance data an potential. Skin contact must	ove manufacturer. Wash hands before end of workday. g personal protective equipment: e protective clothing based on chemical nd an assessment of the local exposure t be avoided by using impervious protective aprons, boots, etc).
SECTION	9. PHYSICAL AND CHI	ΞΜΙΟ	CAL PROPERTIES	S
Appea	arance	:	powder	
Color		:	white to off-white	
Odor		:	No data available	9
Odor	Threshold	:	No data available	9
рН		:	No data available	9
Meltir	ng point/freezing point	:	No data available	9
Initial range	boiling point and boiling	:	No data available	9
Flash	point	:	No data available	9
Evapo	oration rate	:	No data available	e
Flamr	nability (solid, gas)	:	May form explosi handling or other	ive dust-air mixture during processing, means.
Flamr	mability (liquids)	:	No data available	9
	r explosion limit / Upper nability limit	:	No data available	9
	r explosion limit / Lower nability limit	:	No data available	9
Vapo	r pressure	:	No data available	9
Relati	ive vapor density	:	No data available	9
Densi	ity	:	No data available	e
	ility(ies) ater solubility	:	No data available	Ð
	ion coefficient: n-	:	No data available	9
	ol/water gnition temperature	:	No data available	9



Efavirenz Solid Formulation

Version 6.0	Revision Date: 06.07.2024		S Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
De	composition temperature	:	No data available	9
Viscosity Viscosity, dynamic		:	No data available	9
	Viscosity, kinematic		No data available	9
Explosive properties		:	Not explosive	
Ox	Oxidizing properties		The substance o	r mixture is not classified as oxidizing.
Мо	Molecular weight		No data available	9
	rticle characteristics rticle size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely route Inhalation Skin contact Ingestion Eye contact	es of (exposure
Acute toxicity Harmful if swallowed.		
Product: Acute oral toxicity	:	Acute toxicity estimate: 849.05 mg/kg Method: Calculation method
Components:		
Efavirenz:		
Acute oral toxicity	:	LD50 (Rat, female): 419 mg/kg
		LDLo (Rat, male): 1,000 mg/kg



Version 6.0	Revision Date: 06.07.2024	-	DS Number: 6799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015			
	ulose:						
Acut	e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg			
Acute	Acute inhalation toxicity		LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute	Acute dermal toxicity		LD50 (Rabbit): > 2,000 mg/kg				
Mag	nesium stearate:						
	e oral toxicity	:	Assessment: The icity	00 mg/kg est Guideline 423 substance or mixture has no acute oral tox- on data from similar materials			
Acute	e dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	2,000 mg/kg on data from similar materials			
Sodi	um n-dodecyl sulfate:						
Acute	e oral toxicity	:	LD50 (Rat): 1,200 Method: OECD T				
Acute	e dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD T Remarks: Based				
Titar	nium dioxide:						
Acut	e oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg			
Acut	e inhalation toxicity	:	LC50 (Rat): > 6.8 Exposure time: 4 Test atmosphere: Assessment: The tion toxicity	h			
-	corrosion/irritation						
Com	ponents:						
Efav	irenz:						
Resu Rem		:	Mild skin irritation slight irritation				
Maq	nesium stearate:						
Spec Resu Rem	cies ult	:	Rabbit No skin irritation Based on data fro	om similar materials			



ersion .0	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
Sodiı	um n-dodecyl sulfat	e:	
Speci Resu		: Rabbit : Skin irritation	
Titan	ium dioxide:		
Speci Resu		: Rabbit : No skin irrita	ion
Serio	ous eye damage/eye	irritation	
Cause	es serious eye irritatio	on.	
<u>Com</u>	ponents:		
Efavi	renz:		
Rema	arks	: Moderate eye	e irritation
Magr	nesium stearate:		
Speci		: Rabbit	
Resu		: No eye irritat	
Rema	arks	: Based on da	ta from similar materials
Sodiu	um n-dodecyl sulfate	e:	
Speci	-	: Rabbit	
Resu			ffects on the eye
Metho	od	: OECD Test (Guideline 405
Titan	ium dioxide:		
Speci	ies	: Rabbit	
Resu	lt	: No eye irritat	ion
Resp	iratory or skin sens	itization	
	sensitization		
	lassified based on av	ailable information.	
	iratory sensitization		
	lassified based on av	ailable information.	
Not c	lassified based on ava ponents:	ailable information.	
Not c	ponents:	ailable information.	
Not cl <u>Com</u> Efavi	ponents: renz:	ailable information. : Maximizatior	Test
Not cl <u>Com</u> Efavi Test ⁻ Route	ponents: renz: Type es of exposure		Test
Not cl Com Efavi Test ⁻ Route Speci	ponents: renz: Type es of exposure ies	: Maximizatior : Dermal : Guinea pig	
Not cl Com Efavi Test ⁻ Route Speci	ponents: renz: Type es of exposure ies ssment	: Maximizatior : Dermal : Guinea pig	Test ise skin sensitization.
Not cl <u>Com</u> Efavi Test Route Speci Asses Resu	ponents: renz: Type es of exposure ies ssment It	: Maximization : Dermal : Guinea pig : Does not cau	
Not cl <u>Com</u> Efavi Test Route Speci Asses Resul Magn	ponents: renz: Type es of exposure ies ssment It	: Maximization : Dermal : Guinea pig : Does not cau : negative	ise skin sensitization.
Not cl <u>Com</u> Efavi Test ⁻ Route Speci Asses Resul Magn Test ⁻	ponents: renz: Type es of exposure ies ssment It Type	: Maximization : Dermal : Guinea pig : Does not cau : negative : Maximization	ise skin sensitization.
Not cl <u>Com</u> Efavi Test ⁻ Route Speci Asses Resul Magn Test ⁻	ponents: renz: Type es of exposure ies ssment It nesium stearate: Type es of exposure	: Maximization : Dermal : Guinea pig : Does not cau : negative	ise skin sensitization.



Version 6.0	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
Metho Resu Rema	lt	: negative	Guideline 406 ata from similar materials
Sodiu	um n-dodecyl sulfate	:	
Test	Type es of exposure es It	: Maximizatio : Skin contact : Guinea pig : negative	
Titan	ium dioxide:		
Test Route Speci Resu	es of exposure es	: Local lymph : Skin contact : Mouse : negative	node assay (LLNA)
	a cell mutagenicity lassified based on ava	ilable information.	
Com	oonents:		
Efavi	renz:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: I Result: nega	n vitro mammalian cell gene mutation test ative
		Test Type: (Result: nega	Chromosome aberration test in vitro ative
Geno	toxicity in vivo	: Test Type: N cytogenetic Species: Mo Application Result: nega	ouse Route: Oral
	cell mutagenicity -	: Weight of ev cell mutager	vidence does not support classification as a germ
Cellu	lose:		
Geno	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
		Test Type: I Result: nega	n vitro mammalian cell gene mutation test ative
Geno	toxicity in vivo	cytogenetic Species: Mo	



ersion D	Revision Date: 06.07.2024	SDS Numb 86799-000	
		Result:	negative
II Magn	asium staarata:		
Magnesium stearate: Genotoxicity in vitro		Result:	rpe: In vitro mammalian cell gene mutation test negative <s: based="" data="" from="" materials<="" on="" similar="" td=""></s:>
		Methoo Result:	rpe: Chromosome aberration test in vitro l: OECD Test Guideline 473 negative ks: Based on data from similar materials
		Result:	rpe: Bacterial reverse mutation assay (AMES) negative <s: based="" data="" from="" materials<="" on="" similar="" td=""></s:>
Sodiu	um n-dodecyl sulfat	e:	
Genotoxicity in vitro		: Test Ty Method	rpe: Bacterial reverse mutation assay (AMES) I: OECD Test Guideline 471 negative
			pe: In vitro mammalian cell gene mutation test negative
Geno	toxicity in vivo	Specie Applica	rpe: Rodent dominant lethal test (germ cell) (in vivo) s: Mouse tion Route: Ingestion negative
Titan	ium dioxide:		
	toxicity in vitro		rpe: Bacterial reverse mutation assay (AMES) negative
Geno	toxicity in vivo	Specie	rpe: In vivo micronucleus test s: Mouse negative
Carci	nogenicity		
Suspe	ected of causing can	er if inhaled.	
<u>Com</u>	oonents:		
Efavi	renz:		
Speci		: Mouse	
	cation Route sure time	: Oral : 2 Years	3
	et Organs	: Lungs,	
Speci	es cation Route	: Rat : Oral	



Version 6.0	Revision Date: 06.07.2024	-	DS Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015	
	Exposure time Result		2 Years negative		
Spec Appli Expc	Cellulose: Species Application Route Exposure time Result		Rat Ingestion 72 weeks negative		
Sodi	um n-dodecyl sulfate:				
Spec Appli	cies ication Route osure time iod ilt	:	Rat Ingestion 2 Years OECD Test Guide negative Based on data fro	eline 453 om similar materials	
Titar	nium dioxide:				
	ication Route osure time lod Ilt	:	Rat inhalation (dust/m 2 Years OECD Test Guide positive The mechanism of mans.		
	Carcinogenicity - Assess- ment		Limited evidence animals.	of carcinogenicity in inhalation studies with	
-	oductive toxicity damage the unborn child				
Com	ponents:				
	irenz:				
Effec	ts on fertility	:		: Oral 200 - 400 mg/kg body weight s on fertility and early embryonic	
Effec	ets on fetal development	:	Species: Rat Application Route Developmental To Result: Embryo-fe Test Type: Embry Species: Monkey Application Route Developmental To	oxicity: LOAEL: 50 mg/kg body weight etal toxicity. ro-fetal development	



Efavirenz Solid Formulation

rsion)	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
		Species: R Application Developme	Embryo-fetal development abbit Route: Oral ental Toxicity: NOAEL: 75 mg/kg body weight embryotoxic effects.
Repro sessn	oductive toxicity - As- nent	: Clear evide animal exp	ence of adverse effects on development, based o eriments.
Cellu	lose:		
Effect	s on fertility	Species: R	Route: Ingestion
Effect	s on fetal development	Species: R	Route: Ingestion
Magn	esium stearate:		
Effect	s on fertility	reproductic Species: R Application Method: Ol Result: neg	Route: Ingestion ECD Test Guideline 422
Effect	s on fetal development	Species: R Application Result: neg	Route: Ingestion
Sodiu	um n-dodecyl sulfate:		
Effect	s on fertility	Species: R Application Method: Ol Result: neg	Route: Ingestion ECD Test Guideline 416
Effect	s on fetal development	Species: R Application Result: neg	Route: Ingestion

STOT-single exposure

Not classified based on available information.



Version 6.0	Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015					
	STOT-repeated exposure Causes damage to organs (Central nervous system, Skin) through prolonged or repeated ex sure.							
Com	Components:							
Efavi	renz:							
Targe	et Organs ssment	: Central nervou : Causes dama exposure.	is system ge to organs through prolonged or repeated					
Repe	ated dose toxicity							
<u>Com</u>	oonents:							
Efavi	renz:							
Expos		: Rat : 50 mg/kg : Oral : 3 Months : Kidney						
Expos		: Monkey : 100 mg/kg : Oral : 1 - 2 y : Central nervou	ıs system, Liver, Kidney, Thyroid, Adrenal gland					
Expos	EL cation Route sure time et Organs	: Monkey : 90 mg/kg : Oral : 1 Months : Central nervou : Lethargy, Wea						
Cellu	loso.							
Speci NOAE Applic	es	: Rat : >= 9,000 mg/k : Ingestion : 90 Days	g					
Magn	esium stearate:							
Speci NOAE Applic	es EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on data	from similar materials					
Sodiu	um n-dodecyl sulfate:							
Speci NOAE	es	: Rat : 488 mg/kg : Ingestion						



Efavirenz Solid Formulation

90 Days Based on data from Rat 24,000 mg/kg Ingestion 28 Days Rat 10 mg/m ³ inhalation (dust/mi 2 y	m similar materials st/fume)
24,000 mg/kg Ingestion 28 Days Rat 10 mg/m ³ inhalation (dust/mi	st/fume)
24,000 mg/kg Ingestion 28 Days Rat 10 mg/m ³ inhalation (dust/mi	st/fume)
10 mg/m ³ inhalation (dust/mi	st/fume)
nformation.	
C	
Target Organs: Sk Symptoms: Rash Target Organs: Ce Symptoms: Dizzin Target Organs: He Symptoms: irregul	entral nervous system ess, insomnia eart
	e Target Organs: Sk Symptoms: Rash Target Organs: Ce Symptoms: Dizzin Target Organs: He

Components:

Efavirenz:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.85 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.1 mg/l Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	:	NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l Exposure time: 12 d Method: FDA 4.01
		NOEC (Microcystis aeruginosa (blue-green algae)): 0.76 mg/l Exposure time: 12 d Method: FDA 4.01
Toxicity to fish (Chronic tox- icity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.066 mg/l Exposure time: 33 d



ersion D	Revision Date: 06.07.2024		98 Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
			Method: OEC	D Test Guideline 210
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time	nia magna (Water flea)): 0.16 mg/l e: 21 d D Test Guideline 211
Cellu	lose:			
Toxicity to fish		:	Exposure time	s latipes (Japanese medaka)): > 100 mg/l e: 48 h eed on data from similar materials
Magn	esium stearate:			
	ity to fish	:	Exposure time Method: DIN 3	
	ity to daphnia and other ic invertebrates	:	Exposure time Test substance Method: Direct Remarks: Bas	a magna (Water flea)): > 1 mg/l e: 47 h e: Water Accommodated Fraction tive 67/548/EEC, Annex V, C.2. eed on data from similar materials the limit of solubility.
Toxici plants	ity to algae/aquatic	:	mg/l Exposure time Test substanc Method: OEC Remarks: Bas	ekirchneriella subcapitata (green algae)): > 1 e: 72 h e: Water Accommodated Fraction D Test Guideline 201 eed on data from similar materials the limit of solubility.
			mg/l Exposure time Test substanc Method: OEC	adokirchneriella subcapitata (green algae)): > 1 e: 72 h e: Water Accommodated Fraction D Test Guideline 201 red on data from similar materials
Toxici	ity to microorganisms	:	Exposure time Test substance	omonas putida): > 100 mg/l e: 16 h e: Water Accommodated Fraction eed on data from similar materials
Sodiu	ım n-dodecyl sulfate:			
	ity to fish	:	LC50 (Pimeph Exposure time	nales promelas (fathead minnow)): 29 mg/l e: 96 h
	ity to daphnia and other ic invertebrates	:	EC50 (Cerioda Exposure time	aphnia dubia (water flea)): 5.55 mg/l e: 48 h
Toxici plants	ity to algae/aquatic	:	ErC50 (Desmo Exposure time	odesmus subspicatus (green algae)): > 120 mg/l e: 72 h



ersion .0	Revision Date: 06.07.2024		S Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
П				
			NOEC (Desmo Exposure time:	desmus subspicatus (green algae)): 30 mg/l : 72 h
Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Pimepl mg/l Exposure time:	nales promelas (fathead minnow)): >= 1.357 : 42 d
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Ceriod Exposure time:	aphnia dubia (water flea)): 0.88 mg/l : 7 d
	ty to microorganisms	:	EC50: 135 mg/ Exposure time:	
Titani	um dioxide:			
	ty to fish	:	Exposure time	/nchus mykiss (rainbow trout)): > 100 mg/l : 96 h) Test Guideline 203
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time:	a magna (Water flea)): > 100 mg/l : 48 h
Toxici plants	ty to algae/aquatic	:	EC50 (Skeleto Exposure time:	nema costatum (marine diatom)): > 10,000 m : 72 h
Toxici	ty to microorganisms	:	EC50: > 1,000 Exposure time: Method: OECE	
Persi	stence and degradabili	ity		
Comp	oonents:			
Efaviı	renz:			
Biode	gradability	:	Result: Not rea Biodegradation Exposure time: Method: FDA 3	: 32 d
Cellul	lose:			
Biode	gradability	:	Result: Readily	v biodegradable.
Magn	esium stearate:			
	gradability	:	Result: Not bio Remarks: Base	degradable ed on data from similar materials
Sodiu	Im n-dodecyl sulfate:			
Biode	gradability	:	Biodegradation Exposure time:	



Efavirenz Solid Formulation

Revision Date: 06.07.2024			Date of last issue: 06.04.2024 Date of first issue: 02.04.2015
cumulative potential			
onents:			
enz:			
cumulation	:	Species: Lepomis Bioconcentration Method: OECD T	
on coefficient: n- bl/water	:	log Pow: 5.4	
esium stearate:			
on coefficient: n- bl/water	:	log Pow: > 4	
m n-dodecyl sulfate:			
on coefficient: n- ol/water	:	log Pow: 0.83	
ity in soil			
oonents:			
enz:			
oution among environ- I compartments	:	log Koc: 3.36 Method: FDA 3.08	3
adverse effects ta available			
	06.07.2024 cumulative potential conents: renz: cumulation on coefficient: n- ol/water esium stearate: on coefficient: n- ol/water m n-dodecyl sulfate: on coefficient: n- ol/water ity in soil conents: renz: pution among environ- l compartments adverse effects	06.07.2024 86 cumulative potential	06.07.2024 86799-00026 cumulative potential conents: server renz: server cumulation : Species: Lepomis Bioconcentration Method: OECD T on coefficient: n- : on coefficient: n- :

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		



Efavirenz Solid Formulation

Vers 6.0	sion	Revision Date: 06.07.2024		9S Number: 799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015				
UN/ID No. Proper shipping name		:	UN 3077 Environmentally hazardous substance, solid, n.o.s.						
	Class		:	(Efavirenz) 9					
		g group	÷	III Miscellaneous					
	Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		:	956					
			:	956					
Environmen		mentally hazardous	:	yes					
	IMDG-Code								
	UN nur	nber	:	UN 3077					
	Proper	shipping name	:	ENVIRONMENTA N.O.S. (Efavirenz)	ALLY HAZARDOUS SUBSTANCE, SOLID,				
	Class		:	9					
	Packing	g group	:	III					
	Labels		:	9					
	EmS C		:	F-A, S-F					
	Marine	pollutant	:	yes					

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Efavirenz)
Class Packing group Labels	:	9 III 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined



Efavirenz Solid Formulation

Versio 6.0	n Revision Date: 06.07.2024	SDS Number: 86799-00026	Date of last issue: 06.04.2024 Date of first issue: 02.04.2015		
IECSC		: not determined	not determined		
SECTION 16. OTHER INFORMATION					
Revision Date Date format		: 06.07.2024 : dd.mm.yyyy			
F	Full text of other abbreviations				
	CGIH OM-010-STPS-2014	: Mexico. Norm I the Work Envir	hreshold Limit Values (TLV) NOM-010-STPS-2014 on Chemicals Polluting onment - Identification, Assessment and Con- 1 Occupational Exposure Limits		
N	CGIH / TWA OM-010-STPS-2014 / VLE PT	: 8-hour, time-we			

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/





Efavirenz Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	06.07.2024	86799-00026	Date of first issue: 02.04.2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8