

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

SECTION 1: IDENTIFICATION

Product name : Ertugliflozin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Building A - Level 1/26 Talavera Rd
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage/eye irritation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear eye protection/ face protection.**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	≥ 30 -< 60
Ertugliflozin	1210344-83-4	≥ 5 -< 10
Titanium dioxide	13463-67-7	< 1

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe dust. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
5.0	14.04.2025	2337984-00017	06.04.2024
			Date of first issue: 13.12.2017

- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Keep container tightly closed.
- Minimize dust generation and accumulation.
- Keep container closed when not in use.
- Keep away from heat and sources of ignition.
- Take precautionary measures against static discharges.
- Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
- Keep tightly closed.
- Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
- Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH
Ertugliflozin	1210344-83-4	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Titanium dioxide	13463-67-7	TWA	10 mg/m ³	AU OEL
		TWA (Respirable particulate matter)	2.5 mg/m ³ (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ertugliflozin:

Acute oral toxicity : LD50 (Rat): 500 mg/kg
Acute inhalation toxicity : Remarks: No data available
Acute dermal toxicity : Remarks: No data available

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment : No skin irritation
Method : EpiDerm
Result : Not corrosive

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Components:**Ertugliflozin:**

|| Result : Corrosive

Titanium dioxide:

|| Species : Rabbit
|| Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Ertugliflozin:**

|| Result : Severe irritation

Titanium dioxide:

|| Species : Rabbit
|| Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Ertugliflozin:**

|| Test Type : Local lymph node assay (LLNA)
|| Result : Not a skin sensitizer.

Titanium dioxide:

|| Test Type : Local lymph node assay (LLNA)
|| Exposure routes : Skin contact
|| Species : Mouse
|| Result : negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Cellulose:**

|| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Genotoxicity in vivo	Result: negative
	Test Type: In vitro mammalian cell gene mutation test
	Result: negative
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Ingestion
	Result: negative

Ertugliflozin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: Chromosome aberration test in vitro
	Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Rat
	Result: negative

Titanium dioxide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test
	Species: Mouse
	Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Cellulose:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

Ertugliflozin:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

Species	: Rat
Application Route	: Oral

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Exposure time : 2 Years
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Titanium dioxide:

Species : Rat
Application Route : inhalation (dust/mist/fume)
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : positive
Remarks : The mechanism or mode of action may not be relevant in humans.
This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

Components:**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Ertugliflozin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL: 250 mg/kg body weight
Remarks: Maternal toxicity observed.
No significant adverse effects were reported

Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Oral
Fertility: NOAEL: 200 mg/kg body weight
Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

ment

Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Remarks: No significant adverse effects were reported

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**Ertugliflozin:**

Exposure routes	: Oral
Target Organs	: Kidney, Stomach, Prostate
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cellulose:**

Species	: Rat
NOAEL	: $\geq 9,000$ mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Ertugliflozin:

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 30 d

Species	: Rat
LOAEL	: 250 mg/kg
Application Route	: Oral
Exposure time	: 30 d
Target Organs	: Kidney

Species	: Rat
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 180 d

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

|| Target Organs : Kidney, Bone, Stomach

|| Species : Rat
|| LOAEL : 25 mg/kg
|| Exposure time : 90 d
|| Target Organs : Kidney, Gastrointestinal tract, Prostate

|| Species : Dog
|| NOAEL : 150 mg/kg
|| Application Route : Oral
|| Exposure time : 270 d
|| Remarks : No significant adverse effects were reported

|| Species : Mouse
|| NOAEL : 100 mg/kg
|| Application Route : Oral
|| Exposure time : 90 d
|| Remarks : No significant adverse effects were reported

|| Species : Mouse
|| NOAEL : 100 mg/kg
|| Application Route : Oral
|| Exposure time : 28 d
|| Target Organs : Bone
|| Remarks : No significant adverse effects were reported

Titanium dioxide:

|| Species : Rat
|| NOAEL : 24,000 mg/kg
|| Application Route : Ingestion
|| Exposure time : 28 Days

|| Species : Rat
|| NOAEL : 10 mg/m³
|| Application Route : inhalation (dust/mist/fume)
|| Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Ertugliflozin:**

|| Ingestion : Symptoms: The most common side effects are:, Headache, constipation, Diarrhoea, Nausea, urinary tract infection, muscle pain, upper respiratory tract infection

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity**Components:****Cellulose:**

Toxicity to fish	:	LC50 (<i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

Ertugliflozin:

Toxicity to algae/aquatic plants	:	EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 77 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	---	---

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 50 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)	:	NOEC (<i>Pimephales promelas</i> (fathead minnow)): 1 mg/l Exposure time: 32 d Method: OECD Test Guideline 210 Remarks: No toxicity at the limit of solubility
-------------------------------------	---	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (<i>Daphnia magna</i> (Water flea)): 2.14 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
--	---	---

Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
----------------------------	---	--

Titanium dioxide:

Toxicity to fish	:	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (<i>Daphnia magna</i> (Water flea)): > 100 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae/aquatic	:	EC50 (<i>Skeletonema costatum</i> (marine diatom)): > 10,000 mg/l
---------------------------	---	--

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

plants	Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability**Components:****Cellulose:**

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

Ertugliflozin:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 40.8 % Exposure time: 28 d
------------------	---

Bioaccumulative potential**Components:****Ertugliflozin:**

Partition coefficient: n-octanol/water	: log Pow: 2.47
--	-----------------

Mobility in soil**Components:****Ertugliflozin:**

Distribution among environmental compartments	: log Koc: 2.88
---	-----------------

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

SAFETY DATA SHEET



Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date	: 14.04.2025
Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	: 8-hour, time-weighted average
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

Ertugliflozin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	14.04.2025	2337984-00017	Date of first issue: 13.12.2017

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN