# **Formoterol Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2022/10/01 2023/04/04 525385-00017 Date of first issue: 2016/02/23 6.0

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Formoterol Formulation

Supplier's company name, address and phone number

Company name of supplier : Organon & Co.

Address 30 Hudson Street, 33nd floor

Jersey City, New Jersey, U.S.A 07302

Telephone +1-551-430-6000

E-mail address : EHSSTEWARD@organon.com

Emergency telephone number: +1-215-631-6999

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical

Restrictions on use

Not applicable

# 2. HAZARDS IDENTIFICATION

# GHS classification of chemical product

single exposure (Oral)

Specific target organ toxicity - : Category 1 (Cardio-vascular system, Central nervous system)

single exposure (Inhalation)

Specific target organ toxicity - : Category 1 (Cardio-vascular system, Central nervous system)

Specific target organ toxicity - : Category 1 (Heart)

repeated exposure (Oral)

Specific target organ toxicity - : Category 1 (Heart)

repeated exposure

(Inhalation)

#### **GHS** label elements

Hazard pictograms

Signal word

Hazard statements H370 Causes damage to organs (Cardio-vascular system, Cen-

tral nervous system) if swallowed.

H370 Causes damage to organs (Cardio-vascular system, Cen-

tral nervous system) if inhaled.

# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

H372 Causes damage to organs (Heart) through prolonged or

repeated exposure if swallowed.

H372 Causes damage to organs (Heart) through prolonged or

repeated exposure if inhaled.

Precautionary statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Important symptoms and out: : lines of the emergency as-

sumed

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of

the skin.

May form explosive dust-air mixture during processing, han-

dling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Formoterol	43229-80-7	>= 0.025 - < 0.1	

# 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

# **Formoterol Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2022/10/01 2023/04/04 525385-00017 Date of first issue: 2016/02/23 6.0

Never give anything by mouth to an unconscious person.

Most important symptoms Contact with dust can cause mechanical irritation or drying of

and effects, both acute and the skin.

delayed

Dust contact with the eyes can lead to mechanical irritation. Causes damage to organs if swallowed.

Causes damage to organs if inhaled.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Causes damage to organs through prolonged or repeated

exposure if inhaled.

First Aid responders should pay attention to self-protection, Protection of first-aiders

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Drv chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution.





Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine the control of th

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## 7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eves.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Hygiene measures

Oxidizing agents

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Formoterol	43229-80-7	TWA	0.05 μg/m3 (OEB 5)	Internal
		Wipe limit	0.5 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to pre-

vent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the

workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

# **Formoterol Formulation**



Version **Revision Date:** SDS Number: Date of last issue: 2022/10/01 2023/04/04 525385-00017 Date of first issue: 2016/02/23 6.0

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state powder

Colour No data available

Odour No data available

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

Lower explosion limit /

Lower flammability limit

No data available

Not applicable Flash point

Decomposition temperature No data available

No data available pН

Not applicable Evaporation rate

No data available Auto-ignition temperature

Viscosity

Viscosity, kinematic Not applicable

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure Not applicable

Density and / or relative density

Relative density No data available

Density No data available

Relative vapour density Not applicable





Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reaction May form explosive

Possibility of hazardous reactions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

# **Acute toxicity**

Not classified based on available information.

# **Components:**

## Formoterol:

Acute oral toxicity : LD50 (Rat): 3,130 mg/kg

LD50 (Mouse): 6,700 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 1,000 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 640 mg/kg

Application Route: Subcutaneous

## Skin corrosion/irritation

Not classified based on available information.

# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

#### **Components:**

## Formoterol:

Species : Rabbit

Result : No skin irritation
Remarks : slight irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

## Components:

#### Formoterol:

Species : Rabbit

Result : No eye irritation

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

## Formoterol:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

# Germ cell mutagenicity

Not classified based on available information.

## **Components:**

## Formoterol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

Test Type: Micronucleus test

Species: Rat



# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Application Route: Oral Result: negative

# Carcinogenicity

Not classified based on available information.

## **Components:**

#### Formoterol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

LOAEL : 0.5 mg/kg body weight

Target Organs : Ovary

Remarks : The mechanism or mode of action may not be relevant in

humans.

Species : Mouse
Application Route : Oral
Exposure time : 18 month(s)

LOAEL : 2 mg/kg body weight

Target Organs : Adrenal gland, Liver, Uterus (including cervix)

Remarks : The mechanism or mode of action may not be relevant in

humans.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### Formoterol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: NOAEL: 3 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 0.2 mg/kg body weight Result: Embryo-foetal toxicity, No malformations were ob-

served.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 3 mg/kg body weight

Result: Malformations were observed.

Test Type: Embryo-foetal development

Species: Rat





Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Application Route: inhalation (dust/mist/fume)

Developmental Toxicity: NOAEL: 1.2 mg/kg body weight

Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 60 mg/kg body weight Result: Embryo-foetal toxicity, No malformations were ob-

served.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

#### STOT - single exposure

Causes damage to organs (Cardio-vascular system, Central nervous system) if swallowed. Causes damage to organs (Cardio-vascular system, Central nervous system) if inhaled.

**Product:** 

Exposure routes : Ingestion, Inhalation

Target Organs : Cardio-vascular system, Central nervous system

Assessment : Causes damage to organs.

#### **Components:**

#### Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)

Target Organs : Cardio-vascular system, Central nervous system

Assessment : Causes damage to organs.

# STOT - repeated exposure

Causes damage to organs (Heart) through prolonged or repeated exposure if swallowed. Causes damage to organs (Heart) through prolonged or repeated exposure if inhaled.

# **Product:**

Exposure routes : Inhalation, Ingestion

Target Organs : Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

## Components:

## Formoterol:

Exposure routes : Ingestion, inhalation (dust/mist/fume)

Target Organs : Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

# Repeated dose toxicity

#### **Components:**

# Formoterol:



# **Formoterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

Species : Dog

LOAEL : >= 1.5 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Rat

NOAEL : 0.14 mg/kg
Application Route : Inhalation
Exposure time : 13 Weeks
Target Organs : Heart

Species : Dog

LOAEL : 0.003 mg/kg

Application Route : Oral Exposure time : 1 yr Target Organs : Heart

Species : Rat
LOAEL : 0.3 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Heart

# **Aspiration toxicity**

Not classified based on available information.

## **Experience with human exposure**

# **Components:**

## Formoterol:

Inhalation : Target Organs: Heart

Symptoms: Palpitation, Tremors, Dizziness, Headache, dry

mouth, Nausea, Fatique

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

# **Components:**

# Formoterol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 114 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 94 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201





Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

NOEC (Pseudokirchneriella subcapitata (green algae)): 30

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

Formoterol:

Partition coefficient: n-

octanol/water

log Pow: 0.41

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

## International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable



# **Formoterol Formulation**

♣ ORGANON

Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

**IMDG-Code** 

**UN** number Not applicable Proper shipping name Not applicable : Not applicable Class : Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

# **Related Regulations**

#### **Fire Service Law**

Not applicable to dangerous materials / designated flammables.

## **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

## **Industrial Safety and Health Law**

#### **Harmful Substances Prohibited from Manufacture**

Not applicable

## **Harmful Substances Required Permission for Manufacture**

Not applicable

# **Substances Prevented From Impairment of Health**

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

## **Substances Subject to be Notified Names**

Not applicable

## **Substances Subject to be Indicated Names**

Not applicable



# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

# **Ordinance on Prevention of Lead Poisoning**

Not applicable

## Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

## **Poisonous and Deleterious Substances Control Law**

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

#### Until March 31st, 2023

Not applicable

## From April 1st, 2023

Not applicable

# **High Pressure Gas Safety Act**

Not applicable

# **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Not regulated as a dangerous good

## **Aviation Law**

Not regulated as a dangerous good

# Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

# **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

# Waste Disposal and Public Cleansing Law

Industrial waste

# **Formoterol Formulation**



Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **16. OTHER INFORMATION**

#### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



# **Formoterol Formulation**

Version Revision Date: SDS Number: Date of last issue: 2022/10/01 6.0 2023/04/04 525385-00017 Date of first issue: 2016/02/23

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN