



Grazoprevir Formulation

Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
4.1		443810-00019	Date of first issue: 07.01.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Grazoprevir Formulation
Manufacturer or supplier's de Company	eta :	ils MSD
Address	:	Briahnager - Off Pune Nagar Road Wagholi - Pune - India 412 207
Telephone	:	+1-908-740-4000
Emergency telephone number	:	+1-908-423-6000
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use Restrictions on use	:	Pharmaceutical Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification Skin corrosion/irritation	:	Category 3
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Liver, Testis)
Short-term (acute) aquatic hazard	:	Category 3
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H316 Causes mild skin irritation. H373 May cause damage to organs (Liver, Testis) through prolonged or repeated exposure if swallowed. H402 Harmful to aquatic life.

according to the Globally Harmonized System



Grazoprevir Formulation

Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
4.1		443810-00019	Date of first issue: 07.01.2016

Precautionary statements

Prevention:

2

P260 Do not breathe dust. P273 Avoid release to the environment.

Response:

P319 Get medical help if you feel unwell. P332 + P317 If skin irritation occurs: Get medical help.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (%
		w/w)
Grazoprevir	1350462-55-3	>= 10 - < 20
Sodium chloride	7647-14-5	>= 10 - < 20
Sodium n-dodecyl sulfate	151-21-3	>= 1 - < 2.5
Magnesium stearate	557-04-0	>= 1 - < 5

4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	 Headache Gastrointestinal discomfort Causes mild skin irritation. May cause damage to organs through prolonged or repeated exposure if swallowed.



according to the Globally Harmonized System

Grazoprevir Formulation

Versio 4.1	n Revision Date: 30.09.2023		0S Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
Protection of first-aiders		:	First Aid responder and use the record	the eyes can lead to mechanical irritation. ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8).
N	otes to physician	:		cally and supportively.
5. FIRI	EFIGHTING MEASURES			
S	uitable extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	nsuitable extinguishing edia	:	None known.	
S	pecific hazards during fire- ghting	:	Avoid generating dust; fine dust dispersed in air in sufficien concentrations, and in the presence of an ignition source is potential dust explosion hazard. Exposure to combustion products may be a hazard to healt	
	azardous combustion prod- cts	:	Carbon oxides Nitrogen oxides (I Metal oxides Chlorine compour Sulphur oxides	
	Specific extinguishing meth- ods		cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	pecial protective equipment r firefighters	:	 So. Evacuate area. In the event of fire, wear self-contained breathing appara Use personal protective equipment. 	
6. ACC	CIDENTAL RELEASE MEAS	SUF	RES	
tiv	ersonal precautions, protec- ve equipment and emer- ency procedures	:	Follow safe handl	ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Environmental precautions		:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items



according to the Globally Harmonized System

Grazoprevir Formulation

Version 4.1	Revision Date: 30.09.2023	SDS Number: 443810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
		mine which reg Sections 13 and	e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.
7. HANDI	ING AND STORAGE		
Tech	nical measures	causing an exp Provide adequa	r may accumulate and ignite suspended dust losion. ate precautions, such as electrical grounding r inert atmospheres.
Local/Total ventilation Advice on safe handling		 Use only with a Do not get on s Do not breathe Do not swallow Avoid contact w Handle in accor practice, based sessment Minimize dust g Keep container Keep away from Take precaution 	dequate ventilation. kin or clothing. dust.
Conditions for safe storage Materials to avoid		 Keep in properl Store in accord Do not store with 	y labelled containers. ance with the particular national regulations. th the following product types:
		Strong oxidizing	gagents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Grazoprevir	1350462-55- 3	TWA	85 µg/m3 (OEB 3)	Internal
		Wipe limit	850 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds

according to the Globally Harmonized System



Grazoprevir Formulation

Version 4.1	Revision Date: 30.09.2023		Number: 10-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016	
		th m	are required to control at source and to prevent migration the compound to uncontrolled areas (e.g., open-face cont ment devices). Minimize open handling.		
Pers	onal protective equip	ment			
Fi	Respiratory protection Filter type Hand protection		If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type		
M	Material		Chemical-resistant gloves		
	Remarks Eye protection		Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.		
Skin	Skin and body protection		Work uniform or laboratory coat. Additional body garments should be used based upon the t being performed (e.g., sleevelets, apron, gauntlets, disposa suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentia contaminated clothing.		
Hygie	Hygiene measures		exposure to che ishing systems ace. hen using do n ash contaminat ne effective ope ngineering conti opropriate dego	emical is likely during typical use, provide eye and safety showers close to the working ot eat, drink or smoke. ted clothing before re-use. eration of a facility should include review of rols, proper personal protective equipment, wning and decontamination procedures, e monitoring, medical surveillance and the	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available

according to the Globally Harmonized System



Grazoprevir Formulation

Vers 4.1	sion	Revision Date: 30.09.2023		S Number: 8810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	May form explosi dling or other me	ve dust-air mixture during processing, han- ans.
	Flamma	ability (liquids)	:	No data available	9
		explosion limit / Upper bility limit	:	No data available	3
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	Not applicable	
	Relative	e vapour density	:	Not applicable	
	Relative	e density	:	No data available)
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available)
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Particle	esize	:	No data available)


10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.



according to the Globally Harmonized System

/ersion 4.1	Revision Date: 30.09.2023		9S Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
	npatible materials rdous decomposition cts	:	Oxidizing ager No hazardous	ts decomposition products are known.
1. TOXIC	OLOGICAL INFORMA	TIOI	N	
Inform expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
Acute	e toxicity			
Not cl	assified based on availa	able	information.	
<u>Produ</u>				
Acute	oral toxicity	:	Acute toxicity e Method: Calcul	stimate: > 5,000 mg/kg ation method
Comp	oonents:			
Grazo	oprevir:			
Acute	oral toxicity	:	LD50 (Rat): > 2	,000 mg/kg
	ım chloride:			
Acute	oral toxicity	:	LD50 (Rat): 3,5	50 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 4 Exposure time: Test atmosphere	1 h
Acute	dermal toxicity	:	LD50 (Rabbit):	> 5,000 mg/kg
Sodiı	Im n-dodecyl sulfate:			
	oral toxicity	:	LD50 (Rat): 1,2 Method: OECD	00 mg/kg Test Guideline 401
Acute	dermal toxicity	:		,000 mg/kg Test Guideline 402 d on data from similar materials
Maqn	esium stearate:			
-	oral toxicity	:	Assessment: TI icity	,000 mg/kg Test Guideline 423 ne substance or mixture has no acute oral to d on data from similar materials
Acute	dermal toxicity	:	LD50 (Rabbit): Remarks: Base	> 2,000 mg/kg d on data from similar materials





Grazoprevir Formulation

sion	Revision Date: 30.09.2023	SDS Number: 443810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
Skin	corrosion/irritation		
-	es mild skin irritation.		
<u>Comp</u>	oonents:		
	oprevir:		
Resul	lt	: No skin irritation	n
Sodiu	um chloride:		
Speci		: Rabbit	
Resul	lt	: No skin irritation	n
Sodiu	um n-dodecyl sulfate	:	
Speci		: Rabbit	
Resul	lt	: Skin irritation	
Magn	esium stearate:		
Speci		: Rabbit	
		· No okin irritotio	0
	arks us eye damage/eye i	rritation	from similar materials
Rema Serio Not cl <u>Comp</u> Grazo	arks us eye damage/eye i lassified based on ava ponents: pprevir:	: Based on data rritation ilable information.	
Rema Serio Not cl <u>Comp</u>	arks us eye damage/eye i lassified based on ava <u>ponents:</u> pprevir: es	: Based on data	from similar materials
Rema Serio Not cl Comr Grazo Speci Resul	arks us eye damage/eye i lassified based on ava <u>ponents:</u> pprevir: es	: Based on data rritation ilable information. : Bovine cornea	from similar materials
Rema Serio Not cl Comp Grazo Speci Resul Sodiu Speci	arks us eye damage/eye i lassified based on ava <u>conents:</u> oprevir: es It um chloride: es	: Based on data rritation ilable information. : Bovine cornea	from similar materials
Rema Serio Not cl Comp Grazo Speci Resul Sodiu	arks us eye damage/eye i lassified based on ava <u>conents:</u> oprevir: es It um chloride: es	: Based on data rritation ilable information. : Bovine cornea : No eye irritatior	from similar materials
Rema Serio Not cl Comr Grazo Speci Resul Sodiu Speci Resul	arks us eye damage/eye i lassified based on ava <u>conents:</u> oprevir: es It um chloride: es	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation 	from similar materials
Rema Serio Not cl Comp Grazc Speci Resul Sodiu Speci Resul	arks us eye damage/eye i lassified based on ava <u>ponents:</u> pprevir: es It um chloride: es It um n-dodecyl sulfate es	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation 	from similar materials
Rema Serio Not cl Comp Grazc Speci Resul Sodiu Speci Resul	arks us eye damage/eye i lassified based on ava ponents: oprevir: es lt um chloride: es lt um n-dodecyl sulfate es od	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation : Rabbit : OECD Test Gu 	from similar materials
Rema Serio Not cl Comp Grazc Speci Resul Sodiu Speci Resul Sodiu Speci Resul	arks us eye damage/eye i lassified based on ava <u>conents:</u> oprevir: es It um chloride: es It um n-dodecyl sulfate es od It	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation 	from similar materials
Rema Serio Not cl Comr Grazc Speci Resul Sodiu Speci Resul Sodiu Speci Metho Resul	arks us eye damage/eye i lassified based on ava <u>ponents:</u> pprevir: es It um chloride: es It um n-dodecyl sulfate es od It mesium stearate:	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation : Rabbit : OECD Test Gu : Irreversible effet 	from similar materials
Rema Serio Not cl Comr Grazc Speci Resul Sodiu Speci Resul Sodiu Speci Resul Metho Resul	arks us eye damage/eye i lassified based on ava <u>conents:</u> oprevir: es It um chloride: es It um n-dodecyl sulfate es od It esium stearate: es	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation : Rabbit : OECD Test Gu : Irreversible effe : Rabbit 	from similar materials
Rema Serio Not cl Comr Grazc Speci Resul Sodiu Speci Resul Sodiu Speci Metho Resul	arks us eye damage/eye i lassified based on ava <u>conents:</u> pprevir: es it um chloride: es it um n-dodecyl sulfate es od it esium stearate: es it	 : Based on data rritation ilable information. : Bovine cornea : No eye irritation : Rabbit : No eye irritation : Rabbit : OECD Test Gu : Irreversible effe : Rabbit : No eye irritation 	from similar materials

Skin sensitisation

Not classified based on available information.

according to the Globally Harmonized System



rsion	Revision Date: 30.09.2023	SDS Number: 443810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016		
Respi	ratory sensitisation				
-	assified based on ava				
<u>Comp</u>	oonents:				
Grazo	previr:				
Test T	-	: Local lymph no	de assay (LLNA)		
	sure routes	: Dermal			
Result	t	: Not a skin sens	itizer.		
Sodiu	m chloride:				
Test T	уре	: Local lymph no	de assay (LLNA)		
	sure routes	: Skin contact			
Specie		: Mouse			
Result	t	: negative			
Sodiu	m n-dodecyl sulfate):			
Test T		: Maximisation T	est		
	sure routes	: Skin contact			
Specie Result		: Guinea pig : negative			
Rema			from similar materials		
Roma		. Dated on data	Based on data from similar materials		
-	esium stearate:				
Test T		: Maximisation T	est		
Specie	sure routes	: Skin contact			
Metho		: Guinea pig : OECD Test Gu	ideline 406		
Result		: negative			
Rema	rks		from similar materials		
Germ	cell mutagenicity				
Not cla	assified based on ava	ailable information.			
<u>Comp</u>	oonents:				
	previr:				
Genot	oxicity in vitro	: Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e		
		Test Type: Chr Result: negativ	omosome aberration test in vitro e		
Genot	oxicity in vivo	: Test Type: In v Application Rou Result: negativ			
	cell mutagenicity - sment	: Weight of evide cell mutagen.	ence does not support classification as a g		
Sodiu	ım chloride:				



according to the Globally Harmonized System

Version 4.1	Revision Date: 30.09.2023		9S Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
Gei	Genotoxicity in vitro		Test Type: In vitro Result: positive	o mammalian cell gene mutation test
			Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
			Test Type: Sacch (in vitro) Result: positive	aromyces cerevisiae, gene mutation assay
			Test Type: DNA c thesis in mammal Result: positive	lamage and repair, unscheduled DNA syn- ian cells (in vitro)
			Test Type: Chrom Result: positive	nosome aberration test in vitro
			Test Type: Chrom Result: negative	nosome aberration test in vitro
Gei	Genotoxicity in vivo		Species: Mouse	o micronucleus test : Intraperitoneal injection
			cytogenetic test, o Species: Rat	enicity (in vivo mammalian bone-marrow chromosomal analysis) :: Intraperitoneal injection
	m cell mutagenicity - essment	:	Weight of evidend cell mutagen.	ce does not support classification as a germ
Soc	dium n-dodecyl sulfate:			
	notoxicity in vitro	:	Test Type: Bacter Method: OECD To Result: negative	rial reverse mutation assay (AMES) est Guideline 471
			Test Type: In vitro Result: negative	o mammalian cell gene mutation test
Gei	notoxicity in vivo	:	Test Type: Roder Species: Mouse Application Route Result: negative	nt dominant lethal test (germ cell) (in vivo) :: Ingestion
Ма	gnesium stearate:			
	notoxicity in vitro	:	Result: negative	o mammalian cell gene mutation test on data from similar materials
			Test Type: Chrom	nosome aberration test in vitro

according to the Globally Harmonized System



Version 4.1	Revision Date: 30.09.2023	SDS Number: 443810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
		Result: negat	CD Test Guideline 473 ive sed on data from similar materials
		Result: negat	acterial reverse mutation assay (AMES) ive sed on data from similar materials
Not c	inogenicity lassified based on avai	lable information.	
	ponents:		
Spec Appli	cation Route sure time	: Rat : Ingestion : 2 Years : negative	
Sodi	um n-dodecyl sulfate:		
Spec Appli	ies cation Route sure time od It	: Rat : Ingestion : 2 Years : OECD Test (: negative	Guideline 453 a from similar materials
-	oductive toxicity lassified based on avai	lable information.	
Com	ponents:		
Graz	oprevir:		
Effec	ts on fertility	: Test Type: Fe Species: Rat Application R Fertility: NOA Result: negat	oute: Oral EL: 400 mg/kg body weight
		Species: Rat Application R Fertility: NOA	ulti-generation study oute: Oral EL: 400 mg/kg body weight fects on fertility, No effects on foetal development
Effec ment	ts on foetal develop-	Species: Rat Application R Embryo-foeta	mbryo-foetal development oute: Oral Il toxicity: NOAEL: 200 mg/kg body weight fects on foetal development
			mbryo-foetal development

according to the Globally Harmonized System



Grazoprevir Formulation

Version 4.1	Revision Date: 30.09.2023	SDS Number: 443810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
		Result: No eff Test Type: Er Species: Rab Application R Embryo-foeta	oute: Oral I toxicity: NOAEL: 200 mg/kg body weight ects on foetal development nbryo-foetal development
Sodi	ium n-dodecyl sulfate:		
	cts on fertility	: Test Type: Tv Species: Rat Application R Method: OEC Result: negat	vo-generation reproduction toxicity study oute: Ingestion D Test Guideline 416 ive sed on data from similar materials
Effect	cts on foetal develop- t	Species: Rat Application R Result: negat	nbryo-foetal development oute: Ingestion ive sed on data from similar materials
Mag	nesium stearate:		
-	cts on fertility	reproduction/ Species: Rat Application R Method: OEC Result: negat	ombined repeated dose toxicity study with the developmental toxicity screening test oute: Ingestion D Test Guideline 422 ive sed on data from similar materials
Effect	cts on foetal develop- t	Species: Rat Application R Result: negat	nbryo-foetal development oute: Ingestion ive sed on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure if swal-lowed.

Components:


Grazoprevir:

•	
Target Organs	: Liver, Testis
Assessment	: May cause damage to organs through prolonged or repeated
	exposure.

according to the Globally Harmonized System



Version 4.1	Revision Date: 30.09.2023		DS Number: 13810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
-	eated dose toxicity ponents:			
Graz Spec NOA Appli Expo Rema Spec NOA	oprevir: eies EL cation Route sure time arks		Rat 400 mg/kg Oral 30 Days No significant ad Rat 400 mg/kg Oral	verse effects were reported
Expo Rem Spec NOA LOAI Appli Expo	sure time arks ies EL		Dog 15 mg/kg 100 mg/kg Oral 270 Days	verse effects were reported ne marrow, gallbladder, spleen, Testis
Expo	EL		Mouse 200 mg/kg 500 mg/kg Oral 90 Days Liver, Kidney, Blo	ood
Expo	EL		Dog 20 mg/kg 600 mg/kg Oral 30 Days Blood, Testis	
Rem	EL sure time arks	:	Monkey 10 mg/kg 8 Days No significant ad	verse effects were reported
Spec LOAI Appli		:	Rat 2,533 mg/kg Ingestion 2 yr	
Sodi Spec	um n-dodecyl sulfate: ies	:	Rat	





sion	Revision Date: 30.09.2023		OS Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
	ation Route ure time	:	488 mg/kg Ingestion 90 Days Based on data t	from similar materials
Magne	esium stearate:			
Specie		:	Rat	
NOAE Applic	L ation Route	•	> 100 mg/kg Ingestion	
	ure time	:	90 Days	
Remai	rks	:	Based on data	from similar materials
Aspira	ation toxicity			
Not cla	assified based on availa	ble	information.	
Exper	ience with human exp	osı	ire	
<u>Comp</u>	onents:			
Grazo	previr:			
			0	dacha Castraintestinal disturbance
Ingesti ECOLC Ecoto	GICAL INFORMATION	: N	Symptoms: Hea	adache, Gastrointestinal disturbance
ECOLO	GICAL INFORMATION	: N	Symptoms: Hea	
ECOLC Ecoto <u>Comp</u>	OGICAL INFORMATION	: N	Symptoms: Hea	
ECOLC Ecoto <u>Comp</u> Grazo	OGICAL INFORMATION xicity onents:	: 1 :	LC50 (Cyprinoc mg/l Exposure time:	lon variegatus (sheepshead minnow)): > 10
ECOLC Ecoto <u>Comp</u> Grazo Toxicit	DGICAL INFORMATION xicity <u>onents:</u> previr:	:	LC50 (Cyprinoc mg/l Exposure time: Remarks: No to	lon variegatus (sheepshead minnow)): > 10 96 h
ECOLC Ecoto Comp Grazo Toxicit	DGICAL INFORMATION xicity onents: previr: ty to fish	:	LC50 (Cyprinoc mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time:	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h
ECOLC Ecoto Comp Grazo Toxicit	DGICAL INFORMATION xicity onents: previr: ty to fish ty to daphnia and other	:	LC50 (Cyprinoc mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l
ECOLC Ecoto Comp Grazo Toxicit	DGICAL INFORMATION xicity onents: previr: ty to fish ty to daphnia and other	:	LC50 (Cyprinoc mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l
ECOLC Ecoto <u>Comp</u> Grazo Toxicit	DGICAL INFORMATION xicity onents: previr: ty to fish ty to daphnia and other	:	LC50 (Cyprinoc mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time:	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h
ECOLC Ecoto <u>Comp</u> Grazo Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7
ECOLC Ecoto <u>Comp</u> Grazo Toxicit Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l Exposure time:	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7 72 hrs
ECOLC Ecoto <u>Comp</u> Grazo Toxicit Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l Exposure time: Method: OECD	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7
ECOLC Ecoto <u>Comp</u> Grazo Toxicit Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l Exposure time: Method: OECD Remarks: No to	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7 72 hrs Test Guideline 201 xicity at the limit of solubility
ECOLC Ecoto <u>Comp</u> Grazo Toxicit Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l Exposure time: Method: OECD Remarks: No to NOEC (Pseudo mg/l	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7 72 hrs Test Guideline 201 xicity at the limit of solubility bkirchneriella subcapitata (green algae)): 10
ECOLC Ecoto <u>Comp</u> Grazo Toxicit Toxicit	DGICAL INFORMATION xicity onents: oprevir: ty to fish ty to daphnia and other c invertebrates	:	LC50 (Cyprinod mg/l Exposure time: Remarks: No to EC50 (Daphnia Exposure time: Method: OECD Remarks: No to LC50 (American Exposure time: EC50 (Pseudo mg/l Exposure time: Method: OECD Remarks: No to NOEC (Pseudo mg/l Exposure time:	lon variegatus (sheepshead minnow)): > 10 96 h xicity at the limit of solubility magna (Water flea)): > 10 mg/l 48 h Test Guideline 202 xicity at the limit of solubility mysis): 8.9 mg/l 96 h kirchneriella subcapitata (green algae)): > 7 72 hrs Test Guideline 201 xicity at the limit of solubility bkirchneriella subcapitata (green algae)): 10

according to the Globally Harmonized System



Vers 4.1	ion	Revision Date: 30.09.2023		95 Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016
	Toxicity	v to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
				NOEC: 1.3 mg/l Exposure time: 3 Test Type: Respir Method: OECD Te	ation inhibition
	Toxicity icity)	v to fish (Chronic tox-	:	Method: OECD Te	lles promelas (fathead minnow)
		to daphnia and other invertebrates (Chron- ty)	:	NOEC: 5 mg/l Exposure time: 21 Species: Daphnia Method: OECD Te	magna (Water flea)
	Sodiun	n chloride:			
	Toxicity	r to fish	:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 5,840 mg/l ì h
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 4,136 mg/l s h
	Toxicity plants	v to algae/aquatic	:	EC50: > 2,000 mg Exposure time: 96	
	Toxicity	to microorganisms	:	EC10: > 1,000 mg	y/I
	Toxicity icity)	to fish (Chronic tox-	:	NOEC: 252 mg/l Exposure time: 33 Species: Pimepha	d Iles promelas (fathead minnow)
		to daphnia and other invertebrates (Chron- ty)	:	NOEC: 314 mg/l Exposure time: 21 Species: Daphnia	d pulex (Water flea)
	Sodiun	n n-dodecyl sulfate:			
	Toxicity	-	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): 29 mg/l 5 h
		to daphnia and other invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 5.55 mg/l 3 h
	Toxicity plants	to algae/aquatic	:	ErC50 (Desmode mg/l Exposure time: 72	smus subspicatus (green algae)): > 120 ? h



according to the Globally Harmonized System

rsion	Revision Date: 30.09.2023		S Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016	
			NOEC (Desmode Exposure time: 72	esmus subspicatus (green algae)): 30 mg/ 2 h	
Toxicity to microorganisms		:	EC50: 135 mg/l Exposure time: 3 h		
Toxicity to fish (Chronic tox- icity)		:	NOEC: >= 1.357 mg/l Exposure time: 42 d Species: Pimephales promelas (fathead minnow)		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		:	NOEC: 0.88 mg/l Exposure time: 7 d Species: Ceriodaphnia dubia (water flea)		
Magn	esium stearate:				
-	ty to fish	:	Exposure time: 48 Method: DIN 384		
	ty to daphnia and other ic invertebrates	:	Exposure time: 4 Test substance: V Method: Directive	Vater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials	
Toxicity to algae/aquatic plants		:	mg/l Exposure time: 72 Test substance: V Method: OECD T Remarks: Based	Vater Accommodated Fraction	
			mg/l Exposure time: 72 Test substance: V Method: OECD T	Vater Accommodated Fraction	
Toxicity to microorganisms		:	EC10 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials		
Persi	stence and degradabili	ty			
Comp	oonents:				
	p revir: gradability	:	Result: Not readil	y biodegradable.	



according to the Globally Harmonized System

ersion 1	Revision Date: 30.09.2023		DS Number: 3810-00019	Date of last issue: 04.04.2023 Date of first issue: 07.01.2016	
			Biodegradation:		
			Exposure time: 2	28 0	
Sodiu	um n-dodecyl sulfate:				
Biodegradability		:	Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guideline 301B		
Magn	nesium stearate:				
Biodegradability		:	Result: Not biodegradable Remarks: Based on data from similar materials		
Bioad	ccumulative potential				
<u>Com</u>	ponents:				
Graze	oprevir:				
Bioac	cumulation	:		is macrochirus (Bluegill sunfish) n factor (BCF): 7.62	
	ion coefficient: n- ol/water	:	log Pow: 3.72		
Sodiu	um n-dodecyl sulfate:				
	ion coefficient: n- ol/water	:	log Pow: 0.83		
Magr	nesium stearate:				
Partit	ion coefficient: n- ol/water	:	log Pow: > 4		
Mobi	lity in soil				
<u>Com</u>	ponents:				
Graze	oprevir:				
Distril	bution among environ- al compartments	:	log Koc: 4.01		
	r adverse effects				
	ata available	Ne			
. DISPC	JAL CUNSIDERATIO	U)			
-	osal methods				
Waste	e from residues	:		of waste into sewer.	
0	minoted pooleoging			cordance with local regulations.	

according to the Globally Harmonized System



Grazoprevir Formulation

Version	Revision Date:
4.1	30.09.2023

SDS Number: 443810-00019 Date of last issue: 04.04.2023 Date of first issue: 07.01.2016

dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date :		:	30.09.2023		
Further info	ormation				
	key data used to : Safety Data		Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
Date format	: :	:	dd.mm.yyyy		
Full text of other abbreviations					
ACGIH	:	:	USA. ACGIH Threshold Limit Values (TLV)		
ACGIH / TV	VA :	:	8-hour, time-weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

according to the Globally Harmonized System



Grazoprevir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	443810-00019	Date of first issue: 07.01.2016

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN