

## **Grazoprevir Formulation**

**Revision Date:** SDS Number: Date of last issue: 2024/04/06 Version 402630-00023 14.0 2024/09/28 Date of first issue: 2016/01/07

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name **Grazoprevir Formulation** 

Supplier's company name, address and phone number

Company name of supplier MSD

Address Kumagaya, Saitama Prefecture, Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone 048-588-8411

E-mail address EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Specific target organ toxicity - : Category 2 (Liver, Testis)

repeated exposure (Oral)

Short-term (acute) aquatic

hazard

Category 3

**GHS** label elements

Hazard pictograms

Signal word Warning

Hazard statements H373 May cause damage to organs (Liver, Testis) through

prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.

Precautionary statements Prevention:

P260 Do not breathe dust.

P273 Avoid release to the environment.

Response:



## **Grazoprevir Formulation**

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out: : lines of the emergency assumed

Dust contact with the eyes can lead to mechanical irritation. May form explosive dust-air mixture during processing, han-

dling or other means.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Grazoprevir	1350462-55-3	>= 10 - < 20	
Sodium n-dodecyl sulfate	151-21-3	1.67	2-1679
Magnesium stearate	557-04-0	>= 1 - < 10	2-611

#### 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Protection of first-aiders

Headache

Gastrointestinal discomfort

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Chlorine compounds Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Oxidizing agents

Hygiene measures

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.



## **Grazoprevir Formulation**

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Grazoprevir	1350462-55- 3	TWA	85 μg/m3 (OEB 3)	Internal
		Wipe limit	850 µg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

**Engineering measures** 

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type

Material Chemical-resistant gloves

Consider double gloving. Remarks

Impermeable protective gloves

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Work uniform or laboratory coat. Skin and body protection

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.



## **Grazoprevir Formulation**

Version 14.0

**Revision Date:** 2024/09/28

SDS Number: 402630-00023 Date of last issue: 2024/04/06 Date of first issue: 2016/01/07

Use appropriate degowning techniques to remove potentially contaminated clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state powder

Colour No data available

Odour No data available

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

Lower explosion limit /

Lower flammability limit

No data available

Flash point Not applicable

No data available Decomposition temperature

pΗ No data available

Evaporation rate Not applicable

Auto-ignition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure Not applicable

Density and / or relative density

Relative density No data available



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Density : No data available

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.
Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

**Components:** 

Grazoprevir:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Method: OECD Test Guideline 401



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Grazoprevir:

Result : No skin irritation

Sodium n-dodecyl sulfate:

Species : Rabbit Result : Skin irritation

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Grazoprevir:

Species : Bovine cornea Result : No eye irritation

Sodium n-dodecyl sulfate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Magnesium stearate:

Species : Rabbit



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Result : No eye irritation

Remarks : Based on data from similar materials

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### **Grazoprevir:**

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal

Result : Not a skin sensitizer.

#### Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

#### Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Grazoprevir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

П

Sodium n-dodecyl sulfate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

**Components:** 

Sodium n-dodecyl sulfate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

**Components:** 

Grazoprevir:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Fertility: NOAEL: 400 mg/kg body weight

Result: negative

Test Type: Multi-generation study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 400 mg/kg body weight

Result: No effects on fertility, No effects on foetal development

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on foetal development

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Embryo-foetal toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on foetal development

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Intravenous

Embryo-foetal toxicity: NOAEL: 100 mg/kg body weight

Result: No effects on foetal development

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop- : Test Type: Embryo-foetal development



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

ment Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs (Liver, Testis) through prolonged or repeated exposure if swallowed.

#### **Components:**

#### Grazoprevir:

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

### **Components:**

#### Grazoprevir:

Species : Rat

NOAEL : 400 mg/kg Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 400 mg/kg Application Route : Oral Exposure time : 180 Days

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 15 mg/kg
LOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 270 Days

Target Organs : Liver, Blood, Bone marrow, gallbladder, spleen, Testis

Species: MouseNOAEL: 200 mg/kgLOAEL: 500 mg/kgApplication Route: OralExposure time: 90 Days

Target Organs : Liver, Kidney, Blood

Species : Dog NOAEL : 20 mg/kg



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 30 Days
Target Organs : Blood, Testis

Species : Monkey NOAEL : 10 mg/kg Exposure time : 8 Days

Remarks : No significant adverse effects were reported

Sodium n-dodecyl sulfate:

Species: RatNOAEL: 488 mg/kgApplication Route: IngestionExposure time: 90 Days

Remarks : Based on data from similar materials

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

**Grazoprevir:** 

Ingestion : Symptoms: Headache, Gastrointestinal disturbance

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

## **Components:**

Grazoprevir:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10

mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

LC50 (Americamysis): 8.9 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 10

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 10

mg/

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.98 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1.3 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Sodium n-dodecyl sulfate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): >= 1.357

mg/l

Exposure time: 42 d



## **Grazoprevir Formulation**

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l

Exposure time: 7 d

: EC50: 135 mg/l

Exposure time: 3 h

Magnesium stearate:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudomonas putida): > 100 mg/l Toxicity to microorganisms

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

**Components:** 

**Grazoprevir:** 

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 66 % Exposure time: 28 d

Sodium n-dodecyl sulfate:

Biodegradability Result: Readily biodegradable.

Biodegradation: 95 %



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Exposure time: 28 d

Method: OECD Test Guideline 301B

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

Components:

Grazoprevir:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 7.62

Partition coefficient: n-

octanol/water

log Pow: 3.72

Sodium n-dodecyl sulfate:

Partition coefficient: n-

octanol/water

: log Pow: 0.83

Magnesium stearate:

Partition coefficient: n-

octanol/water

log Pow: > 4

Mobility in soil

Components:

Grazoprevir:

Distribution among environ-

mental compartments

: log Koc: 4.01

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

**IMDG-Code** 

UN number Not applicable Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable **EmS Code** Not applicable Not applicable Marine pollutant

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **Related Regulations**

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

### **Chemical Substance Control Law**

**Priority Assessment Chemical Substance** 

Chemical name	Number
Sodium alkyl(C=8-18) sulfate	214



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

#### **Industrial Safety and Health Law**

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### **Harmful Substances Required Permission for Manufacture**

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

## Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

# Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Dodecyl sodium sulfate	>=1 - <10	From April 1st, 2025
Magnesium stearate	>=1 - <10	-

#### **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Dodecyl sodium sulfate	From April 1st, 2025
Magnesium stearate	-

#### Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Chemical name	
Sodium dodecyl sulfate	

## Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### **Ordinance on Prevention of Lead Poisoning**

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

## Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

#### Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

## **Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
Sodium dodecyl sulfate	275	1.7

#### **High Pressure Gas Safety Act**

Not applicable

#### **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Not regulated as a dangerous good

#### **Aviation Law**

Not regulated as a dangerous good

#### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

#### Waste Disposal and Public Cleansing Law

Industrial waste

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### **Further information**

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/



## **Grazoprevir Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 402630-00023 Date of first issue: 2016/01/07

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN