according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Grazoprevir / Elbasvir Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road

HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : 908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder Colour : white

Odour : No data available

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic :

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :

¥2>

Signal word : Warning

Hazard statements : H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Harmful to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	>= 1 -< 10
Cellulose	9004-34-6	>= 1 -< 10
Grazoprevir	1350462-55-3	>= 2.5 -< 10
Elbasvir	1370468-36-2	>= 2.5 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

: Contact with dust can cause mechanical irritation or drying of the skin.

delayed

Protection of first-aiders

Dust contact with the eyes can lead to mechanical irritation.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Metal oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust. Do not swallow.

DO HOL SWAHOW.

Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL	
		TWA	10 mg/m3	ACGIH	
Grazoprevir	1350462-55- 3	TWA	85 μg/m3 (OEB 3)	Internal	
		Wipe limit	850 µg/100 cm ²	Internal	
Elbasvir	1370468-36- 2	TWA	150 μg/m3 (OEB 2)	Internal	
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH	
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH	
Titanium dioxide	13463-67-7	PC-TWA (Total dust)	8 mg/m3	CN OEL	
	Further inform	Further information: G2B - Possibly carcinogenic to humans			

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Method: Calculation method

Components:

Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Grazoprevir:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Elbasvir:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 1,000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

tion toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium chloride:

Species Rabbit

. Result No skin irritation

Grazoprevir:

Result : No skin irritation

Elbasvir:

Species reconstructed human epidermis (RhE)

. Result No skin irritation

Magnesium stearate:

Species Rabbit

Result No skin irritation

Remarks Based on data from similar materials

Titanium dioxide:

Species Result Rabbit

No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium chloride:

Species Rabbit

Result No eye irritation

Grazoprevir:

Species Bovine cornea Result No eye irritation

Elbasvir:

Species Bovine cornea Result No eye irritation

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Sodium chloride:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse Result : negative

Grazoprevir:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal

Result : Not a skin sensitizer.

Elbasvir:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal Species : Mouse Result : negative

Magnesium stearate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Species : Mouse Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sodium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay

(in vitro) Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

: Weight of evidence does not support classification as a germ

cell mutagen.

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Grazoprevir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

: Weight of evidence does not support classification as a germ

cell mutagen.

Elbasvir:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Oral

Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Titanium dioxide:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo Test Type: In vivo micronucleus test

> Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Sodium chloride:

Species Rat Application Route : Ingestion Exposure time : 2 Years Result : negative

Cellulose:

Species Rat Application Route : Ingestion Exposure time : 72 weeks Result : negative

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

: Limited evidence of carcinogenicity in inhalation studies with ment

animals.

Reproductive toxicity

Not classified based on available information.

Components:

Cellulose:

Effects on fertility Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-Test Type: Fertility/early embryonic development

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

ment Species: Rat

Application Route: Ingestion

Result: negative

Grazoprevir:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 400 mg/kg body weight

Result: negative

Test Type: Multi-generation study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 400 mg/kg body weight

Result: No effects on fertility, No effects on foetal development

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Embryo-foetal toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on foetal development

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Embryo-foetal toxicity: NOAEL: 200 mg/kg body weight

Result: No effects on foetal development

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Intravenous

Embryo-foetal toxicity: NOAEL: 100 mg/kg body weight

Result: No effects on foetal development

Elbasvir:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male and female

Application Route: Oral

Fertility: NOAEL: 1,000 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight

Result: No effects on early embryonic development

Test Type: Embryo-foetal development

Species: Rabbit

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Application Route: Oral

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight

Result: No effects on early embryonic development

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Grazoprevir:

Target Organs : Liver, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Sodium chloride:

Species : Rat

LOAEL : 2,533 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Grazoprevir:

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 76207-00029 7.0 2024/09/28 Date of first issue: 2015/03/17

Species Rat NOAEL 400 mg/kg Application Route Oral Exposure time 30 Days

Remarks No significant adverse effects were reported

Species NOAEL 400 mg/kg NOAEL
Application Route
Exposure time
Remarks Oral : 180 Days

Remarks No significant adverse effects were reported

Species NOAEL LOAEL Application Route Exposure time Target Organs Dog 15 mg/kg 100 mg/kg Oral 270 Days

: Liver, Blood, Bone marrow, gallbladder, spleen, Testis Target Organs

Species Mouse Species
NOAEL
LOAEL
Application Route
Exposure time
Target Organs 200 mg/kg 500 mg/kg Oral : 90 Days

Target Organs Liver, Kidney, Blood

Species Dog NOAEL 20 mg/kg 600 mg/kg LOAEL : Application Route
Exposure time
Target Organs : Oral : 30 Days Target Organs Blood, Testis

Species : Monkey NOAEL : 10 mg/kg Exposure time : 8 Days

Remarks No significant adverse effects were reported

Elbasvir:

Species Rat

NOAEL 1,000 mg/kg Application Route : Oral 180 d Exposure time

Remarks No significant adverse effects were reported

Species Dog

NOAEL 1,000 mg/kg Application Route Oral Exposure time

Remarks No significant adverse effects were reported

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 76207-00029 7.0 2024/09/28 Date of first issue: 2015/03/17

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kgApplication Route : Ingestion Exposure time : 90 Days

Remarks : Based on data from similar materials

Titanium dioxide:

Species Rat

NOAEL 24,000 mg/kg Application Route Ingestion Exposure time 28 Days

Species Rat NOAEL 10 mg/m3

Application Route inhalation (dust/mist/fume)

Exposure time

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Grazoprevir:

Ingestion Symptoms: Headache, Gastrointestinal disturbance

Elbasvir:

Symptoms: Headache, Abdominal pain, constipation, Nausea, Ingestion

Fatigue, muscle pain, joint pain, Dizziness, Cough, Skin irrita-

tion, rhinitis, Drowsiness, nasal congestion

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium chloride:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4,136 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50: > 2,000 mg/l Exposure time: 96 h

Toxicity to fish (Chronic tox-NOEC (Pimephales promelas (fathead minnow)): 252 mg/l

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

icity) Exposure time: 33 d

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

Toxicity to microorganisms

NOEC (Daphnia pulex (Water flea)): 314 mg/l

Exposure time: 21 d

EC10: > 1,000 mg/l

Cellulose:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Grazoprevir:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

LC50 (Americamysis): 8.9 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 10

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 10

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.98 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Method: OECD Test Guideline 209

NOEC: 1.3 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Elbasvir:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 10 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

LC50 (Menidia beryllina (Silverside)): > 10 mg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

LC50 (Americamysis): 7.7 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 0.081 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.081

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.0023 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.84 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to microorganisms :

EC50: > 1,000 mg/l Exposure time: 3 h

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 271.9 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 76207-00029 7.0 2024/09/28 Date of first issue: 2015/03/17

plants Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Grazoprevir:

Result: Not readily biodegradable. Biodegradability

Biodegradation: 66 % Exposure time: 28 d

Elbasvir:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 37 % Exposure time: 28 d

Magnesium stearate:

Biodegradability Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Grazoprevir:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 7.62

Partition coefficient: n-

octanol/water

: log Pow: 3.72

Elbasvir:

Bioaccumulation Species: Lepomis macrochirus (Bluegill sunfish)

> Bioconcentration factor (BCF): 82 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 6.54

Magnesium stearate:

Partition coefficient: n-

octanol/water

log Pow: > 4

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 76207-00029 7.0 2024/09/28 Date of first issue: 2015/03/17

Mobility in soil

Components:

Grazoprevir:

Distribution among environmental compartments

log Koc: 4.01

Elbasvir:

Distribution among environmental compartments

log Koc: 5.24

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

(Elbasvir)

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3077

Environmentally hazardous substance, solid, n.o.s. Proper shipping name

(Elbasvir)

Class 9 Ш Packing group

Labels Miscellaneous

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

956

ger aircraft)

Environmentally hazardous

yes

IMDG-Code

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Elbasvir)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Elbasvir)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

П

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date 2024/09/28

Further information

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

CN OEL Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA 8-hour, time-weighted average

CN OEL / PC-TWA Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

according to GB/T 16483 and GB/T 17519



Grazoprevir / Elbasvir Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 7.0 2024/09/28 76207-00029 Date of first issue: 2015/03/17

- International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN