according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	76520-00028	Date of first issue: 17.03.2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Grazoprevir / Elbasvir Formulation			
Manufacturer or supplier's details					
Company	:	MSD			
Address	:	Briahnager - Off Pune Nagar Road Wagholi - Pune - India 412 207			
Telephone	:	+1-908-740-4000			
Emergency telephone number	:	+1-908-423-6000			
E-mail address	:	EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use					
Recommended use Restrictions on use	:	Pharmaceutical Not applicable			

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P273 Avoid release to the environment.

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version	Revision Date:
7.0	06.07.2024

SDS Number: 76520-00028

Date of last issue: 06.04.2024 Date of first issue: 17.03.2015

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

CAS-No.	Concentration (% w/w)
	vv/ vv)
7647-14-5	>= 5 - < 10
9004-34-6	>= 5 - < 10
1350462-55-3	>= 5 - < 10
1370468-36-2	>= 2.5 - < 5
557-04-0	>= 1 - < 5
13463-67-7	>= 0.1 - < 1
	7647-14-5 9004-34-6 1350462-55-3 1370468-36-2 557-04-0

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed Protection of first-aiders		Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment
Notes to physician	:	when the potential for exposure exists (see section 8). Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media :

Water spray

Alcohol-resistant foam

according to the Globally Harmonized System




Grazoprevir / Elbasvir Formulation

Version 7.0	Revision Date: 06.07.2024		0S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
medi	ific hazards during fire-	:	concentrations, and potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a
Haza ucts	ardous combustion prod-	:	Carbon oxides Metal oxides Chlorine compour Nitrogen oxides (I	
Spec ods	ific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
for fir	sial protective equipment refighters		Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
6. ACCID	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- equipment and emer- y procedures	:	Follow safe handl	ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
Envir	ronmental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	ods and materials for ainment and cleaning up	:	tainer for disposal Avoid dispersal of with compressed Dust deposits sho es, as these may leased into the att Local or national posal of this mate employed in the of mine which regula Sections 13 and 1	dust in the air (i.e., clearing dust surfaces

7. HANDLING AND STORAGE

Technical measures : Static electricity ma

Static electricity may accumulate and ignite suspended dust causing an explosion.





Grazoprevir / Elbasvir Formulation

Version 7.0	Revision Date: 06.07.2024		8 Number: 20-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	l/Total ventilation ce on safe handling		and bonding, or ir Use only with ade Do not breathe du Do not swallow. Avoid contact with Avoid prolonged of Handle in accorda practice, based of sessment Minimize dust gen Keep container cl Keep away from I Take precautiona	
Cond	ditions for safe storage	: 1	Keep in properly	abelled containers. ce with the particular national regulations.
Mate	rials to avoid	: 1		the following product types:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
Grazoprevir	1350462-55- 3	TWA	85 µg/m3 (OEB 3)	Internal
		Wipe limit	850 µg/100 cm ²	Internal
Elbasvir	1370468-36- 2	TWA	150 μg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Components with workplace control parameters

:

Enginee	ering me	easures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version 7.0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	lter type I protection		sment demonstrates exposures outside the rec- guidelines, use respiratory protection. s type
М	aterial	: Chemical-re	esistant gloves
	emarks protection	: Wear safety If the work mists or ae Wear a face	puble gloving. y glasses with side shields or goggles. environment or activity involves dusty conditions, rosols, wear the appropriate goggles. eshield or other full face protection if there is a r direct contact to the face with dusts, mists, or
Skin	and body protection	: Work unifor Additional b being perfo suits) to ave	m or laboratory coat. body garments should be used based upon the task rmed (e.g., sleevelets, apron, gauntlets, disposable bid exposed skin surfaces. rriate degowning techniques to remove potentially ed clothing
Hygie	ene measures	: If exposure flushing sys place. When using Wash conta The effectiv engineering appropriate industrial hys	to chemical is likely during typical use, provide eye stems and safety showers close to the working g do not eat, drink or smoke. Aminated clothing before re-use. The operation of a facility should include review of g controls, proper personal protective equipment, degowning and decontamination procedures, regiene monitoring, medical surveillance and the inistrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Ver 7.0	sion	Revision Date: 06.07.2024		S Number: 20-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	- 1			No. Jorgana - Malila	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	Not applicable	
	Relative	e vapour density	:	Not applicable	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Solubili Wate	ty(ies) er solubility	:	No data available	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
		nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosit Visc	ty osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle Particle	characteristics size	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

according to the Globally Harmonized System



ersion Revision Da 0 06.07.2024	e: SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
exposure	Skin contact Ingestion Eye contact	
Acute toxicity Not classified based	on available information.	
Product:		
Acute oral toxicity	: Acute toxicity Method: Calcu	estimate: > 5,000 mg/kg Ilation method
Components:		
Sodium chloride:		
Acute oral toxicity	: LD50 (Rat): 3,	550 mg/kg
Acute inhalation toxic	ity : LC50 (Rat): > Exposure time Test atmosphe	::1h
Acute dermal toxicity	: LD50 (Rabbit)	: > 5,000 mg/kg
Cellulose:		
Acute oral toxicity	: LD50 (Rat): >	5,000 mg/kg
Acute inhalation toxic	ity : LC50 (Rat): > Exposure time Test atmosphe	:: 4 h
Acute dermal toxicity	: LD50 (Rabbit)	: > 2,000 mg/kg
Grazoprevir:		
Acute oral toxicity	: LD50 (Rat): >	2,000 mg/kg
Elbasvir:		
Acute oral toxicity	: LD50 (Rat): >	2,000 mg/kg
	LD50 (Mouse)	: > 1,000 mg/kg
Magnesium stearate	2:	
Acute oral toxicity	Assessment: ٦ icity	2,000 mg/kg D Test Guideline 423 The substance or mixture has no acute oral to ed on data from similar materials
Acute dermal toxicity		: > 2,000 mg/kg ed on data from similar materials
Titanium dioxide:		

according to the Globally Harmonized System



Vers 7.0	ion	Revision Date: 06.07.2024		9S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	Acute c	oral toxicity	:	LD50 (Rat): > 5,0	00 mg/kg
	Acute i	nhalation toxicity	:	LC50 (Rat): > 6.8. Exposure time: 4 Test atmosphere: Assessment: The tion toxicity	h
		orrosion/irritation ssified based on availa	ble	information.	
	Compo	onents:			
	Sodiun	n chloride:			
	Species Result	5	:	Rabbit No skin irritation	
	Grazop	previr:			
	Result		:	No skin irritation	
	Elbasv	ir:			
	Specie: Result	8	:	reconstructed hur No skin irritation	nan epidermis (RhE)
	Magne	sium stearate:			
	Species Result	6	:	Rabbit No skin irritation	
	Remark	<s< td=""><td>:</td><td></td><td>om similar materials</td></s<>	:		om similar materials
	Titaniu	m dioxide:			
	Species	5	:	Rabbit	
	Result		•	No skin irritation	
		s eye damage/eye irri ssified based on availa			
	Compo	onents:			
		n chloride:			
	Specie: Result	5	:	Rabbit No eye irritation	
	Grazop	previr:			
	Specie: Result	8	:	Bovine cornea No eye irritation	
	Elbasv	ir:			
	Specie: Result	3	:	Bovine cornea No eye irritation	

according to the Globally Harmonized System



/ersion 7.0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015					
Mag	nesium stearate:							
Spe		: Rabbit						
Res	ult narks	: No eye irritation : Based on data from similar materials						
Ren	Iarks	: Based on data	i from similar materials					
Tita	nium dioxide:							
Spe		: Rabbit						
Res	ult	: No eye irritatio	n					
Res	piratory or skin sens	itisation						
Skin	sensitisation							
	classified based on av							
	piratory sensitisatior classified based on av							
Com	ponents:							
Sod	ium chloride:							
Test	Туре		ode assay (LLNA)					
	osure routes	: Skin contact						
Spe		: Mouse						
Ne5	Result	: negative						
Graz	zoprevir:							
	Туре		ode assay (LLNA)					
	osure routes	: Dermal						
Res	uit	: Not a skin sen	Sitizer.					
Elba	asvir:							
	Туре	: Local lymph no	ode assay (LLNA)					
	osure routes	: Dermal						
Spe Res		: Mouse						
Res	uit	: negative						
Mag	nesium stearate:							
	Туре	: Maximisation	Test					
	osure routes	: Skin contact						
Spe		: Guinea pig	uidalina 106					
Meth Res		: OECD Test G : negative	uldeline 406					
	harks		from similar materials					
Tita	nium dioxide:							
	Type	· I ocal lymph n	ode assay (LLNA)					
	osure routes	: Skin contact						
Spe		: Mouse						
Res	ult	: negative						
		9/23						

according to the Globally Harmonized System



ersion 0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
Not cl	cell mutagenicity assified based on ava conents:	ilable information.	
	um chloride:		
	toxicity in vitro	: Test Type: In Result: positiv	vitro mammalian cell gene mutation test e
		Test Type: Ba Result: negativ	cterial reverse mutation assay (AMES) ve
		Test Type: Sa (in vitro) Result: positiv	ccharomyces cerevisiae, gene mutation assay e
			IA damage and repair, unscheduled DNA syn malian cells (in vitro) e
		Test Type: Ch Result: positiv	romosome aberration test in vitro e
		Test Type: Ch Result: negativ	romosome aberration test in vitro ve
Geno	toxicity in vivo	Species: Mous	oute: Intraperitoneal injection
		cytogenetic tes Species: Rat	tagenicity (in vivo mammalian bone-marrow st, chromosomal analysis)
		Application Ro Result: positiv	oute: Intraperitoneal injection e
	cell mutagenicity -	: Weight of evid cell mutagen.	ence does not support classification as a ger
Cellu	lose:		
Geno	toxicity in vitro	: Test Type: Ba Result: negativ	cterial reverse mutation assay (AMES) ve
		Test Type: In Result: negativ	vitro mammalian cell gene mutation test ve
Geno	toxicity in vivo	: Test Type: Ma cytogenetic as Species: Mous Application Ro Result: negativ	se bute: Ingestion

according to the Globally Harmonized System



Version 7.0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	oprevir:		
Geno	otoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative
		Test Type: Result: neg	Chromosome aberration test in vitro ative
Geno	otoxicity in vivo		In vivo micronucleus test Route: Oral ative
	n cell mutagenicity - ssment	: Weight of e cell mutage	vidence does not support classification as a germ n.
Elba	svir:		
Geno	ptoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative
		Test Type: Result: neg	Chromosome aberration test in vitro ative
Geno	otoxicity in vivo	Species: Ra	Route: Oral
	n cell mutagenicity - ssment	: Weight of e cell mutage	vidence does not support classification as a germ n.
Magi	nesium stearate:		
-	otoxicity in vitro	Result: neg	In vitro mammalian cell gene mutation test ative sased on data from similar materials
		Method: OE Result: neg	Chromosome aberration test in vitro CD Test Guideline 473 ative based on data from similar materials
		Result: neg	Bacterial reverse mutation assay (AMES) ative sased on data from similar materials
Titan	nium dioxide:		
Geno	ptoxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative
Geno	otoxicity in vivo	: Test Type: Species: M Result: neg	

according to the Globally Harmonized System



/ersion ′.0	Revision Date: 06.07.2024		S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	i nogenicity lassified based on ava	ilabla	information	
		allable	iniormation.	
	<u>ponents:</u>			
	um chloride:		Det	
Speci Appli	cation Route	:	Rat Ingestion	
Expo	sure time	:	2 Years	
Resu	lt	:	negative	
Cellu	lose:			
Speci		:	Rat	
	cation Route sure time	:	Ingestion 72 weeks	
Resu		:	negative	
			0	
Titan	ium dioxide:			
Speci		:	Rat	
	cation Route sure time	:	inhalation (duant) 2 Years	st/mist/fume)
Metho		:	OECD Test G	uideline 453
Resu		:	positive	
Rema	arks	:	The mechanis mans.	m or mode of action may not be relevant in hu-
Carci ment	nogenicity - Assess-	:	Limited evider animals.	nce of carcinogenicity in inhalation studies with
Repr	oductive toxicity			
Not c	lassified based on ava	ailable	information.	
<u>Com</u>	ponents:			
Cellu	lose:			
Effect	ts on fertility	:		ne-generation reproduction toxicity study
			Species: Rat	auto: Ingoction
			Result: negati	oute: Ingestion ve
Effect	ts on foetal develop-		-	rtility/early embryonic development
ment	is on ideial develop-	:	Species: Rat	
			Application Ro	pute: Ingestion
			Result: negati	ve
Graze	oprevir:			
	ts on fertility	:	Test Type: Fe	rtility
			Species: Rat	
			Application Ro	oute: Oral

according to the Globally Harmonized System



Version 7.0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
		Fertility: NOAE Result: negativ	EL: 400 mg/kg body weight /e
		Species: Rat Application Ro Fertility: NOAE	lti-generation study oute: Oral EL: 400 mg/kg body weight ects on fertility, No effects on foetal development
Effect ment	ts on foetal develop-	Species: Rat Application Ro Embryo-foetal	abryo-foetal development oute: Oral toxicity: NOAEL: 200 mg/kg body weight ects on foetal development
		Species: Rabb Application Ro Embryo-foetal	
		Species: Rabb Application Ro Embryo-foetal	nbryo-foetal development pit pute: Intravenous toxicity: NOAEL: 100 mg/kg body weight ects on foetal development
Elbas	svir:		
Effect	ts on fertility	Species: Rat, Application Ro	EL: 1,000 mg/kg body weight
Effect ment	ts on foetal develop-	Species: Rat Application Ro Developmenta	nbryo-foetal development oute: Oral Il Toxicity: NOAEL: 1,000 mg/kg body weight ects on early embryonic development
		Species: Rabb Application Ro Developmenta	
-	tesium stearate: ts on fertility	reproduction/d Species: Rat Application Ro	D Test Guideline 422

according to the Globally Harmonized System



Vers 7.0	sion	Revision Date: 06.07.2024		9S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
				Remarks: Based	on data from similar materials
	Effects ment	on foetal develop-	:	Species: Rat Application Route Result: negative	vo-foetal development : Ingestion on data from similar materials
		single exposure ssified based on availa	ble	information.	
	STOT -	repeated exposure			
	Not clas	ssified based on availa	ble	information.	
	<u>Compc</u>	onents:			
	Grazop	previr:			
	Target Assess	Organs ment	:	Liver, Testis May cause damag exposure.	ge to organs through prolonged or repeated
	Repeat	ed dose toxicity			
	<u>Compo</u>	onents:			
	Sodiun	n chloride:			
	Species LOAEL		:	Rat 2,533 mg/kg	
	-	tion Route	:	Ingestion 2 yr	
	Cellulo	se:			
	Species		:	nat	
	NOAEL Applica	- tion Route	:	>= 9,000 mg/kg Ingestion	
	Exposu		:	90 Days	
	Grazop	previr:			
	Species	3	:	Rat	
		- tion Route	:	400 mg/kg Oral	
	Exposu		÷	30 Days	
	Remark	<s< td=""><td>:</td><td>No significant adv</td><td>verse effects were reported</td></s<>	:	No significant adv	verse effects were reported
	Species		:	Rat	
	NOAEL	- tion Route	:	400 mg/kg Oral	
	Exposu		÷	180 Days	
	Remark	<s< td=""><td>:</td><td>No significant adv</td><td>verse effects were reported</td></s<>	:	No significant adv	verse effects were reported
	Species		:	Dog	
	NOAEL	-	:	15 mg/kg	

according to the Globally Harmonized System



Version 7.0	Revision Date: 06.07.2024	SDS Number: 76520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
Expos	L ation Route sure time t Organs	: 100 mg/kg : Oral : 270 Days : Liver, Blood,	Bone marrow, gallbladder, spleen, Testi
Expos	EL	: Mouse : 200 mg/kg : 500 mg/kg : Oral : 90 Days : Liver, Kidney	r, Blood
Expos	EL	: Dog : 20 mg/kg : 600 mg/kg : Oral : 30 Days : Blood, Testis	
Specie NOAE Expos Rema	EL sure time	: Monkey : 10 mg/kg : 8 Days : No significan	t adverse effects were reported
	es EL cation Route sure time	: Rat : 1,000 mg/kg : Oral : 180 d : No significan	t adverse effects were reported
	EL ation Route sure time	: Dog : 1,000 mg/kg : Oral : 270 d : No significan	t adverse effects were reported
Specie NOAE Applic	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on da	ta from similar materials
Specie NOAE Applic		: Rat : 24,000 mg/kg : Ingestion : 28 Days	g
Specie NOAE		: Rat : 10 mg/m3	

according to the Globally Harmonized System



Version 7.0	Revision Date: 06.07.2024		DS Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015			
	Application Route Exposure time		inhalation (dust/m 2 yr	iist/fume)			
-	ration toxicity	hle	information				
	erience with human exp						
-	<u>Components:</u>						
	oprevir:						
Inges	•	:	Symptoms: Head	ache, Gastrointestinal disturbance			
Elba			5				
Inges	stion	:	Fatigue, muscle p	ache, Abdominal pain, constipation, Nausea, pain, joint pain, Dizziness, Cough, Skin irrita- vsiness, nasal congestion			
12. ECOL	OGICAL INFORMATION	N					
Ecot	oxicity						
<u>Com</u>	ponents:						
	um chloride:						
Toxic	city to fish	:	LC50 (Lepomis m Exposure time: 96	nacrochirus (Bluegill sunfish)): 5,840 mg/l 6 h			
	city to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 4,136 mg/l 3 h			
Toxic plant	city to algae/aquatic s	:	EC50: > 2,000 m Exposure time: 96				
Toxic	city to microorganisms	:	EC10: > 1,000 m	g/I			
Toxic icity)	city to fish (Chronic tox-	:	NOEC: 252 mg/l Exposure time: 33				
			Species: Pimepha	ales promelas (fathead minnow)			
aqua	city to daphnia and other tic invertebrates (Chron- kicity)	:	NOEC: 314 mg/l Exposure time: 2 Species: Daphnia	1 d i pulex (Water flea)			
الم	ulose:						
	bity to fish	:	Exposure time: 48	ipes (Japanese medaka)): > 100 mg/l 3 h on data from similar materials			
Graz	oprevir:						
	city to fish	:	LC50 (Cyprinodo mg/l Exposure time: 96	n variegatus (sheepshead minnow)): > 10 6 h			
			16/23				

according to the Globally Harmonized System



Vers 7.0	sion	Revision Date: 06.07.2024		9S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
				Remarks: No toxic	city at the limit of solubility
	Toxicity to daphnia and other aquatic invertebrates		:	Exposure time: 48 Method: OECD Te	
				LC50 (Americamy Exposure time: 96	
	Toxicity plants	/ to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
				mg/l Exposure time: 72 Method: OECD Te	
	Toxicity	<i>i</i> to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 l Test Type: Respire Method: OECD Te	n ation inhibition
				NOEC: 1.3 mg/l Exposure time: 3 l Test Type: Respire Method: OECD Te	ation inhibition
	Toxicity icity)	/ to fish (Chronic tox-	:	Method: OECD Te	les promelas (fathead minnow)
		invertebrates (Chron-	:	NOEC: 5 mg/l Exposure time: 21 Species: Daphnia Method: OECD Te	magna (Water flea)
	Elbasvir:				
	Toxicity	<i>r</i> to fish	:	Exposure time: 96 Method: OECD Te	
				Exposure time: 96	ryllina (Silverside)): > 10 mg/l i h city at the limit of solubility
	Toxicity	v to daphnia and other	:	EC50 (Daphnia m	agna (Water flea)): > 10 mg/l

according to the Globally Harmonized System




Vers 7.0	sion	Revision Date: 06.07.2024		S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
	aquatic invertebrates			Exposure time: 48 Method: OECD Te Remarks: No toxic	
				LC50 (Americamysis): 7.7 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility	
	Toxicity to algae/aquatic plants		:	Exposure time: 72 Method: OECD Te	
				mg/l Exposure time: 72 Method: OECD Te	
	Toxicity	Toxicity to microorganisms		EC50: > 1,000 mg Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
				NOEC: 271.9 mg/ Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
	Toxicity to fish (Chronic tox- icity) Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		:	NOEC: 0.0023 mg Exposure time: 32 Species: Pimepha Method: OECD Te	d Iles promelas (fathead minnow)
			:	Method: OECD Te	magna (Water flea)
	M-Facto toxicity)	or (Chronic aquatic	:	10	
	Magnesium stearate:				
	Toxicity to fish			Exposure time: 48 Method: DIN 3841	
		to daphnia and other invertebrates	:	Exposure time: 47 Test substance: V	agna (Water flea)): > 1 mg/l ' h Vater Accommodated Fraction 67/548/EEC, Annex V, C.2.





	sion Date: 7.2024		S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015
			Remarks: Based on No toxicity at the I	on data from similar materials imit of solubility
Toxicity to alg plants	gae/aquatic	:	mg/l Exposure time: 72 Test substance: W Method: OECD Te	Vater Accommodated Fraction est Guideline 201 on data from similar materials
			mg/l Exposure time: 72 Test substance: W Method: OECD Te	Vater Accommodated Fraction
Toxicity to mi	croorganisms	:	Exposure time: 16 Test substance: W	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials
Titanium dio	oxide:			
Toxicity to fis	h	:	LC50 (Oncorhync) Exposure time: 96 Method: OECD Te	
Toxicity to da aquatic inver	phnia and other tebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 100 mg/l s h
Toxicity to alg plants	gae/aquatic	:	EC50 (Skeletoner mg/l Exposure time: 72	ma costatum (marine diatom)): > 10,000 ? h
Toxicity to mi	croorganisms	:	EC50: > 1,000 mg Exposure time: 3 l Method: OECD Te	h
Persistence	and degradabili	ity		
Components	<u>s:</u>			
Cellulose:				
Biodegradab	ility	:	Result: Readily bio	odegradable.
Grazoprevir	:			
Biodegradab	ility	:	Result: Not readily Biodegradation: 6	





Version 7.0	Revision Date: 06.07.2024		0S Number: 520-00028	Date of last issue: 06.04.2024 Date of first issue: 17.03.2015				
Biode	Biodegradability		: Result: Not readily biodegradable. Biodegradation: 37 % Exposure time: 28 d					
-	nesium stearate: egradability	:	Result: Not biode Remarks: Based	gradable on data from similar materials				
Bioa	ccumulative potential							
<u>Com</u>	ponents:							
Graz	oprevir:							
Bioad	ccumulation	:		s macrochirus (Bluegill sunfish) factor (BCF): 7.62				
	ion coefficient: n- nol/water	:	log Pow: 3.72					
Elbas	svir:							
Bioad	ccumulation	:	Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): 82 est Guideline 305				
	ion coefficient: n- nol/water	:	log Pow: 6.54					
Magr	nesium stearate:							
	ion coefficient: n- nol/water	:	log Pow: > 4					
Mobi	lity in soil							
Com	ponents:							
	oprevir: bution among environ-	:	log Koc: 4.01					
	al compartments		č					
Elbas	svir:							
	bution among environ- al compartments	:	log Koc: 5.24					
Othe	r adverse effects							
No da	ata available							

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	76520-00028	Date of first issue: 17.03.2015

13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Elbasvir)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Elbasvir)
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passen- ger aircraft)	:	956
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Class		(Elbasvir)
Class	÷	9
Packing group	÷	
Labels	÷	9
EmS Code	÷	F-A, S-F
Marine pollutant		yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	76520-00028	Date of first issue: 17.03.2015

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	06.07.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Globally Harmonized System



Grazoprevir / Elbasvir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	76520-00028	Date of first issue: 17.03.2015

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN