



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Grazoprevir / Elbasvir Formulation
Supplier's company name, ac Company name of supplier		ess and phone number MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

	GHS classification of chemical product				
Short-term (acute) aquatic hazard	:	Category 3			
Long-term (chronic) aquatic hazard	:	Category 1			
GHS label elements					
Hazard pictograms	:				
Signal word	:	Warning			
Hazard statements	:	H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects.			
Precautionary statements	:	Prevention:			
		P273 Avoid release to the environment.			
		Response:			
		P391 Collect spillage.			



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- lines of the emergency as- sumed	:	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, han-
		dling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

•			
Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cellulose	9004-34-6	>= 1 - < 10	
Grazoprevir	1350462-55-3	>= 2.5 - < 10	
Elbasvir	1370468-36-2	>= 2.5 - < 10	
Magnesium stearate	557-04-0	>= 1 - < 10	2-611
Titanium dioxide	13463-67-7	>= 0.1 - < 1	1-558, 5-5225
Sodium n-dodecyl sulfate	151-21-3	>= 0.25 - < 1	2-1679
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.0025 - < 0.025	3-540, 9-1805

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed Protection of first-aiders	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment



Vers 18.1	ion	Revision Date: 2024/09/28		9S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
				when the potentia	for owner, aviate (and partian 2)
	Notes t	o physician	:		I for exposure exists (see section 8). cally and supportively.
5. FI	REFIGI	HTING MEASURES			
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	ble extinguishing	:	None known.	
	Specific fighting	c hazards during fire-	:	concentrations, ar potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. oustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Metal oxides Chlorine compour Nitrogen oxides (N	
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for firef	protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
6. A	CCIDEN	ITAL RELEASE MEAS	SUF	RES	
	tive equ	al precautions, protec- uipment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
	Enviror	nmental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages
		ls and materials for ment and cleaning up	:	tainer for disposal Avoid dispersal of with compressed Dust deposits sho	dust in the air (i.e., clearing dust surfaces



Version 18.1	Revision Date: 2024/09/28	SDS Number: 76213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
		Local or nati posal of this employed in mine which Sections 13	he atmosphere in sufficient concentration. ional regulations may apply to releases and dis- material, as well as those materials and items the cleanup of releases. You will need to deter- regulations are applicable. and 15 of this SDS provide information regarding or national requirements.
7. HANDL	ING AND STORAGE		
Hanc	lling		
Tech	nical measures	causing an e Provide ade	city may accumulate and ignite suspended dust explosion. quate precautions, such as electrical grounding g, or inert atmospheres.
	/Total ventilation e on safe handling		h adequate ventilation. the dust.
Hygie	lance of contact ene measures	Avoid contac Avoid prolon Handle in ac practice, bas sessment Minimize du Keep contai Keep away f Take precau Take care to environment Oxidizing ag If exposure f flushing syst place. When using Wash contac The effective engineering appropriate industrial hy	ct with eyes. aged or repeated contact with skin. ccordance with good industrial hygiene and safety sed on the results of the workplace exposure as- st generation and accumulation. ner closed when not in use. from heat and sources of ignition. utionary measures against static discharges. o prevent spills, waste and minimize release to the t.
Stora	age		
	litions for safe storage rials to avoid	Store in acc	perly labelled containers. ordance with the particular national regulations. with the following product types: zing agents
Pack	aging material	-	naterial: None known.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
Grazoprevir	1350462-55- 3	TWA	85 µg/m3 (OEB 3)	Internal
		Wipe limit	850 µg/100 cm ²	Internal
Elbasvir	1370468-36- 2	TWA	150 µg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH
Titanium dioxide	13463-67-7	OEL-M (Respirable particulate matter)	1.5 mg/m3 (Titanium)	JP OEL JSOH
	Further inform	ation: Group 2B:	possibly carcinogeni	c to humans
		OEL-M (Total particulate matter)	2 mg/m3 (Titanium)	JP OEL JSOH
	Further information: Group 2B: possibly carcinogenic to hu			c to humans
2,6-Di-tert-butyl-p-cresol	128-37-0	8h-OEL-M	10 mg/m3	JP ISHL OEL 577-2(2)
		TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

:

Respiratory protection

If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.



Version 18.1	Revision Date: 2024/09/28		0S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17		
	er type protection	:	Particulates type			
Mat	erial	:	Chemical-resistar	nt gloves		
	narks otection	:	If the work enviro mists or aerosols Wear a faceshield	gloving. ses with side shields or goggles. nment or activity involves dusty conditions, , wear the appropriate goggles. d or other full face protection if there is a t contact to the face with dusts, mists, or		
Skin ar	nd body protection	 Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. 				
). PHYSICA	AL AND CHEMICAL F	RO	PERTIES			
Physica	al state	:	powder			
Colour		:	white			
Odour		:	No data available			
Odour	Threshold	:	No data available	e		
Melting	point/freezing point	:	No data available	e		
	Boiling point, initial boiling point and boiling range		No data availabl	e		

- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : No data available

Lower explosion limit and uppe Upper explosion limit / Up- per flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
рН	:	No data available
Evaporation rate	:	Not applicable





Version 18.1	Revision Date: 2024/09/28		S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Auto-	ignition temperature	:	No data available	9
Visco Vi	sity scosity, kinematic	:	Not applicable	
	bility(ies) ater solubility	:	No data available	
	ion coefficient: n- ol/water	:	Not applicable	
Vapo	ur pressure	:	Not applicable	
	ity and / or relative densit elative density	ty :	No data available	
De	ensity	:	No data available	9
Relat	ive vapour density	:	Not applicable	
Explo	sive properties	:	Not explosive	
Oxidi	zing properties	:	The substance o	r mixture is not classified as oxidizing.
	cle characteristics article size	:	No data available	9

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Stable under normal conditions.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products		Oxidizing agents No hazardous decomposition products are known.
products		

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact



sion 1	Revision Date: 2024/09/28	SDS Number: 76213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Not c	e toxicity lassified based on ava ponents:	ilable information.	
Cellu	lose:		
Acute	e oral toxicity	: LD50 (Rat): :	> 5,000 mg/kg
Acute	e inhalation toxicity	: LC50 (Rat): : Exposure tim Test atmosp	
Acute	e dermal toxicity	: LD50 (Rabbi	t): > 2,000 mg/kg
Graze	oprevir:		
	e oral toxicity	: LD50 (Rat): :	> 2,000 mg/kg
Elbas	svir:		
Acute	e oral toxicity	: LD50 (Rat): :	> 2,000 mg/kg
		LD50 (Mouse	e): > 1,000 mg/kg
Magr	nesium stearate:		
Acute	e oral toxicity	Assessment: icity	> 2,000 mg/kg CD Test Guideline 423 The substance or mixture has no acute oral t used on data from similar materials
Acute	e dermal toxicity		t): > 2,000 mg/kg ised on data from similar materials
Titan	ium dioxide:		
Acute	e oral toxicity	: LD50 (Rat): :	> 5,000 mg/kg
Acute	e inhalation toxicity		
Sodiu	um n-dodecyl sulfate	:	
Acute	e oral toxicity	: LD50 (Rat): Method: OE0	1,200 mg/kg CD Test Guideline 401
Acute	e dermal toxicity		> 2,000 mg/kg CD Test Guideline 402 used on data from similar materials



rsion 1	Revision Date: 2024/09/28	SDS Number: 76213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
2,6-D	i-tert-butyl-p-cresol	:	
Acute	oral toxicity	: LD50 (Rat): > 6 Method: OECD	5,000 mg/kg 9 Test Guideline 401
Acute	dermal toxicity		2,000 mg/kg 9 Test Guideline 402 he substance or mixture has no acute derma
_	corrosion/irritation assified based on av	ailable information.	
<u>Comp</u>	oonents:		
Grazo	oprevir:		
Resul		: No skin irritatio	n
Elbas	svir:		
Speci	es		numan epidermis (RhE)
Resul	t	: No skin irritatio	n
Magn	esium stearate:		
Speci		: Rabbit	
Resul Rema		: No skin irritatio	n from similar materials
i torrie		. Buood on data	
Titani	ium dioxide:		
Speci		: Rabbit	
Resul	t	: No skin irritatio	n
Sodiu	ım n-dodecyl sulfat	e:	
Speci		: Rabbit	
Resul	t	: Skin irritation	
	i-tert-butyl-p-cresol		
Speci		: Rabbit	idalina 404
Metho Resul		: OECD Test Gu : No skin irritatio	
Rema			from similar materials
	us eye damage/eye assified based on av		
<u>Comp</u>	oonents:		
Grazo	oprevir:		
Speci		: Bovine cornea	
Resul	t	: No eye irritation	n



Version 18.1	Revision Date: 2024/09/28		OS Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Elbas	svir:			
Spec Resu		:	Bovine cornea No eye irritation	
-	nesium stearate:			
Spec Resu Rema	lt	:	Rabbit No eye irritation Based on data fro	om similar materials
	ium dioxide:			
Spec Resu		:	Rabbit No eye irritation	
	um n-dodecyl sulfate	:		
Spec Resu Meth	lt	:	Rabbit Irreversible effect OECD Test Guid	
2,6-D	i-tert-butyl-p-cresol:			
Spec Resu Methe Rema	lt od	:	Rabbit No eye irritation OECD Test Guid Based on data fro	eline 405 om similar materials
Resp	iratory or skin sensit	isatio	on	
	sensitisation lassified based on ava	ilable	information.	
•	iratory sensitisation lassified based on ava	ilable	information.	
Com	ponents:			
Test	sure routes	:	Local lymph node Dermal Not a skin sensiti	
Elbas	svir:			
Test Expo Spec Resu	sure routes ies	:	Local lymph node Dermal Mouse negative	e assay (LLNA)



rsion .1	Revision Date: 2024/09/28	SDS Number: 76213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Magn	esium stearate:		
Test 7		: Maximisati	
Speci	sure routes es	: Skin contac : Guinea pig	
Metho	od	: OECD Tes	t Guideline 406
Resul Rema		: negative : Based on c	data from similar materials
Titani	um dioxide:		
Test 7			h node assay (LLNA)
Expos Speci	sure routes	: Skin contac : Mouse	ct
Resul		: negative	
	Im n-dodecyl sulfate		
Test 7		: Maximisati	
Speci	sure routes es	: Skin contac : Guinea pig	
Resul		: negative	
Rema	irks	: Based on c	data from similar materials
	i-tert-butyl-p-cresol:		
Test 7 Expos	sure routes	: Human rep : Skin conta	beat insult patch test (HRIPT)
Speci	es	: Humans	
Resul	t	: negative	
	cell mutagenicity	ilabla information	
	assified based on ava conents:	allable information.	
Cellu			
Geno	toxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) gative
		Test Type: Result: neg	In vitro mammalian cell gene mutation test gative
Geno	toxicity in vivo	cytogenetic	
		Species: M Application Result: neg	Route: Ingestion
Cross	oprevir:		
Graze			



ersion 8.1	Revision Date: 2024/09/28	-	0S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
			Test Type: Chro Result: negative	mosome aberration test in vitro
Geno	toxicity in vivo	:	Test Type: In viv Application Rout Result: negative	
	cell mutagenicity -	:	Weight of evider cell mutagen.	nce does not support classification as a germ
Elbas	vir:			
Geno	toxicity in vitro	:	Test Type: Bactor Result: negative	erial reverse mutation assay (AMES)
			Test Type: Chro Result: negative	mosome aberration test in vitro
Geno	toxicity in vivo	:	Test Type: In viv Species: Rat Application Rout Result: negative	
	cell mutagenicity - ssment	:	Weight of evider cell mutagen.	nce does not support classification as a gern
Magn	esium stearate:			
-	toxicity in vitro	:	Result: negative	ro mammalian cell gene mutation test I on data from similar materials
			Method: OECD Result: negative	mosome aberration test in vitro Test Guideline 473 d on data from similar materials
			Result: negative	erial reverse mutation assay (AMES) d on data from similar materials
Titani	um dioxide:			
Geno	toxicity in vitro	:	Test Type: Bactor Result: negative	erial reverse mutation assay (AMES)
Geno	toxicity in vivo	:	Test Type: In viv Species: Mouse Result: negative	
Sodiu	ım n-dodecyl sulfate:			
	toxicity in vitro	:	Test Type: Bacte	erial reverse mutation assay (AMES)



Versio 18.1	on	Revision Date: 2024/09/28	-	9S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
				Method: OECD To Result: negative	est Guideline 471
				Test Type: In vitro Result: negative	mammalian cell gene mutation test
G	Senoto	xicity in vivo	:	Test Type: Roden Species: Mouse Application Route Result: negative	t dominant lethal test (germ cell) (in vivo) : Ingestion
2	.6-Di-t	ert-butyl-p-cresol:			
		xicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
				Test Type: In vitro Result: negative	mammalian cell gene mutation test
				Test Type: Chrom Result: negative	osome aberration test in vitro
G	Senoto	xicity in vivo	:		enicity (in vivo mammalian bone-marrow hromosomal analysis) : Ingestion
С	arcin	ogenicity			
		ssified based on availa	able	information.	
<u>C</u>	compo	nents:			
С	ellulo	se:			
S	species	3	:	Rat	
		tion Route	:	Ingestion	
	Result	re time	:	72 weeks negative	
-		m dioxide:			
	species			Rat	
		tion Route	÷	inhalation (dust/m	ist/fume)
E	xposu	re time	:	2 Years	
	lethod		:	OECD Test Guide	line 453
	tesult Remark	S	:	positive The mechanism o humans.	r mode of action may not be relevant in
	Carcinc nent	genicity - Assess-	:	Limited evidence animals.	of carcinogenicity in inhalation studies with



ersion 3.1	Revision Date: 2024/09/28	SDS Number: 76213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Speci Applic	cation Route sure time od t	: Rat : Ingestion : 2 Years : OECD Test 0 : negative	Guideline 453 ta from similar materials
Speci Applic	cation Route sure time	: Rat : Ingestion : 22 Months : negative	
Not cl	oductive toxicity assified based on ava	ailable information.	
	oonents:		
Cellu Effect	lose: s on fertility	Species: Rat	Route: Ingestion
Effect ment	s on foetal develop-	Species: Rat	Route: Ingestion
Grazo	oprevir:		
	s on fertility	: Test Type: Fo Species: Rat Application R Fertility: NOA Result: negation	Route: Oral AEL: 400 mg/kg body weight
		Species: Rat Application R	Route: Oral
			AEL: 400 mg/kg body weight fects on fertility, No effects on foetal developme



Version 18.1	Revision Date: 2024/09/28		DS Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
			Result: No effects Test Type: Embry Species: Rabbit Application Route Embryo-foetal tox	icity: NOAEL: 200 mg/kg body weight on foetal development ro-foetal development
	asvir: ects on fertility	:	Species: Rat, ma Application Route	: Oral 1,000 mg/kg body weight
Effe me	ects on foetal develop- nt	:	Species: Rat Application Route Developmental To Result: No effects	ro-foetal development :: Oral oxicity: NOAEL: 1,000 mg/kg body weight s on early embryonic development ro-foetal development
			Species: Rabbit Application Route Developmental To	-
Ма	gnesium stearate:			
Effe	ects on fertility	:	reproduction/deve Species: Rat Application Route Method: OECD T Result: negative	
Effe me	ects on foetal develop- nt	:	Species: Rat Application Route Result: negative	ro-foetal development : Ingestion on data from similar materials
So	dium n-dodecyl sulfate:			
Effe	ects on fertility	:	Test Type: Two-g Species: Rat Application Route Method: OECD T	



sion 1	Revision Date: 2024/09/28	SDS Nur 76213-00	
			lt: negative arks: Based on data from similar materials
Effect ment	ts on foetal develop-	Spec Appli Resu	Type: Embryo-foetal development ies: Rat cation Route: Ingestion It: negative arks: Based on data from similar materials
2,6-D	i-tert-butyl-p-cresol:		
Effect	ts on fertility	Spec Appli	Type: Two-generation reproduction toxicity study ies: Rat cation Route: Ingestion It: negative
Effect ment	ts on foetal develop-	Spec	Type: Embryo-foetal development ies: Rat
	- single exposure lassified based on avai	Resu	cation Route: Ingestion It: negative ation.
Not cl STOT Not cl	lassified based on avai - repeated exposure lassified based on avai	Resu lable inform	It: negative
Not cl STOT Not cl <u>Com</u>	lassified based on avai - repeated exposure lassified based on avai ponents:	Resu lable inform	It: negative
Not cl STOT Not cl Comp Grazo Targe	lassified based on avai - repeated exposure lassified based on avai	Resu lable inform lable inform : Liver	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate
Not cl STOT Not cl Com Graze Targe Asses	lassified based on avai F - repeated exposure lassified based on avain ponents: poprevir: et Organs	Resu lable inform lable inform : Liver : May	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate
Not cl STOT Not cl Comj Grazo Targe Asses 2,6-D	lassified based on avai r - repeated exposure lassified based on avai ponents: oprevir: et Organs ssment	Resu lable inform lable inform : Liver : May expo : No si	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure.
Not cl STOT Not cl Comj Grazo Targe Asses 2,6-D Asses	lassified based on avai r - repeated exposure lassified based on avai ponents: oprevir: et Organs ssment i-tert-butyl-p-cresol:	Resu lable inform lable inform : Liver : May expo : No si	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure. gnificant health effects observed in animals at concent
Not cl STOT Not cl Comj Grazo Targe Asses 2,6-D Asses Repe	lassified based on avai r - repeated exposure lassified based on avai ponents: oprevir: et Organs ssment i-tert-butyl-p-cresol: ssment	Resu lable inform lable inform : Liver : May expo : No si	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure. gnificant health effects observed in animals at concent
Not cl STOT Not cl Comj Grazo Targe Asses 2,6-D Asses Repe	lassified based on avail r - repeated exposure lassified based on avail ponents: oprevir: et Organs ssment i-tert-butyl-p-cresol: ssment ated dose toxicity ponents:	Resu lable inform lable inform : Liver : May expo : No si	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure. gnificant health effects observed in animals at concent
Not cl STOT Not cl Com Targe Asses 2,6-D Asses Repe Com Speci NOAE Applid	lassified based on avail r - repeated exposure lassified based on avail ponents: oprevir: et Organs ssment i-tert-butyl-p-cresol: ssment ated dose toxicity ponents: lose: ies	Resu lable inform lable inform : Liver : May expo : No si tions	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure. gnificant health effects observed in animals at concent of 100 mg/kg bw or less.
Not cl STOT Not cl Com Targe Asses 2,6-D Asses Repe Com Speci NOAE Applic Expos	lassified based on avail r - repeated exposure lassified based on avail ponents: oprevir: et Organs ssment i-tert-butyl-p-cresol: ssment ated dose toxicity ponents: lose: EL cation Route	Result lable inform lable inform : Liver : May expo : No si tions : No si tions : s= 9, : Inges	It: negative ation. ation. , Testis cause damage to organs through prolonged or repeate sure. gnificant health effects observed in animals at concent of 100 mg/kg bw or less.



Version 18.1	Revision Date: 2024/09/28	SDS Number 76213-00030	
Applia Expos Rema Speci NOAE Applia Expos Rema Speci NOAE LOAE	cation Route sure time arks EL cation Route sure time arks EL EL	: Oral : 30 Days : No signific : Rat : 400 mg/kg : Oral : 180 Days : No signific : Dog : 15 mg/kg : 100 mg/kg	cant adverse effects were reported g cant adverse effects were reported
Expos	cation Route sure time et Organs	: Oral : 270 Days : Liver, Blo	od, Bone marrow, gallbladder, spleen, Testis
Expos	EL	: Mouse : 200 mg/kg : 500 mg/kg : Oral : 90 Days : Liver, Kide	
Expos	EL	: Dog : 20 mg/kg : 600 mg/kg : Oral : 30 Days : Blood, Te	-
Speci NOAE Expos Rema	EL sure time	: Monkey : 10 mg/kg : 8 Days : No signifie	cant adverse effects were reported
	es EL cation Route sure time	: Rat : 1,000 mg, : Oral : 180 d : No signific	/kg cant adverse effects were reported
	EL cation Route sure time	: Dog : 1,000 mg, : Oral : 270 d : No signific	/kg cant adverse effects were reported
Magn Speci	esium stearate: es	: Rat	



Version 18.1	Revision Date: 2024/09/28	-	S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
	cation Route sure time	:	> 100 mg/kg Ingestion 90 Days Based on data	from similar materials
Spec NOA Appli		:	Rat 24,000 mg/kg Ingestion 28 Days	
		:	Rat 10 mg/m3 inhalation (dus 2 yr	st/mist/fume)
Sodi	um n-dodecyl sulfate	:		
	EL cation Route sure time		Rat 488 mg/kg Ingestion 90 Days Based on data	from similar materials
2,6-D)i-tert-butyl-p-cresol:			
		:	Rat 25 mg/kg Ingestion 22 Months	
•	ration toxicity lassified based on ava	ilable i	nformation.	
Expe	erience with human e	xposu	re	
Com	ponents:			
Graz Inges	oprevir: stion	:	Symptoms: He	eadache, Gastrointestinal disturbance
Elba: Inges		:	Fatigue, musc	eadache, Abdominal pain, constipation, Nausea, le pain, joint pain, Dizziness, Cough, Skin irrita- rowsiness, nasal congestion



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

12. ECOLOGICAL INFORMATION Ecotoxicity Components: Cellulose: Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials Grazoprevir: Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10 ma/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility EC50 (Daphnia magna (Water flea)): > 10 mg/l Toxicity to daphnia and other : Exposure time: 48 h aquatic invertebrates Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility LC50 (Americamysis): 8.9 mg/l Exposure time: 96 h Toxicity to algae/aquatic EC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l plants Exposure time: 72 hrs Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Pseudokirchneriella subcapitata (green algae)): 10 mg/l Exposure time: 72 hrs Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Pimephales promelas (fathead minnow)): 0.98 mg/l Toxicity to fish (Chronic tox-: Exposure time: 32 d icity) Method: OECD Test Guideline 210 Remarks: No toxicity at the limit of solubility Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 5 mg/l aquatic invertebrates (Chron-Exposure time: 21 d ic toxicity) Method: OECD Test Guideline 211 Toxicity to microorganisms EC50: > 1,000 mg/l : Exposure time: 3 h Test Type: Respiration inhibition

Method: OECD Test Guideline 209



/ersion 8.1	Revision Date: 2024/09/28		0S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
			NOEC: 1.3 mg/l Exposure time: 3 Test Type: Respir Method: OECD T	ation inhibition
Elbas	vir:			
Toxici	ity to fish	:	Exposure time: 96 Method: OECD T	
			Exposure time: 96	eryllina (Silverside)): > 10 mg/l S h city at the limit of solubility
	ty to daphnia and other ic invertebrates	:	Exposure time: 48 Method: OECD T	
Toxici plants	ty to algae/aquatic	:	Exposure time: 72 Method: OECD T	
			mg/l Exposure time: 72 Method: OECD T	
Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD T	
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2 Method: OECD T	
	ctor (Chronic aquatic	:	10	
toxicit Toxici	y) ty to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 Test Type: Respir Method: OECD T	h ration inhibition



ersion 3.1	Revision Date: 2024/09/28		9S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
			NOEC: 271.9 mg Exposure time: 3 Test Type: Respi Method: OECD T	h
Magn	esium stearate:			
-	ty to fish	:	Exposure time: 4 Method: DIN 384	
	ty to daphnia and other c invertebrates	:	Exposure time: 4 Test substance: Method: Directive	Water Accommodated Fraction e 67/548/EEC, Annex V, C.2. on data from similar materials
Toxici [;] plants	ty to algae/aquatic	:	mg/l Exposure time: 7 Test substance: \ Method: OECD T	Water Accommodated Fraction est Guideline 201 on data from similar materials
			mg/l Exposure time: 7 Test substance: 1 Method: OECD T	kirchneriella subcapitata (green algae)): > 1 2 h Water Accommodated Fraction Test Guideline 201 on data from similar materials
Toxici	ty to microorganisms	:	Exposure time: 1 Test substance: \	onas putida): > 100 mg/l 6 h Water Accommodated Fraction on data from similar materials
Titani	um dioxide:			
Toxici	ty to fish	:	Exposure time: 9	chus mykiss (rainbow trout)): > 100 mg/l 6 h est Guideline 203
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): > 100 mg/l 8 h
Toxici plants	ty to algae/aquatic	:	EC50 (Skeletone Exposure time: 7	ma costatum (marine diatom)): > 10,000 mg. 2 h
Toxici	ty to microorganisms	:	EC50: > 1,000 m Exposure time: 3	



Version 18.1	Revision Date: 2024/09/28		0S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
			Method: OECD 1	est Guideline 209
	um n-dodecyl sulfate: ity to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 29 mg/l 6 h
	ity to daphnia and other tic invertebrates	:	EC50 (Ceriodaph Exposure time: 4	nnia dubia (water flea)): 5.55 mg/l 8 h
Toxic plant	ity to algae/aquatic s	:	ErC50 (Desmode Exposure time: 7	esmus subspicatus (green algae)): > 120 mg 2 h
			NOEC (Desmode Exposure time: 7	esmus subspicatus (green algae)): 30 mg/l 2 h
Toxic icity)	tity to fish (Chronic tox-	:	NOEC (Pimepha mg/l Exposure time: 4	les promelas (fathead minnow)): >= 1.357 2 d
aqua	tity to daphnia and other tic invertebrates (Chron-	:	NOEC (Ceriodap Exposure time: 7	hnia dubia (water flea)): 0.88 mg/l d
ic tox Toxic	ity to microorganisms	:	EC50: 135 mg/l Exposure time: 3	h
2,6-D)i-tert-butyl-p-cresol:			
	ity to fish	:	Exposure time: 9	o (zebra fish)): > 0.57 mg/l 6 h ∌ 67/548/EEC, Annex V, C.1.
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.48 mg/l 8 h ēst Guideline 202
Toxic plant	tity to algae/aquatic s	:	mg/l Exposure time: 7	rchneriella subcapitata (green algae)): > 0.2 2 h ēst Guideline 201
			mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 0.24 2 h ^c est Guideline 201
	ctor (Acute aquatic tox-	:	1	
icity) Toxic icity)	ity to fish (Chronic tox-	:	Exposure time: 3	atipes (Japanese medaka)): 0.053 mg/l 0 d ēst Guideline 210
Toxic	ity to daphnia and other	:	NOEC (Daphnia	magna (Water flea)): 0.316 mg/l



Vers 18.1		Revision Date: 2024/09/28		S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
		nvertebrates (Chron-		Exposure time: 21	d
		/) r (Chronic aquatic	:	1	
	toxicity) Toxicity t	to microorganisms	:	EC50: > 10,000 m Exposure time: 3 Method: OECD Te	h
	Persiste	nce and degradabili	ty		
	Compon	nents:			
	Cellulos Biodegra		:	Result: Readily bio	odegradable.
	Grazopr Biodegra		:	Result: Not readily	/ biodegradable.
	-			Biodegradation: 6 Exposure time: 28	
	Elbasvir	-			
	Biodegra	adability	:	Result: Not readily Biodegradation: 3 Exposure time: 28	37 %
	Magnesi	ium stearate:			
	Biodegra	adability	:	Result: Not biodeo Remarks: Based o	gradable on data from similar materials
		n-dodecyl sulfate:			
	Biodegra	adability	:	Result: Readily bio Biodegradation: 9 Exposure time: 28 Method: OECD Te	95 %
	2.6-Di-te	ert-butyl-p-cresol:			
	Biodegra	•••	:	Result: Not readily Biodegradation: 4 Exposure time: 28 Method: OECD Te	l.5 %
	Bioaccu	mulative potential			
	<u>Compon</u>	nents:			
	Grazopr Bioaccur			Spacias: Lanamia	macrophinus (Pluggill gusfish)
	DIOACCU	nuiation		Bioconcentration f	macrochirus (Bluegill sunfish) factor (BCF): 7.62



Version 18.1	Revision Date: 2024/09/28		0S Number: 213-00030	Date of last issue: 2024/07/06 Date of first issue: 2015/03/17
Partit	ion coefficient: n-		log Pow: 3.72	
	ol/water	•	1091 00. 3.72	
Elbas	svir:			
Bioac	cumulation	:	Bioconcentration	is macrochirus (Bluegill sunfish) n factor (BCF): 82 Test Guideline 305
	ion coefficient: n- ol/water	:	log Pow: 6.54	
Partit	nesium stearate: ion coefficient: n- ol/water	:	log Pow: > 4	
Partit	um n-dodecyl sulfate: ion coefficient: n- ol/water	:	log Pow: 0.83	
2,6-D	i-tert-butyl-p-cresol:			
Bioac	cumulation	:	Species: Cyprin Bioconcentration	us carpio (Carp) n factor (BCF): 330 - 1,800
	ion coefficient: n- ol/water	:	log Pow: 5.1	
Mobi	lity in soil			
Com	ponents:			
Grazo	oprevir:			
	bution among environ- al compartments	:	log Koc: 4.01	
	svir: bution among environ- al compartments	:	log Koc: 5.24	
	rdous to the ozone lay pplicable	er		
Othe	r adverse effects ata available			

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.



18.1 2024/09/28 76213-00030 Date of first issue: 2015/03/17	ion Revision 2024/09/			
-------------------------------------------------------------------------------------	--------------------------	--	--	--

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number		UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
r topol onipping hamo	•	N.O.S.
		(Elbasvir)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.
		(Elbasvir)
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passen-	:	956
ger aircraft)		
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
		N.O.S.
		(Elbasvir)
Class	:	9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Sodium alkyl(C=8-18) sulfate	214
2,6-Di-tert-butyl-4-methylphenol	64

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Magnesium stearate	>=1 - <10	-
Titanium(IV) oxide	>=0.1 - <1	-

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Magnesium stearate	-

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2) Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable





Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation	:	Not classified as noxious liquid substance
---------------------	---	--------------------------------------------

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Date format	:	yyyy/mm/dd
Full text of other abbreviation	ns	
ACGIH JP ISHL OEL 577-2(2)	:	USA. ACGIH Threshold Limit Values (TLV) Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
JP ISHL OEL 577-2(2) / 8h- OEL-M	:	8-hour Occupational Exposure Limit-Mean
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-





Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
18.1	2024/09/28	76213-00030	Date of first issue: 2015/03/17

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN