according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Guanidine Hydrochloride Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road

HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : 908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder

Colour: No data availableOdour: No data available

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May be harmful if inhaled. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Specific target organ toxicity - :

repeated exposure

Category 1

Short-term (acute) aquatic

hazard

Category 3

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 438960-00021 Date of first issue: 2016/01/06 5.0 2024/09/28

GHS label elements

Hazard pictograms





Signal word Danger

Hazard statements H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H333 May be harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated

exposure.

H402 Harmful to aquatic life.

Precautionary statements Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P312 IF INHALED: Call a POISON CENTER/doctor if

you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Health hazards

Harmful if swallowed. May be harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Harmful to aquatic life.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 50 -< 70
Guanidinium chloride	50-01-1	>= 30 -< 50
Magnesium stearate	557-04-0	>= 1 -< 10

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of contact, immediately flush skin with plenty of water In case of skin contact

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Harmful if swallowed. Causes skin irritation.

delayed

Causes serious eve irritation. May be harmful if inhaled.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

gency procedures

tive equipment and emer-

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfac-

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

es, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.		Control parame-	Basis
		(Form of exposure)	ters / Permissible concentration	
Cellulose	9004-34-6	PC-TWA	10 mg/m3	CN OEL

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

II		TWA	10 mg/m3	ACGIH
Guanidinium chloride	50-01-1	TWA	600 μg/m3 (OEB 2)	Internal
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Appearance : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 2024/09/28 438960-00021 Date of first issue: 2016/01/06 5.0

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Inhalation Exposure routes

> Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed. May be harmful if inhaled.

Product:

Acute oral toxicity Acute toxicity estimate: 1,330 mg/kg

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: 8.91 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Cellulose:

LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Guanidinium chloride:

Acute oral toxicity : LD50 (Rat): 474.6 mg/kg

LD50 (Mouse): 571 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3.181 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:

Guanidinium chloride:

Species : Rabbit Result : Skin irritation

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Guanidinium chloride:

Result : Irritation to eyes, reversing within 21 days

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Remarks : Based on national or regional regulation.

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Guanidinium chloride:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Species : Guinea pig
Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Guanidinium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Guanidinium chloride:

Effects on foetal develop- : Test Type: Embryo-foetal development

ment Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Test Type: Embryo-foetal development

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Guanidinium chloride:

Exposure routes : Ingestion

Target Organs : Nervous system, Kidney, Bone marrow

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Guanidinium chloride:

Species : Rat

NOAEL : 100 mg/kg

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 438960-00021 5.0 2024/09/28 Date of first issue: 2016/01/06

Application Route Ingestion Exposure time 90 Days

OECD Test Guideline 408 Method

Magnesium stearate:

Species : Rat

NOAEL > 100 mg/kg Application Route Ingestion Exposure time 90 Days

Based on data from similar materials Remarks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Guanidinium chloride:

Ingestion Symptoms: tingling, numbness, anorexia, Diarrhoea

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Guanidinium chloride:

: LC50 (Leuciscus idus (Golden orfe)): 1,758 mg/l Toxicity to fish

Exposure time: 48 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 70.2 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 11.8

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.3

mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Toxicity to fish (Chronic tox-

icity)

: NOEC (Pimephales promelas (fathead minnow)): 181 mg/l

Exposure time: 35 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2.9 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 7,125 mg/l

Exposure time: 18 h

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

П

Guanidinium chloride:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 56 d

Method: OECD Test Guideline 301C

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Guanidinium chloride:

Partition coefficient: n- : log Pow: < -1.7

octanol/water

Magnesium stearate:

Partition coefficient: n- : log Pow: > 4

octanol/water

Mobility in soil
No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This

This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sources of key data used to :

compile the Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

according to GB/T 16483 and GB/T 17519



Guanidine Hydrochloride Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 5.0 2024/09/28 438960-00021 Date of first issue: 2016/01/06

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN