

Versio 7.2	n	Revision Date: 30.09.2023		S Number: 311-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015		
SECTI	SECTION 1. IDENTIFICATION						
Pi	roduc	t name	:	Imipenem / Cilas	tatin / Relebactam Formulation		
Manufacturer or supplier's d Company		deta :	ils MSD				
Address		:	855 Leandro N. A Buenos Aires, Ai	Alem St., 8 Floor rgentina C1001AFB			
Te	eleph	one	:	908-740-4000			
Eı	merg	ency telephone	:	1-908-423-6000			
E	-mail	address	:	EHSDATASTEW	/ARD@msd.com		
R	ecom	mended use of the c mended use tions on use		ical and restriction Pharmaceutical Not applicable	ons on use		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
--------------------	--

Serious eye damage/eye irritation	:	Category 2A
Respiratory sensitization	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger



Version 7.2	Revision Date: 30.09.2023	SDS Number: 68811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
Haza	rd Statements	H334 May cau difficulties if in H361d Suspec H373 May cau longed or repe	serious eye irritation. se allergy or asthma symptoms or breathing haled. cted of damaging the unborn child. se damage to organs (Kidney) through pro- eated exposure. ic to aquatic life with long lasting effects.
Preca	autionary Statements	P202 Do not h and understoo P260 Do not b P264 Wash sk P273 Avoid re P280 Wear prote tion/ face prote	reathe dust. in thoroughly after handling. lease to the environment. otective gloves/ protective clothing/ eye protec-
		keep comforta P305 + P351 - for several mir easy to do. Co P308 + P313 I attention. P337 + P313 I tention.	F exposed or concerned: Get medical advice/ f eye irritation persists: Get medical advice/ at- f experiencing respiratory symptoms: Call a TER/ doctor.
		Storage: P405 Store loo	cked up.
		Disposal:	of contents/ container to an approved waste

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cilastatin	81129-83-1	>= 30 -< 50
Imipenem	74431-23-5	>= 30 -< 50
Relebactam	1174020-13-3	>= 10 -< 20



Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
7.2	30.09.2023	68811-00028	Date of first issue: 27.02.2015

SECTION 4. FIRST AID MEASURES General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. If inhaled : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

		Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
		If easy to do, remove contact lens, if worn.
		Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention.
•• •• • • •		Rinse mouth thoroughly with water.
Most important symptoms		Causes serious eye irritation.
and effects, both acute and delayed		May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
		Suspected of damaging the unborn child.
		May cause damage to organs through prolonged or repeated exposure.
		Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac- tive airways dysfunction syndrome).
		Contact with dust can cause mechanical irritation or drying of
		the skin.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	•	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.



Vers 7.2	sion	Revision Date: 30.09.2023		9S Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
	Hazardo ucts	ous combustion prod-	:	Carbon oxides Metal oxides	
	Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.	
	Special for fire-f	protective equipment ighters	:		e, wear self-contained breathing apparatus. ective equipment.
SEC	CTION 6.	ACCIDENTAL RELE	ASE	EMEASURES	
	tive equ	al precautions, protec- ipment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).
	Environmental precautions		:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages
	Methods and materials for containment and cleaning up		:	over the area to m Add excess liquid Soak up with inert Avoid dispersal of with compressed Dust deposits sho surfaces, as these released into the a Clean up remainin absorbent. Local or national n disposal of this ma employed in the c determine which n Sections 13 and 1	a absorbents and place a damp covering hinimize entry of the material into the air. to allow the material to enter into solution. absorbent material. dust in the air (i.e., clearing dust surfaces air). uld not be allowed to accumulate on a may form an explosive mixture if they are atmosphere in sufficient concentration. In g materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion.
		Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe dust.
_		Do not swallow.
		Do not get in eyes.



Version 7.2	Revision Date: 30.09.2023	SDS Number: 68811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
		Wash skin thorou Handle in accord practice, based of assessment Keep container t Already sensitize to asthma, allerg should consult th respiratory irritan Minimize dust ge Keep container of Keep away from Take precaution	or repeated contact with skin. ughly after handling. Jance with good industrial hygiene and safety on the results of the workplace exposure ightly closed. ed individuals, and those susceptible ies, chronic or recurrent respiratory disease, heir physician regarding working with tts or sensitizers. eneration and accumulation. closed when not in use. heat and sources of ignition. ary measures against static discharges. vent spills, waste and minimize release to the
Condi	tions for safe storage	Store locked up. Keep tightly clos	
Mater	ials to avoid		nce with the particular national regulations. the following product types: agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cilastatin	81129-83-1	TWA	5 mg/m3 (OEB 1)	Internal
Imipenem	74431-23-5	TWA	3000 ug/m3 (OEB 1)	Internal
	Further informa	ation: RSEN, DS	EN	
		Wipe limit	100 µg/100 cm2	Internal
Relebactam	1174020-13- 3	TWA	0.3 mg/m3 (OEB 2)	Internal

Engineering measures :	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipmer	ıt
Respiratory protection :	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type :	Particulates type
Hand protection	
Material :	Chemical-resistant gloves

: Chemical-resistant gloves



Version 7.2	Revision Date: 30.09.2023	SDS Number: 68811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015			
Eye protection Skin and body protection Hygiene measures		: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condition mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.				
			or laboratory coat.			
		eye ^f lushing s working place When using d	o not eat, drink or smoke.			
		The effective engineering c appropriate de industrial hygi	inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	White to light yellow
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable



Ver 7.2	sion	Revision Date: 30.09.2023		S Number: 311-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
	Relativ	e density	:	No data available	e
	Density	/	:	No data available	Э
	Solubil Wat	ity(ies) ter solubility	:	soluble	
	Partitio octano	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	e
	Decom	position temperature	:	No data available	e
	Viscosi Visc	ity cosity, dynamic	:	No data available	e
	Viso	cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Ovidi z i	ng properties			r mixture is not clossified as exidizing
	UXIUIZI	ng properties	·	The substance o	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	9
	Particle	e size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	: : :	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid		Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.



/ersion 7.2	Revision Date: 30.09.2023		DS Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
Com	ponents:			
Cilas	tatin:			
	e oral toxicity	:	LD50 (Rat): 8.000) mg/kg
			LD50 (Mouse): 8.	000 mg/kg
Imipe	enem:			
Acute	e oral toxicity	:	LD50 (Mouse): 10).000 mg/kg
	e toxicity (other routes of nistration)	:	LD50 (Rat): > 2.0 Application Route	
			LD50 (Mouse): 1. Application Route	
	corrosion/irritation lassified based on availa	hla	information	
	ponents:			
	tatin:			
Spec			Rabbit	
Resu		:	No skin irritation	
Relei	bactam:			
Meth	od	:	EpiDerm	
Resu	lt	:	No skin irritation	
Serio	ous eye damage/eye irri	tati	on	
Caus	es serious eye irritation.			
Com	ponents:			
Cilas	tatin:			
Spec	ies	:	Rabbit	
Resu	lt	:	Moderate eye irrit	ation
Rele	bactam:			
Resu	lt	:	No eye irritation	
Meth	od	:	Bovine cornea (B	COP)
Resp	iratory or skin sensitiza	atio	on	
Skin	sensitization			
Not c	lassified based on availa	ble	information.	
Resp	iratory sensitization			

May cause allergy or asthma symptoms or breathing difficulties if inhaled.



ersion 2	Revision Date: 30.09.2023	SDS Number: 68811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
<u>Comp</u>	oonents:		
Cilast	atin:		
Route Rema	s of exposure rks	: Skin conta : No data a	
Route Rema	s of exposure rks	: Inhalation : No data a	vailable
Imipe	nem:		
Rema		: May cause of aerosol	e sensitization of susceptible persons by inhalation or dust.
Route Rema	s of exposure rks	: Skin conta : Not classi	act fied due to lack of data.
Releb	actam:		
Test T Route Result	s of exposure	: Dermal	oh node assay (LLNA) sensitizer.
Not cla	cell mutagenicity assified based on av ponents:	ailable information	
Cilast			
	toxicity in vitro	: Test Type Result: ne	: Microbial mutagenesis assay (Ames test) gative
Imipe	nem:		
-	toxicity in vitro		: In vitro mammalian cell gene mutation test m: Chinese hamster lung cells gative
		Test Type Result: ne	: reverse mutation assay gative
		Test Type Result: ne	: unscheduled DNA synthesis assay gative
		Test Type Result: ne	: Chromosomal aberration gative
		Test Type Result: ne	: sister chromatid exchange assay gative
Genot	toxicity in vivo	Species: N	n Route: Intravenous



Version 7.2	Revision Date: 30.09.2023		9S Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
	ebactam: notoxicity in vitro	:	Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
			Test Type: Ch Result: negati	romosome aberration test in vitro ve
Gei	notoxicity in vivo	:	cytogenetic te Species: Rat	itagenicity (in vivo mammalian bone-marrow st, chromosomal analysis) pute: Intraperitoneal injection ve
	m cell mutagenicity - essment	:	Weight of evid cell mutagen.	ence does not support classification as a germ
	cinogenicity classified based on avai	lable	information.	
-	productive toxicity spected of damaging the	unbo	rn child.	
<u>Co</u>	nponents:			
	astatin:			
Effe	ects on fertility	:	Application Ro Fertility: LOAE Symptoms: No	o adverse effects. ects on fertility and early embryonic
Imi	penem:			
	ects on fertility	:	Species: Rat, Application Ro Fertility: LOAE Symptoms: No Result: No effo	rtility/early embryonic development male and female oute: Intravenous EL: 80 mg/kg body weight o adverse effects., Reduced fetal weight. ects on fertility and early embryonic were detected.
			Species: Rat, Application Ro Fertility: LOAE Symptoms: No Result: No effo	rtility/early embryonic development male and female oute: Subcutaneous L: 320 mg/kg body weight o adverse effects., Reduced fetal weight. ects on fertility and early embryonic were detected.
Effe	ects on fetal developmen	t :	Test Type: De Species: Monl	



Version 7.2	Revision Date: 30.09.2023	SDS Number: 68811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
		Developmental Result: Embryc	ute: Intravenous Toxicity: LOAEL: 100 mg/kg body weight otoxic effects and adverse effects on the detected., No teratogenic effects.
		Developmental	
		Developmental	velopment ute: Intravenous Toxicity: NOAEL: 60 mg/kg body weight togenic effects.
	roductive toxicity - As- ment	: Some evidence animal experim	e of adverse effects on development, based on nents.
Rele	ebactam:		
Effe	cts on fertility	Species: Rat Application Rot	-/postnatal development ute: Subcutaneous L: 450 mg/kg body weight
Effe	cts on fetal development	Species: Rat Application Rot Embryo-fetal to	bryo-fetal development ute: Intraperitoneal injection oxicity.: NOAEL: 450 mg/kg body weight cts on fetal development.
		Species: Mous Application Roo Embryo-fetal to	bryo-fetal development e ute: Intraperitoneal injection oxicity.: NOAEL: 450 mg/kg body weight cts on fetal development.
		Developmental	ute: Intravenous Toxicity: NOAEL: >= 450 mg/kg body weight cts on fertility and early embryonic
		Developmental	



Vers 7.2	sion	Revision Date: 30.09.2023		OS Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
		single exposure ssified based on availa	able	information.	
	STOT-	repeated exposure			
			s (Ki	dney) through prole	onged or repeated exposure.
	Compo	onents:			
	Releba	ictam.			
		Organs		Kidney	
	Assess		:	•	ge to organs through prolonged or repeated
	Repeat	ted dose toxicity			
	Compo	onents:			
	Cilasta	itin:			
	Specie		:	Rat	
	NOAEL		:	>= 500 mg/kg	
		ition Route ire time	÷	Intravenous 90 Days	
	Remar		:		verse effects were reported
	Specie		:	Monkey	
		- ition Route	÷	>= 500 mg/kg Intravenous	
		ire time	÷	5 Weeks	
	Remar		:	No significant adv	verse effects were reported
	Imipen	em:			
	Specie		:	Monkey	
	NOAEL		:	60 mg/kg	
			÷	150 mg/kg Intravenous	
		ition Route ire time	÷	6 Months	
		Organs	:	Kidney	
	Specie	S	:	Monkey	
	NOAEL	-	:	120 mg/kg	
		tion Route	:	Subcutaneous	
	Remar	ure time ks	:	6 Months No significant adv	verse effects were reported
	Specie		:	Rat	
	NOAEL		:	180 mg/kg	
		ition Route ire time	:	Intravenous 6 Months	
	Remar		:		verse effects were reported
	Specie	S	:	Rabbit	
	LÖAEL		:	150 mg/kg	
	Applica	tion Route	:	Intravenous	



Vers 7.2	sion	Revision Date: 30.09.2023		DS Number: 811-00028	Date of last issue Date of first issue	
1.2		30.09.2023	00	0011-00020	Date of first issue	. 27.02.2015
	Target	Organs	:	Kidney		
	Releba	actam:				
	Specie		:	Rat, female		
	NOAEI	Lation Route	:	150 mg/kg Intravenous		
		ure time	:	30 d		
	Specie	S		Rat, male		
	NOAEI		:	450 mg/kg		
		ation Route	:	Intravenous		
	Exposi	ure time	:	30 d		
	Specie		:	Monkey		
	NOAEI		:	25 mg/kg		
		ation Route ure time	:	Intravenous 30 d		
		Organs	:	Kidney		
	Specie	S	:	Monkey		
	NOAEI		:	37,5 mg/kg		
		ation Route	:	Intravenous		
	Exposi	ure time	÷	30 d		
	Specie		:	Monkey		
	NOAEI LOAEL		:	50 mg/kg		
		- ation Route		150 mg/kg Intravenous		
		ure time	:	3 Months		
	Target	Organs	:	Kidney		
	Acnira	tion toxicity				
	•	ssified based on av	ailable	information.		
		ence with human e				
	-	onents:	•			
	Imipen					

Inhalation	Symptoms: Nausea, Vomiting, Diarrhea, Fever, hypotension, Dizziness, Drowsiness, Convulsions, pruritis, Rash Remarks: May cause sensitization of susceptible persons by inhalation of aerosol or dust.
Relebactam: Skin contact	Symptoms: Pain, Discomfort, Diarrhea, Abdominal pain, in-
Okin contact	somnia, Nausea, sore throat, Vertigo



Version	Revision Date:	SDS Number:	Dat
7.2	30.09.2023	68811-00028	Dat

Date of last issue: 09.08.2023 Date of first issue: 27.02.2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Cilastatin:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 111 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 99 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic tox- icity)	:	EC10 (Pimephales promelas (fathead minnow)): > 9,9 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10 (Daphnia magna (Water flea)): > 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Imipenem:		
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 78 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0,0046 mg/l



Vers 7.2	sion	Revision Date: 30.09.2023		9S Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015	
	plants			Exposure time: 72 Method: OECD To		
				NOEC (Anabaena Exposure time: 72 Method: OECD Te		
				EC50 (Pseudokirchneriella subcapitata (green algae)): > 74 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
				NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te		
	M-Factoricity)	or (Acute aquatic tox-	:	100		
		to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD Te		
		v to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te		
	M-Factor toxicity)	or (Chronic aquatic	: 10			
		v to microorganisms	: EC50: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhi Method: OECD Test Guide		h ation inhibition	
	Releba	ctam:				
		to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te		
				EC50 (Americamy Exposure time: 96		
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokiro Exposure time: 72 Method: OECD To		
				NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te		
				EC50 (Anabaena Exposure time: 72	flos-aquae (cyanobacterium)): > 11 mg/l 2 h	



Version 7.2	Revision Date: 30.09.2023		DS Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015	
	Method: OECD Test Guideline 201				
			NOEC (Anabaena Exposure time: 72 Method: OECD Te		
To» icity	kicity to fish (Chronic tox- γ)	:	NOEC (Pimephale Exposure time: 32 Method: OECD Te		
aqı	kicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te		
То	kicity to microorganisms	:	EC50: > 1.000 mg Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition	
			NOEC: 96,3 mg/l Exposure time: 3 Test Type: Respir Method: OECD To	ation inhibition	
Pei	sistence and degradabili	ty			
Co	mponents:				
	astatin:				
Bio	degradability	:	Result: Not readily Biodegradation: 2 Exposure time: 28 Method: OECD To	27 %	
Imi	penem:				
Bio	degradability	:	Result: Not readily Biodegradation: 2 Exposure time: 28 Method: OECD Te	29 %	
Ro	lebactam:				
	degradability	:	Result: Not readily Biodegradation: Exposure time: 28 Method: OECD To	11,3 % 3 d	
Bic	accumulative potential				
<u>Co</u>	mponents:				
Cila	astatin:				
Pa	rtition coefficient: n-	:	log Pow: -3,53		
	16 / 19				



Version 7.2	Revision Date: 30.09.2023		DS Number: 8811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
oct	anol/water			
Imi	penem:			
	rtition coefficient: n- anol/water	:	log Pow: < -1	
Re	lebactam:			
	rtition coefficient: n- anol/water	:	log Pow: < -2	
Мо	bility in soil			
<u>Co</u>	mponents:			
Cil	astatin:			
	tribution among environ- ntal compartments	:	log Koc: 2,3	
Re	lebactam:			
	tribution among environ- ntal compartments	:	log Koc: 2,3	
Oth	ner adverse effects			
No	data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Imipenem)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Imipenem)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous



Version 7.2	Revision Date: 30.09.2023		DS Number: 811-00028	Date of last issue: 09.08.2023 Date of first issue: 27.02.2015
airo	cking instruction (cargo craft) cking instruction (passen-	:	956 956	
ger En	aircraft) vironmentally hazardous	:	yes	
UN	DG-Code I number oper shipping name	:	UN 3077 ENVIRONMENT/ N.O.S. (Imipenem)	ALLY HAZARDOUS SUBSTANCE, SOLID,
Lat Em	ass cking group bels IS Code rine pollutant	:	9 III 9 F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legis mixture	lation specific for the substance or
Argentina. Carcinogenic Substances and Agents Registry.	: Not applicable
Control of precursors and essential chemicals for the preparation of drugs.	: Sodium hydrogencarbonate
The ingredients of this product are reported in theAICS: not determined	following inventories:

DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-



VersionRevision Date:SDS Number:Date of last issue: 09.08.20237.230.09.202368811-00028Date of first issue: 27.02.2015

Data Sheet

cy, http://echa.europa.eu/

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8