

## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Imipenem / Cilastatin / Relebactam Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Kidney)

Short-term (acute) aquatic hazard : Category 1



Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

- Hazard pictograms :  
- Signal word : Danger
- Hazard statements : H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P203 Obtain, read and follow all safety instructions before use.  
P260 Do not breathe dust.  
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.
- Response:**  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P318 IF exposed or concerned, get medical advice.  
P337 + P317 If eye irritation persists: Get medical help.  
P342 + P316 If experiencing respiratory symptoms: Get emergency medical help immediately.  
P391 Collect spillage.
- Storage:**  
P405 Store locked up.
- Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

Chemical name	CAS-No.	Concentration (% w/w)
Cilastatin	81129-83-1	>= 30 - < 50
Imipenem	74431-23-5	>= 30 - < 50
Relebactam	1174020-13-3	>= 10 - < 20

### 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing : None known.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
5.2	30.09.2023	68823-00029	Date of first issue: 27.02.2015

- media
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formula-tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

- Local/Total ventilation : Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Advice on safe handling : Use only with adequate ventilation.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cilastatin	81129-83-1	TWA	5 mg/m <sup>3</sup> (OEB 1)	Internal
Imipenem	74431-23-5	TWA	3000 ug/m <sup>3</sup> (OEB 1)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Relebactam	1174020-13-3	TWA	0.3 mg/m <sup>3</sup> (OEB 2)	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or expo-

## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

	sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: White to light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available

## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### Cilastatin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg  
LD50 (Mouse): 8,000 mg/kg

#### Imipenem:

Acute oral toxicity : LD50 (Mouse): 10,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 1,500 mg/kg  
Application Route: Intravenous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Cilastatin:

Species : Rabbit  
Result : No skin irritation

#### Relebactam:

Method : EpiDerm  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Cilastatin:

Species : Rabbit  
Result : Moderate eye irritation

#### Relebactam:

Method : Bovine cornea (BCOP)  
Result : No eye irritation



## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

##### **Cilastatin:**

Exposure routes : Skin contact  
Remarks : No data available

Exposure routes : Inhalation  
Remarks : No data available

##### **Imipenem:**

Remarks : May cause sensitisation of susceptible persons by inhalation of aerosol or dust.

Exposure routes : Skin contact  
Remarks : Not classified due to lack of data.

##### **Relebactam:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Dermal  
Result : Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Cilastatin:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

##### **Imipenem:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: reverse mutation assay  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Test Type: sister chromatid exchange assay  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Application Route: Intravenous  
Result: negative

### Relebactam:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Cilastatin:

Effects on fertility : Test Type: Fertility/early embryonic development  
Application Route: Intravenous  
Fertility: LOAEL: 1,000  
Symptoms: No adverse effects  
Result: No effects on fertility and early embryonic develop-  
ment were detected.

#### Imipenem:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Intravenous  
Fertility: LOAEL: 80 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic develop-  
ment were detected.

Test Type: Fertility/early embryonic development

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Species: Rat, male and female  
Application Route: Subcutaneous  
Fertility: LOAEL: 320 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development  
Species: Monkey  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Result: No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Result: No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Relebactam:

Effects on fertility : Test Type: Pre-/postnatal development  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 450 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal injection  
Embryo-foetal toxicity: NOAEL: 450 mg/kg body weight  
Result: No effects on foetal development

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal injection  
Embryo-foetal toxicity: NOAEL: 450 mg/kg body weight  
Result: No effects on foetal development

Test Type: Development  
Species: Rat  
Application Route: Intravenous  
Developmental Toxicity: NOAEL:  $\geq$  450 mg/kg body weight  
Result: No effects on fertility and early embryonic development

## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

ment were detected.

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 450 mg/kg body weight  
Result: No effects on foetal development

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

May cause damage to organs (Kidney) through prolonged or repeated exposure.

### **Components:**

#### **Relebactam:**

Target Organs : Kidney  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **Cilastatin:**

Species : Rat  
NOAEL :  $\geq 500$  mg/kg  
Application Route : Intravenous  
Exposure time : 90 Days  
Remarks : No significant adverse effects were reported

Species : Monkey  
NOAEL :  $\geq 500$  mg/kg  
Application Route : Intravenous  
Exposure time : 5 Weeks  
Remarks : No significant adverse effects were reported

#### **Imipenem:**

Species : Monkey  
NOAEL : 60 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Intravenous  
Exposure time : 6 Months  
Target Organs : Kidney

Species : Monkey  
NOAEL : 120 mg/kg  
Application Route : Subcutaneous  
Exposure time : 6 Months  
Remarks : No significant adverse effects were reported

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Species : Rat  
NOAEL : 180 mg/kg  
Application Route : Intravenous  
Exposure time : 6 Months  
Remarks : No significant adverse effects were reported

Species : Rabbit  
LOAEL : 150 mg/kg  
Application Route : Intravenous  
Target Organs : Kidney

### Relebactam:

Species : Rat, female  
NOAEL : 150 mg/kg  
Application Route : Intravenous  
Exposure time : 30 d

Species : Rat, male  
NOAEL : 450 mg/kg  
Application Route : Intravenous  
Exposure time : 30 d

Species : Monkey  
NOAEL : 25 mg/kg  
Application Route : Intravenous  
Exposure time : 30 d  
Target Organs : Kidney

Species : Monkey  
NOAEL : 37.5 mg/kg  
Application Route : Intravenous  
Exposure time : 30 d

Species : Monkey  
NOAEL : 50 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Intravenous  
Exposure time : 3 Months  
Target Organs : Kidney

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Imipenem:

Inhalation : Symptoms: Nausea, Vomiting, Diarrhoea, Fever, hypotension, Dizziness, Drowsiness, Convulsions, pruritis, Rash  
Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formula-tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

### Relebactam:

Skin contact : Symptoms: Pain, Discomfort, Diarrhoea, Abdominal pain, insomnia, Nausea, sore throat, Vertigo

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Cilastatin:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 111 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 99 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Anabaena flos-aquae): > 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 ( Pseudokirchneriella subcapitata (green algae)): > 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Anabaena flos-aquae): 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 99 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : EC10: > 9.9 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

### Imipenem:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 78 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 ( Anabaena flos-aquae (cyanobacterium)): 0.0046 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Anabaena flos-aquae (cyanobacterium)): 0.002 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EC50 ( Pseudokirchneriella subcapitata (green algae)): > 74 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Pseudokirchneriella subcapitata (green algae)): 74 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 100
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 9.4 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 11 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10

### Relebactam:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- EC50 (Americamysis): > 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 86 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Pseudokirchneriella subcapitata (green algae)): 12 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EC50 ( Anabaena flos-aquae (cyanobacterium)): > 11 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC ( Anabaena flos-aquae (cyanobacterium)): 11 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- NOEC: 96.3 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- Toxicity to fish (Chronic toxicity) : NOEC: 9.2 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2.7 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Cilastatin:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 27 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Imipenem:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 29 %  
Exposure time: 28 d



## Imipenem / Cilastatin / Relebactam Formula- tion

Version 5.2      Revision Date: 30.09.2023      SDS Number: 68823-00029      Date of last issue: 09.08.2023  
Date of first issue: 27.02.2015

---

Method: OECD Test Guideline 301B

### Relebactam:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 11.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

### Bioaccumulative potential

#### Components:

##### Cilastatin:

Partition coefficient: n-  
octanol/water : log Pow: -3.53

##### Imipenem:

Partition coefficient: n-  
octanol/water : log Pow: < -1

##### Relebactam:

Partition coefficient: n-  
octanol/water : log Pow: < -2

### Mobility in soil

#### Components:

##### Cilastatin:

Distribution among environ-  
mental compartments : log Koc: 2.3

##### Relebactam:

Distribution among environ-  
mental compartments : log Koc: 2.3

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste han-  
dling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## Imipenem / Cilastatin / Relebactam Formula- tion

Version            Revision Date:            SDS Number:            Date of last issue: 09.08.2023  
5.2                30.09.2023                68823-00029            Date of first issue: 27.02.2015

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number                                : UN 3077  
Proper shipping name                    : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Imipenem)  
Class                                        : 9  
Packing group                            : III  
Labels                                      : 9  
Environmentally hazardous            : yes

##### IATA-DGR

UN/ID No.                                 : UN 3077  
Proper shipping name                    : Environmentally hazardous substance, solid, n.o.s.  
(Imipenem)  
Class                                        : 9  
Packing group                            : III  
Labels                                      : Miscellaneous  
Packing instruction (cargo  
aircraft)                                 : 956  
Packing instruction (passen-  
ger aircraft)                             : 956  
Environmentally hazardous            : yes

##### IMDG-Code

UN number                                 : UN 3077  
Proper shipping name                    : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Imipenem)  
Class                                        : 9  
Packing group                            : III  
Labels                                      : 9  
EmS Code                                 : F-A, S-F  
Marine pollutant                         : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
5.2	30.09.2023	68823-00029	Date of first issue: 27.02.2015

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 30.09.2023

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
5.2	30.09.2023	68823-00029	Date of first issue: 27.02.2015

---

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN