

# Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
Date of first issue: 2015/02/27

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Imipenem / Cilastatin / Relebactam Formulation

### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

## 2. HAZARDS IDENTIFICATION

### GHS classification of chemical product

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Kidney)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :



# Imipenem / Cilastatin / Relebactam Formula- tion

Version 10.0	Revision Date: 2023/09/30	SDS Number: 67742-00030	Date of last issue: 2023/08/09 Date of first issue: 2015/02/27
-----------------	------------------------------	----------------------------	---

Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Important symptoms and out- : Contact with dust can cause mechanical irritation or drying of  
lines of the emergency as- the skin.  
sumed May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

Substance / Mixture : Mixture

## Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cilastatin	81129-83-1	>= 30 - < 40	
Imipenem	74431-23-5	>= 30 - < 40	
Relebactam	1174020-13-3	>= 10 - < 20	

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 Suspected of damaging the unborn child.  
 May cause damage to organs through prolonged or repeated exposure.  
 Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
 Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

## Imipenem / Cilastatin / Relebactam Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding

# Imipenem / Cilastatin / Relebactam Formula- tion

Version 10.0	Revision Date: 2023/09/30	SDS Number: 67742-00030	Date of last issue: 2023/08/09 Date of first issue: 2015/02/27
-----------------	------------------------------	----------------------------	---

certain local or national requirements.

## 7. HANDLING AND STORAGE

### Handling

- |                                |   |
|--------------------------------|---|
| <p>Technical measures</p>      | <p>: Static electricity may accumulate and ignite suspended dust causing an explosion.<br/>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</p>  |
| <p>Local/Total ventilation</p> | <p>: Use only with adequate ventilation.</p>  |
| <p>Advice on safe handling</p> | <p>: Do not breathe dust.<br/>Do not swallow.<br/>Do not get in eyes.<br/>Avoid prolonged or repeated contact with skin.<br/>Wash skin thoroughly after handling.<br/>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br/>Keep container tightly closed.<br/>Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.<br/>Minimize dust generation and accumulation.<br/>Keep container closed when not in use.<br/>Keep away from heat and sources of ignition.<br/>Take precautionary measures against static discharges.<br/>Take care to prevent spills, waste and minimize release to the environment.</p> |
| <p>Avoidance of contact</p>    | <p>: Oxidizing agents</p>   |
| <p>Hygiene measures</p>        | <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br/>When using do not eat, drink or smoke.<br/>Wash contaminated clothing before re-use.<br/>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>  |

### Storage

- |                                    |  |
|------------------------------------|--|
| <p>Conditions for safe storage</p> | <p>: Keep in properly labelled containers.<br/>Store locked up.<br/>Keep tightly closed.<br/>Store in accordance with the particular national regulations.</p> |
| <p>Materials to avoid</p>          | <p>: Do not store with the following product types:<br/>Strong oxidizing agents</p>  |
| <p>Packaging material</p>          | <p>: Unsuitable material: None known.</p>  |

## Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Cilastatin	81129-83-1	TWA	5 mg/m <sup>3</sup> (OEB 1)	Internal
Imipenem	74431-23-5	TWA	3000 ug/m <sup>3</sup> (OEB 1)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Relebactam	1174020-13-3	TWA	0.3 mg/m <sup>3</sup> (OEB 2)	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection

: Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection

: Work uniform or laboratory coat.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : White to light yellow

Odour : No data available

Odour Threshold : No data available

**Imipenem / Cilastatin / Relebactam Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Decomposition temperature : No data available

pH : No data available

Evaporation rate : Not applicable

Auto-ignition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Density and / or relative density  
Relative density : No data available  
Density : No data available

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

Molecular weight : No data available

Particle characteristics  
Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
 Chemical stability : Stable under normal conditions.  
 Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
 Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
 Avoid dust formation.

Incompatible materials : Oxidizing agents  
 Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **Cilastatin:**

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg  
 LD50 (Mouse): 8,000 mg/kg

##### **Imipenem:**

Acute oral toxicity : LD50 (Mouse): 10,000 mg/kg  
 Acute toxicity (other routes of administration) : LD50 (Rat): > 2,000 mg/kg  
 Application Route: Intravenous  
 LD50 (Mouse): 1,500 mg/kg  
 Application Route: Intravenous



# Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

---

## Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Cilastatin:

Species	: Rabbit
Result	: No skin irritation

#### Relebactam:

Method	: EpiDerm
Result	: No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Cilastatin:

Species	: Rabbit
Result	: Moderate eye irritation

#### Relebactam:

Result	: No eye irritation
Method	: Bovine cornea (BCOP)

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Components:

#### Cilastatin:

Exposure routes	: Skin contact
Remarks	: No data available

Exposure routes	: Inhalation
Remarks	: No data available

#### Imipenem:

Remarks	: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.
---------	--

Exposure routes	: Skin contact
Remarks	: Not classified due to lack of data.

# Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

## Relebactam:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Dermal
Result	: Not a skin sensitizer.

## Germ cell mutagenicity

Not classified based on available information.

## Components:

### Cilastatin:

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Result: negative
-----------------------	--

### Imipenem:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative
-----------------------	--

	: Test Type: reverse mutation assay Result: negative
--	---

	: Test Type: unscheduled DNA synthesis assay Result: negative
--	--

	: Test Type: Chromosomal aberration Result: negative
--	---

	: Test Type: sister chromatid exchange assay Result: negative
--	--

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Application Route: Intravenous Result: negative
----------------------	--

### Relebactam:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

	: Test Type: Chromosome aberration test in vitro Result: negative
--	--

Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Intraperitoneal injection
----------------------	--

# Imipenem / Cilastatin / Relebactam Formula- tion

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
Date of first issue: 2015/02/27

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Cilastatin:

Effects on fertility : Test Type: Fertility/early embryonic development  
Application Route: Intravenous  
Fertility: LOAEL: 1,000  
Symptoms: No adverse effects  
Result: No effects on fertility and early embryonic development were detected.

#### Imipenem:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Intravenous  
Fertility: LOAEL: 80 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic development were detected.

Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Subcutaneous  
Fertility: LOAEL: 320 mg/kg body weight  
Symptoms: No adverse effects, Reduced foetal weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development  
Species: Monkey  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 60 mg/kg body weight  
Result: No teratogenic effects

## Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

Test Type: Development  
 Species: Rat  
 Application Route: Intravenous  
 Developmental Toxicity: NOAEL: 60 mg/kg body weight  
 Result: No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Relebactam:

Effects on fertility : Test Type: Pre-/postnatal development  
 Species: Rat  
 Application Route: Subcutaneous  
 Fertility: NOAEL: 450 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Intraperitoneal injection  
 Embryo-foetal toxicity: NOAEL: 450 mg/kg body weight  
 Result: No effects on foetal development

Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Embryo-foetal toxicity: NOAEL: 450 mg/kg body weight  
 Result: No effects on foetal development

Test Type: Development  
 Species: Rat  
 Application Route: Intravenous  
 Developmental Toxicity: NOAEL:  $\geq$  450 mg/kg body weight  
 Result: No effects on fertility and early embryonic development were detected.

Test Type: Development  
 Species: Rabbit  
 Application Route: Intravenous  
 Developmental Toxicity: NOAEL: 450 mg/kg body weight  
 Result: No effects on foetal development

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.

## Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

---

### Components:

#### Relebactam:

Target Organs : Kidney  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Cilastatin:

Species : Rat  
 NOAEL :  $\geq 500$  mg/kg  
 Application Route : Intravenous  
 Exposure time : 90 Days  
 Remarks : No significant adverse effects were reported

Species : Monkey  
 NOAEL :  $\geq 500$  mg/kg  
 Application Route : Intravenous  
 Exposure time : 5 Weeks  
 Remarks : No significant adverse effects were reported

##### Imipenem:

Species : Monkey  
 NOAEL : 60 mg/kg  
 LOAEL : 150 mg/kg  
 Application Route : Intravenous  
 Exposure time : 6 Months  
 Target Organs : Kidney

Species : Monkey  
 NOAEL : 120 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 6 Months  
 Remarks : No significant adverse effects were reported

Species : Rat  
 NOAEL : 180 mg/kg  
 Application Route : Intravenous  
 Exposure time : 6 Months  
 Remarks : No significant adverse effects were reported

Species : Rabbit  
 LOAEL : 150 mg/kg  
 Application Route : Intravenous  
 Target Organs : Kidney

## Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

---

### Relebactam:

Species : Rat, female  
 NOAEL : 150 mg/kg  
 Application Route : Intravenous  
 Exposure time : 30 d

Species : Rat, male  
 NOAEL : 450 mg/kg  
 Application Route : Intravenous  
 Exposure time : 30 d

Species : Monkey  
 NOAEL : 25 mg/kg  
 Application Route : Intravenous  
 Exposure time : 30 d  
 Target Organs : Kidney

Species : Monkey  
 NOAEL : 37.5 mg/kg  
 Application Route : Intravenous  
 Exposure time : 30 d

Species : Monkey  
 NOAEL : 50 mg/kg  
 LOAEL : 150 mg/kg  
 Application Route : Intravenous  
 Exposure time : 3 Months  
 Target Organs : Kidney

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Imipenem:

Inhalation : Symptoms: Nausea, Vomiting, Diarrhoea, Fever, hypotension, Dizziness, Drowsiness, Convulsions, pruritis, Rash  
 Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.

#### Relebactam:

Skin contact : Symptoms: Pain, Discomfort, Diarrhoea, Abdominal pain, insomnia, Nausea, sore throat, Vertigo

# Imipenem / Cilastatin / Relebactam Formula- tion

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
Date of first issue: 2015/02/27

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Cilastatin:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 111 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 99 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	EC10 (Pimephales promelas (fathead minnow)): > 9.9 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): > 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

##### **Imipenem:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 78 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	--

## Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0.0046 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae (cyanobacterium)): 0.002 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): > 74 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 74 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 9.4 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 11 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Relebactam:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	EC50 (Americamysis): > 100 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 86 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 12 mg/l



## Imipenem / Cilastatin / Relebactam Formula- tion

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
Date of first issue: 2015/02/27

		Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): > 11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 2.7 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
		NOEC: 96.3 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Cilastatin:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 27 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

##### **Imipenem:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 29 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

##### **Relebactam:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 11.3 % Exposure time: 28 d
------------------	---	---

# Imipenem / Cilastatin / Relebactam Formulation

Version 10.0      Revision Date: 2023/09/30      SDS Number: 67742-00030      Date of last issue: 2023/08/09  
 Date of first issue: 2015/02/27

---

Method: OECD Test Guideline 314

## Bioaccumulative potential

### Components:

#### **Cilastatin:**

Partition coefficient: n-octanol/water : log Pow: -3.53

#### **Imipenem:**

Partition coefficient: n-octanol/water : log Pow: < -1

#### **Relebactam:**

Partition coefficient: n-octanol/water : log Pow: < -2

## Mobility in soil

### Components:

#### **Cilastatin:**

Distribution among environmental compartments : log Koc: 2.3

#### **Relebactam:**

Distribution among environmental compartments : log Koc: 2.3

## Hazardous to the ozone layer

Not applicable

## Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

---

## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

N.O.S.  
(Imipenem)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Imipenem)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(Imipenem)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 171

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

### **Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

### **Industrial Safety and Health Law**

#### **Harmful Substances Prohibited from Manufacture**

Not applicable

#### **Harmful Substances Required Permission for Manufacture**

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

#### **Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

#### **Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

#### **Substances Subject to be Notified Names**

Not applicable

#### **Substances Subject to be Indicated Names**

Not applicable

#### **Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

#### **Ordinance on Prevention of Lead Poisoning**

Not applicable

#### **Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

#### **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

#### **Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

#### **Poisonous and Deleterious Substances Control Law**

Not applicable

#### **Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

|| Not applicable

## Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

### Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

## Imipenem / Cilastatin / Relebactam Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2023/08/09
10.0	2023/09/30	67742-00030	Date of first issue: 2015/02/27

---

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN