

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
12.0	2024/09/28	67742-00032	Date of first issue: 2015/02/27

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Imipenem / Cilastatin / Relebactam Formulation
Supplier's company name, ad Company name of supplier		ess and phone number MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Serious eye damage/eye irri- tation	:	Category 2A
Respiratory sensitisation	:	Category 1
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1
GHS label elements Hazard pictograms	:	



ersion 2.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Signa	l word	: Danger	
Hazaı	rd statements	H334 May ca difficulties if i H361d Suspe H373 May ca longed or rep	s serious eye irritation. Iuse allergy or asthma symptoms or breathing nhaled. ected of damaging the unborn child. Iuse damage to organs (Kidney) through pro- beated exposure. Ixic to aquatic life with long lasting effects.
Preca	utionary statements	P202 Do not and understo P260 Do not P264 Wash s P273 Avoid r P280 Wear p tion/ face pro	breathe dust. skin thoroughly after handling. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		keep comfort P305 + P351 for several m easy to do. C P308 + P313 attention. P337 + P313 tention. P342 + P311	 IF INHALED: Remove person to fresh air and able for breathing. + P338 IF IN EYES: Rinse cautiously with water inutes. Remove contact lenses, if present and continue rinsing. IF exposed or concerned: Get medical advice/ If eye irritation persists: Get medical advice/ at- If experiencing respiratory symptoms: Call a NTER/ doctor. spillage.
		Storage: P405 Store lo	ocked up.
		Disposal: P501 Dispos disposal plan	e of contents/ container to an approved waste t.
Other	r hazards which do not	result in classific	ation
	tant symptoms and out- of the emergency as- d	the skin.	dust can cause mechanical irritation or drying of plosive dust-air mixture during processing, han- means.

3. COMPOSITION/INFORMATION ON INGREDIENTS



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
12.0	2024/09/28	67742-00032	Date of first issue: 2015/02/27

Substance / Mixture : Mixture

Components			
Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cilastatin	81129-83-1	>= 30 - < 40	
Imipenem	74431-23-5	>= 30 - < 40	-
Relebactam	1174020-13-3	>= 10 - < 20	-

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.
		When symptoms persist or in all cases of doubt seek medical
If inhaled		advice. If inhaled, remove to fresh air.
ii iiiilaleu	•	If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
	•	for at least 15 minutes.
		If easy to do, remove contact lens, if worn.
		Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention.
		Rinse mouth thoroughly with water.
Most important symptoms	:	Causes serious eye irritation.
and effects, both acute and delayed		May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
		Suspected of damaging the unborn child.
		May cause damage to organs through prolonged or repeated exposure.
		Excessive exposure may aggravate preexisting asthma and
		other respiratory disorders (e.g. emphysema, bronchitis, reac- tive airways dysfunction syndrome).
		Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment
Notes to physician		when the potential for exposure exists (see section 8). Treat symptomatically and supportively.
	•	

5. FIREFIGHTING MEASURES



Vers 12.0	-	Revision Date: 2024/09/28		S Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	ble extinguishing	:	None known.	
	Specific fighting	hazards during fire-	:	concentrations, ar potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. oustion products may be a hazard to health.
	Hazardo ucts	ous combustion prod-	:	Carbon oxides Metal oxides	
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for firefi	protective equipment ghters	:	In the event of fire Use personal prot	, wear self-contained breathing apparatus. ective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac- es, as these may form an explosive mixture if they are re- leased into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absor- bent.



Version 12.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
		posal of this employed in mine which Sections 13	tional regulations may apply to releases and dis- s material, as well as those materials and items in the cleanup of releases. You will need to deter- regulations are applicable. and 15 of this SDS provide information regarding I or national requirements.
7. HANDL	ING AND STORAGE		
Hand	llina		
	nical measures	causing an Provide ade	equate precautions, such as electrical grounding
	/Total ventilation e on safe handling	 Use only wi Do not bread Do not swat Do not get in Avoid prolotion Wash skin the Handle in ad practice, basessment Keep contat Already sertion to asthma, should constitution Keep contation Keep away Take precision 	llow. n eyes. nged or repeated contact with skin. thoroughly after handling. ccordance with good industrial hygiene and safety ised on the results of the workplace exposure as- iner tightly closed. insitised individuals, and those susceptible allergies, chronic or recurrent respiratory disease, sult their physician regarding working with respira- or sensitisers. ust generation and accumulation. iner closed when not in use. from heat and sources of ignition. utionary measures against static discharges. o prevent spills, waste and minimize release to the
	lance of contact ene measures	flushing sys place. When using Wash conta The effectiv engineering appropriate industrial h	
Stora	age		
	litions for safe storage	: Keep in pro Store locke Keep tightly	•



Version 12.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Mate	rials to avoid		ance with the particular national regulations. th the following product types:

		Strong oxidizing agents		-
Packaging material	:	Unsuitable material: None	known.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis	
Cilastatin	81129-83-1	TWA	5 mg/m3 (OEB 1)	Internal	
Imipenem	74431-23-5	TWA	3000 ug/m3 (OEB 1)	Internal	
	Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm2	Internal	
Relebactam	1174020-13- 3	TWA	0.3 mg/m3 (OEB 2)	Internal	

Engineering measures :	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipment	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Particulates type
Hand protection	
Material :	Chemical-resistant gloves
Eye protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection :	Work uniform or laboratory coat.
9. PHYSICAL AND CHEMICAL PRO	PERTIES

powder
I

Colour

: White to light yellow



Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
12.0		67742-00032	Date of first issue: 2015/02/27

Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Flammability (liquids)	:	Not applicable
Lower explosion limit and upper Upper explosion limit / Up- per flammability limit		xplosion limit / flammability limit No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
рН	:	No data available
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative densit Relative density	ty :	No data available
Density	:	No data available
Relative vapour density	:	Not applicable



Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
12.0		67742-00032	Date of first issue: 2015/02/27

Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials Hazardous decomposition products	:	Oxidizing agents No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:

Acute oral toxicity	:	LD50 (Rat): 8,000 mg/kg
		LD50 (Mouse): 8,000 mg/kg
Imipenem:		
Acute oral toxicity	:	LD50 (Mouse): 10,000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): > 2,000 mg/kg Application Route: Intravenous



Version 12.0	Revision Date: 2024/09/28	SDS Number 67742-00032	
			use): 1,500 mg/kg n Route: Intravenous
	corrosion/irritation lassified based on ava	ailable information).
Com	ponents:		
Cilas	tatin:		
Spec Resu		: Rabbit : No skin ir	ritation
	bactam:		
Meth Resu		: EpiDerm : No skin ir	ritation
	ous eye damage/eye es serious eye irritatio		
Com	ponents:		
Cilas	tatin:		
Spec Resu		: Rabbit : Moderate	eye irritation
Rele	bactam:		
Resu Meth		: No eye irr : Bovine co	itation rnea (BCOP)
Resp	iratory or skin sensi	tisation	
	sensitisation lassified based on ava	ailable information).
-	iratory sensitisation cause allergy or asthn		reathing difficulties if inhaled.
Com	ponents:		
	tatin:		
Expo Rema	sure routes arks	: Skin cont : No data a	
Expo Rema	sure routes arks	: Inhalation : No data a	
-	enem:		
Rema	arks	: May caus	e sensitisation of susceptible persons by inhalation



Version 12.0	Revision Date: 2024/09/28		DS Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27	
II			of aerosol or dust	t.	
Expo Rema	Exposure routes Remarks		Skin contact Not classified due to lack of data.		
Rele	bactam:				
Test Expo Resu	sure routes	:	Local lymph node Dermal Not a skin sensiti		
	n cell mutagenicity	ailable	information		
	ponents:				
Cilas	statin:				
Geno	otoxicity in vitro	:	Test Type: Microl Result: negative	bial mutagenesis assay (Ames test)	
Imipe	enem:				
Geno	otoxicity in vitro	:		o mammalian cell gene mutation test nese hamster lung cells	
			Test Type: revers Result: negative	se mutation assay	
			Test Type: unsch Result: negative	eduled DNA synthesis assay	
			Test Type: Chron Result: negative	nosomal aberration	
			Test Type: sister Result: negative	chromatid exchange assay	
Geno	otoxicity in vivo	:	Test Type: In vivo Species: Mouse Application Route Result: negative	o micronucleus test e: Intravenous	
Rele	bactam:				
Geno	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)	
			Test Type: Chron Result: negative	nosome aberration test in vitro	



ersion 2.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Geno	toxicity in vivo	cytogenetic te Species: Rat	utagenicity (in vivo mammalian bone-marrow est, chromosomal analysis) oute: Intraperitoneal injection ive
	cell mutagenicity - ssment	: Weight of evi cell mutagen.	dence does not support classification as a germ
Not cl Repro Suspe	nogenicity lassified based on avai oductive toxicity ected of damaging the ponents:		
Cilas			
	ts on fertility	Application R Fertility: LOA Symptoms: N	lo adverse effects fects on fertility and early embryonic develop-
Imipe	enem:		
	ts on fertility	Species: Rat Application R Fertility: LOA Symptoms: N	ertility/early embryonic development , male and female oute: Intravenous EL: 80 mg/kg body weight lo adverse effects, Reduced foetal weight fects on fertility and early embryonic develop- etected.
		Species: Rat Application R Fertility: LOA Symptoms: N	ertility/early embryonic development , male and female oute: Subcutaneous EL: 320 mg/kg body weight lo adverse effects, Reduced foetal weight fects on fertility and early embryonic develop- etected.
Effect ment	ts on foetal develop-	Development Result: Embr	nkey oute: Intravenous cal Toxicity: LOAEL: 100 mg/kg body weight yotoxic effects and adverse effects on the off- letected., No teratogenic effects



Version 12.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Repro	oductive toxicity - As- nent	Developmenta Result: No ter Test Type: De Species: Rat Application Ro Developmenta Result: No ter	oute: Intravenous al Toxicity: NOAEL: 60 mg/kg body weight atogenic effects evelopment oute: Intravenous al Toxicity: NOAEL: 60 mg/kg body weight atogenic effects ce of adverse effects on development, based on
Rele	bactam:		
Effec	ts on fertility	Species: Rat Application Ro	e-/postnatal development oute: Subcutaneous EL: 450 mg/kg body weight
Effec ment	ts on foetal develop-	Species: Rat Application Ro Embryo-foetal	nbryo-foetal development oute: Intraperitoneal injection I toxicity: NOAEL: 450 mg/kg body weight ects on foetal development
		Species: Mou Application Ro Embryo-foetal	nbryo-foetal development se bute: Intraperitoneal injection I toxicity: NOAEL: 450 mg/kg body weight ects on foetal development
		Developmenta	oute: Intravenous al Toxicity: NOAEL: >= 450 mg/kg body weight ects on fertility and early embryonic develop-
		Developmenta	

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure.



Version 12.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Relet Targe	ponents: pactam: et Organs ssment	: Kidney : May cause da exposure.	mage to organs through prolonged or repeated
-	ated dose toxicity ponents:		
Spec NOAI Applie	EL cation Route sure time	: Rat : >= 500 mg/kg : Intravenous : 90 Days : No significant	adverse effects were reported
Speci NOAI Appli Expo Rema	EL cation Route sure time	: Monkey : >= 500 mg/kg : Intravenous : 5 Weeks : No significant	adverse effects were reported
Spec NOAI LOAE Applie Expo	EL	: Monkey : 60 mg/kg : 150 mg/kg : Intravenous : 6 Months : Kidney	
Speci NOAI Applie Expo Rema	EL cation Route sure time	: Monkey : 120 mg/kg : Subcutaneous : 6 Months : No significant	adverse effects were reported
Speci NOAI Applie Expos Rema	EL cation Route sure time	: Rat : 180 mg/kg : Intravenous : 6 Months : No significant	adverse effects were reported
		: Rabbit : 150 mg/kg : Intravenous : Kidney	



Version 12.0	Revision Date: 2024/09/28	SDS Number: 67742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Relet	pactam:		
		: Rat, female : 150 mg/kg : Intravenous : 30 d	
Speci NOAI Applio Expos		: Rat, male : 450 mg/kg : Intravenous : 30 d	
Expo	ies EL cation Route sure time et Organs	: Monkey : 25 mg/kg : Intravenous : 30 d : Kidney	
		: Monkey : 37.5 mg/kg : Intravenous : 30 d	
Expo	EL	: Monkey : 50 mg/kg : 150 mg/kg : Intravenous : 3 Months : Kidney	
-	r ation toxicity lassified based on av	ailable information.	
Expe	rience with human e	exposure	
Com	ponents:		
Imipe Inhala	enem: ation	: Symptoms: Na	ausea, Vomiting, Diarrhoea, Fever, hy

Inhalation	:	Symptoms: Nausea, Vomiting, Diarrhoea, Fever, hypotension, Dizziness, Drowsiness, Convulsions, pruritis, Rash Remarks: May cause sensitisation of susceptible persons by inhalation of aerosol or dust.
Relebactam:		
Skin contact	:	Symptoms: Pain, Discomfort, Diarrhoea, Abdominal pain, insomnia, Nausea, sore throat, Vertigo



Version	Revision Date:	SDS Number:	Date of last is
12.0	2024/09/28	67742-00032	Date of first is

Date of last issue: 2024/04/06 Date of first issue: 2015/02/27

12. ECOLOGICAL INFORMATION

Ecotoxicity						
Components:						
Cilastatin:						
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 111 mg/l Exposure time: 96 h Method: OECD Test Guideline 203				
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 99 mg/l Exposure time: 48 h Method: OECD Test Guideline 202				
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
		EC50 (Pseudokirchneriella subcapitata (green algae)): > 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
		NOEC (Anabaena flos-aquae): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
		NOEC (Pseudokirchneriella subcapitata (green algae)): 99 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
Toxicity to fish (Chronic tox- icity)	:	EC10 (Pimephales promelas (fathead minnow)): > 9.9 mg/l Exposure time: 32 d Method: OECD Test Guideline 210				
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10 (Daphnia magna (Water flea)): > 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211				
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209				
Imipenem:						
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 78 mg/l Exposure time: 48 h Method: OECD Test Guideline 202				



/ersion I2.0	Revision Date: 2024/09/28		0S Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
Toxicity to algae/aquatic plants		:	Exposure time: 72 Method: OECD Te	est Guideline 201 a flos-aquae (cyanobacterium)): 0.002 mg/l ? h
			mg/l Exposure time: 72 Method: OECD Te	est Guideline 201 rchneriella subcapitata (green algae)): 74 ? h
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
	ity to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD Te	
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
M-Fa toxici	ctor (Chronic aquatic	:	10	
	ity to microorganisms	:	EC50: > 1,000 mg Exposure time: 3 Test Type: Respir Method: OECD Te	h ation inhibition
Relet	pactam:			
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
			EC50 (Americamy Exposure time: 96	
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokiro Exposure time: 72 Method: OECD Te	
			NOEC (Pseudokir mg/l	chneriella subcapitata (green algae)): 12



Version 12.0	Revision Date: 2024/09/28		OS Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
			Exposure time: 7	72 h Test Guideline 201
			Exposure time: 7	a flos-aquae (cyanobacterium)): > 11 mg/l 72 h Test Guideline 201
			Exposure time: 7	na flos-aquae (cyanobacterium)): 11 mg/l 72 h Test Guideline 201
Toxic icity)	ity to fish (Chronic tox-	:	Exposure time: 3	ales promelas (fathead minnow)): 9.2 mg/l 32 d Test Guideline 210
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): 2.7 mg/l 21 d Test Guideline 211
Toxic	ity to microorganisms	:	EC50: > 1,000 n Exposure time: 3 Test Type: Resp Method: OECD	3 ĥ
			NOEC: 96.3 mg, Exposure time: 3 Test Type: Resp Method: OECD	3 h
II Persi	stence and degradabili	ity		
Com	oonents:			
Cilas Biode	tatin: gradability	:	Biodegradation: Exposure time: 2	
Imipe	enem:			
Biode	gradability	:	Biodegradation: Exposure time: 2	
	pactam:			
Biode	gradability	:	Result: Not read Biodegradation: Exposure time: 2	



Version 12.0	Revision Date: 2024/09/28	-	0S Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27
			Method: OECD T	est Guideline 314
Bioa	ccumulative potential			
Com	ponents:			
Partit	tatin: tion coefficient: n- nol/water	:	log Pow: -3.53	
Partit	enem: tion coefficient: n- nol/water	:	log Pow: < -1	
Partit	bactam: tion coefficient: n- nol/water	:	log Pow: < -2	
Mobi	lity in soil			
Com	ponents:			
Distri	statin: bution among environ- al compartments	:	log Koc: 2.3	
Distri	bactam: bution among environ- al compartments	:	log Koc: 2.3	
	rdous to the ozone lay	/er		
	r adverse effects ata available			
13. DISPO	DSAL CONSIDERATIO	NS		
-	osal methods e from residues	:		ordance with local regulations.

Waste IIUIII Testudes	•	Dispose of in accordance with local regulations.
		Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste han-
		dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,



Version 12.0	Revision Date: 2024/09/28		S Number: 742-00032	Date of last issue: 2024/04/06 Date of first issue: 2015/02/27	
			N.O.S. (Imipenem)		
Class		:	9		
	g group	:			
Labels		:	9		
Enviror	mentally hazardous	:	yes		
IATA-D	OGR				
UN/ID I	-	:	UN 3077		
	shipping name	:	(Imipenem)	azardous substance, solid, n.o.s.	
Class		:	9		
	g group	:			
Labels		:	Miscellaneous		
aircraft		:	956		
Packing ger airc	g instruction (passen- craft)	:	956		
Enviror	mentally hazardous	:	yes		
IMDG-0	Code				
UN nur		:	UN 3077		
	shipping name	:		LLY HAZARDOUS SUBSTANCE, SOLID,	
			N.O.S.		
Class			(Imipenem) 9		
	g group	:			
Labels	g group	:	9		
Eabels EmS C	ode	:	F-A, S-F		
	pollutant	÷	yes		
		-	<i>y</i>		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code

: 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.



Imipenem / Cilastatin / Relebactam Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
12.0	2024/09/28	67742-00032	Date of first issue: 2015/02/27

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
12.0	2024/09/28	67742-00032	Date of first issue: 2015/02/27

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof Not applicable

.....

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation	:	Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format

: yyyy/mm/dd



 Version
 Revision Date:
 SDS Number:

 12.0
 2024/09/28
 67742-00032

Date of last issue: 2024/04/06 Date of first issue: 2015/02/27

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN