according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

#### **SECTION 1. IDENTIFICATION**

Product name : Ivermectin Solid Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Specific target organ toxicity

- single exposure (Oral)

: Category 1 (Central nervous system)

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (Central nervous system)

### **GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H370 Causes damage to organs (Central nervous system) if

swallowed.

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

unwell. Rinse mouth.

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

P308 + P311 IF exposed or concerned: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data availa- ble	9004-34-6	>= 60 - < 80 *
Starch	Sago starch	9005-25-8	>= 10 - < 30 *
Ivermectin	No data availa- ble	70288-86-7	>= 5 - < 10 *

\* Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Contact with dust can cause mechanical irritation or drying of

Most important symptoms and effects, both acute and

the skin

delayed

Dust contact with the eyes can lead to mechanical irritation.

Harmful if swallowed.

Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total	10 mg/m <sup>3</sup>	CA BC OEL
		dust)		
		TWA (respir-	3 mg/m³	CA BC OEL
		able dust		
		fraction)		
		TWAEV (to-	10 mg/m <sup>3</sup>	CA QC OEL

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 12.0
 06/17/2025
 412853-00030
 Date of first issue: 01/07/2016

II		tal dust)				
		TWA	10 mg/m <sup>3</sup>	ACGIH		
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	CA AB OEL		
		TWA (Total dust)	10 mg/m³	CA BC OEL		
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL		
		TWAEV (to- tal dust)	10 mg/m <sup>3</sup>	CA QC OEL		
		TWA	10 mg/m <sup>3</sup>	ACGIH		
Ivermectin	70288-86-7	TWA	30 μg/m3 (OEB 3)	Internal		
	Further inform	Further information: Skin				
		Wipe limit	300 μg/100 cm2	Internal		

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: 12.0 06/17/2025 412853-00030

Date of last issue: 04/14/2025 Date of first issue: 01/07/2016

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 666.67 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

#### **Components:**

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ivermectin:

Acute oral toxicity : LD50 (Rat): 50 mg/kg

LD50 (Mouse): 25 mg/kg

LD50 (Monkey): > 24 mg/kg

Target Organs: Central nervous system Symptoms: Vomiting, Dilatation of the pupil Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 5.11 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 406 mg/kg

LD50 (Rat): > 660 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

# **Components:**

### Ivermectin:

Species : Rabbit

Result : No skin irritation

# Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

### Starch:

Species : Rabbit

Result : No eye irritation

Ivermectin:

Species : Rabbit

Result : Mild eye irritation

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

#### Starch:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

#### Ivermectin:

Routes of exposure : Dermal Species : Humans

Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Ivermectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)
Test system: human diploid fibroblasts

Result: negative

according to the Hazardous Products Regulations



### **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Test Type: Mouse Lymphoma

Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

### Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

#### Ivermectin:

Species : Rat Application Route : Oral

NOAEL : 1.5 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

Species : Mouse Application Route : Oral

NOAEL : 2.0 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

#### Components:

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

#### Ivermectin:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0.6 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development

Species: Mouse

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Application Route: Oral

Developmental Toxicity: NOAEL: 0.2 mg/kg body weight Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally

toxic doses

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 0.4 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Development

Species: Rabbit Application Route: Oral

Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally

toxic doses

### STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

### **Components:**

### Ivermectin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

### **Components:**

### Ivermectin:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

## **Components:**

### Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion

Exposure time : 90 Days

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

Ivermectin:

Species: DogNOAEL: 0.5 mg/kgLOAEL: 1 mg/kgApplication Route: OralExposure time: 14 Weeks

Target Organs : Central nervous system

Symptoms : Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species : Monkey
NOAEL : 1.2 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 0.4 mg/kg LOAEL : 0.8 mg/kg Application Route : Oral Exposure time : 3 Months

Target Organs : spleen, Bone marrow, Kidney

#### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

Ivermectin:

Skin contact : Remarks: Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vom-

iting, anorexia, Lack of coordination

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

### Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



# Ivermectin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Ivermectin:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.003 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0048 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.000025 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.1

Exposure time: 72 h

Method: OECD Test Guideline 201

### Persistence and degradability

### **Components:**

Cellulose:

Biodegradability : Result: Readily biodegradable.

Ivermectin:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 50 % Exposure time: 240 d

### Bioaccumulative potential

#### Components:

Ivermectin:

Bioaccumulation Bioconcentration factor (BCF): 74

Partition coefficient: n-

octanol/water

log Pow: 3.22

Mobility in soil No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues Do not dispose of waste into sewer.

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

yes

(Ivermectin)

Class : 9
Packing group : III
Labels : 9

Environmentally hazardous

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Ivermectin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen- : 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ivermectin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Ivermectin)

Class : 9
Packing group : III
Labels : 9

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 12.0 06/17/2025 412853-00030 Date of first issue: 01/07/2016

ERG Code : 171

Marine pollutant : yes(Ivermectin)

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

according to the Hazardous Products Regulations



# **Ivermectin Solid Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 12.0
 06/17/2025
 412853-00030
 Date of first issue: 01/07/2016

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/17/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8