# M-M-R Formulation



Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

#### **SECTION 1. IDENTIFICATION**

Product name : M-M-R Formulation

Manufacturer or supplier's details

Company : MSD

Address : 855 Leandro N. Alem St., 8 Floor

Buenos Aires, Argentina C1001AFB

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 3

**GHS** label elements

Hazard pictograms

\*\*\*

Signal Word : Warning

Hazard Statements : H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste





Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 85468-00023 Date of first issue: 26.03.2015 4.1

disposal plant.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	>= 5 -< 10
Sucrose	57-50-1	>= 1 -< 5
Neomycin, sulfate (salt)	1405-10-3	>= 0,025 -< 0,1

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact Wash with water and soap.

Get medical attention if symptoms occur.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders No special precautions are necessary for first aid responders.

Notes to physician Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

2/15





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

> Chlorine compounds Oxides of phosphorus Phosphorus compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

and the contained

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use.





Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 85468-00023 Date of first issue: 26.03.2015 4.1

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis		
		exposure)	concentration			
Sucrose	57-50-1	CMP	10 mg/m <sup>3</sup>	AR OEL		
	Further inform	Further information: A4 - Not classifiable as a human carcinogen				
		TWA	10 mg/m <sup>3</sup>	ACGIH		
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m3 (OEB 1)	Internal		
	Further inform	Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal		

**Engineering measures** Ensure adequate ventilation, especially in confined areas.

> Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Particulates type Filter type

Hand protection

Chemical-resistant gloves Material

Remarks For prolonged or repeated contact use protective gloves.

Wash hands before breaks and at the end of workday.

Eye protection Wear the following personal protective equipment:

Safety goggles

Skin and body protection

Skin should be washed after contact.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

: lyophilized cake Appearance



# M-M-R Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 85468-00023
 Date of first issue: 26.03.2015

Color : light yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : Not applicable

Initial boiling point and boiling

range

Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : No data available





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

: Inhalation Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

**Components:** 

Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3.550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2.880 mg/kg

LD50 (Rat): 2.750 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 633 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Application Route: Intraperitoneal

LD50 (Mouse): 27,6 mg/kg Application Route: Intravenous

LD50 (Mouse): 275 mg/kg Application Route: Subcutaneous

#### Skin corrosion/irritation

Not classified based on available information.

## Components:

# Sodium chloride:

Species : Rabbit

Result : No skin irritation

## Neomycin, sulfate (salt):

Species : Rabbit

Result : Mild skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

# Components:

## Sodium chloride:

Species : Rabbit

Result : No eye irritation

# Neomycin, sulfate (salt):

Species : Rabbit

Result : No eye irritation

# Respiratory or skin sensitization

# Skin sensitization

Not classified based on available information.

# Respiratory sensitization

Not classified based on available information.

### **Components:**

#### Sodium chloride:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

### Neomycin, sulfate (salt):

Routes of exposure : Dermal





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Species : Humans Result : positive

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Sodium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay

(in vitro) Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: positive

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous injection

Result: negative

## Carcinogenicity

Not classified based on available information.

### **Components:**

#### Sodium chloride:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

## Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

## Reproductive toxicity

Not classified based on available information.

## **Components:**

## Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 25 mg/kg body weight

Result: No effects on fertility and early embryonic

development were detected.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight Result: No adverse effects., No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 6 mg/kg body weight



# M-M-R Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

**Components:** 

Neomycin, sulfate (salt):

Target Organs : Kidney, inner ear

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on human experience.

Repeated dose toxicity

**Components:** 

Sodium chloride:

Species : Rat

LOAEL : 2.533 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Neomycin, sulfate (salt):

Species : Mouse LOAEL : 30 mg/kg Application Route : Subcutaneous

Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks

Target Organs : ear

Species : Guinea pig NOAEL : 10 mg/kg Application Route : Oral Exposure time : 90 d

Remarks : No significant adverse effects were reported

Species : Guinea pig LOAEL : 100 mg/kg Application Route : Subcutaneous

Exposure time : 34 d



# M-M-R Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Species : Dog LOAEL : 24 mg/kg Application Route : Intramuscular

Exposure time : 30 d
Target Organs : Kidney

Species : Rat
LOAEL : 25 mg/kg
Application Route : oral (feed)
Exposure time : 84 Weeks
Target Organs : ear

Symptoms : hearing loss Remarks : mortality observed

Species : Dog LOAEL : 20 mg/kg Application Route : Subcutaneous

Exposure time : 90 d
Target Organs : Kidney

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

## **Components:**

Neomycin, sulfate (salt):

Skin contact : Symptoms: Sensitization

Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Ingestion : Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss,

Loss of balance

## **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

### **Components:**

Sodium chloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.136 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50: > 2.000 mg/l Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 252 mg/l

Exposure time: 33 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia pulex (Water flea)): 314 mg/l

Exposure time: 21 d





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

ic toxicity)

Toxicity to microorganisms : EC10: > 1.000 mg/l

Neomycin, sulfate (salt):

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 72 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae (cyanobacterium)): 0,00075 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0,0003 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,0099

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)):

0,0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

10

1.000

Toxicity to microorganisms : EC50 (Natural microorganism): 107,6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2,8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

**Components:** 

Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable

Biodegradation: 50 % Exposure time: 1,2 d

Method: OECD Test Guideline 314





Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 85468-00023 Date of first issue: 26.03.2015 4.1

## Bioaccumulative potential

**Components:** 

Sucrose:

Partition coefficient: n-

octanol/water

: Pow: < 1

Neomycin, sulfate (salt):

Partition coefficient: n-

octanol/water

log Pow: < -2

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste Contaminated packaging

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

**UNRTDG** 

**UN** number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt))

9 Class Packing group Ш Labels

Environmentally hazardous yes

**IATA-DGR** 

UN/ID No. **UN 3077** 

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Neomycin, sulfate (salt))

Class 9 Ш Packing group

Labels Miscellaneous

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

ger aircraft)

956

Environmentally hazardous yes

**IMDG-Code** 

**UN** number UN 3077





Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Neomycin, sulfate (salt))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents : Not applicable

Registry.

Control of precursors and essential chemicals for the : Sodium hydrogencarbonate

preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average AR OEL / CMP : TLV (Threshold Limit Value)



# M-M-R Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 85468-00023 Date of first issue: 26.03.2015

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8