

**M-M-R Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 81067-00023      Date of last issue: 04.04.2023  
Date of first issue: 26.03.2015

---

**SECTION 1: IDENTIFICATION**

Product name : M-M-R Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Building A - Level 1/26 Talavera Rd  
Macquarie Park NSW, Australia 2113

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	< 10
Neomycin, sulfate (salt)	1405-10-3	< 1

---

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.  
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Chlorine compounds  
Oxides of phosphorus  
Phosphorus compounds  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

Hazchem Code : 2Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

gency procedures

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## M-M-R Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 81067-00023      Date of last issue: 04.04.2023  
 Date of first issue: 26.03.2015

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	AU OEL
			10 mg/m <sup>3</sup>	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m <sup>3</sup> (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
 Minimize workplace exposure concentrations.  
 Apply measures to prevent dust explosions.  
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
 Hand protection

Material : Chemical-resistant gloves

Remarks : For prolonged or repeated contact use protective gloves.  
 Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
 Safety goggles

Skin and body protection : Skin should be washed after contact.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : lyophilised cake  
 Colour : light yellow  
 Odour : No data available  
 Odour Threshold : No data available  
 pH : No data available  
 Melting point/freezing point : Not applicable  
 Initial boiling point and boiling range : Not applicable

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Sucrose:**

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

**Neomycin, sulfate (salt):**

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg

LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg  
Application Route: Subcutaneous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

**Components:****Neomycin, sulfate (salt):**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Exposure routes : Dermal  
Species : Humans  
Result : positive

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

**Neomycin, sulfate (salt):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positive

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous injection  
Result: negative

**M-M-R Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

**Carcinogenicity**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Species	:	Rat
Exposure time	:	2 Years
Result	:	negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 25 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
----------------------	---	--

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight Result: No adverse effects, No teratogenic effects
-------------------------------	---	---

	:	Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: 6 mg/kg body weight Result: positive
--	---	---

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	---

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Target Organs	:	Kidney, inner ear
Assessment	:	May cause damage to organs through prolonged or repeated exposure.
Remarks	:	Based on human experience.



## M-M-R Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 81067-00023      Date of last issue: 04.04.2023  
Date of first issue: 26.03.2015

---

**Repeated dose toxicity****Components:****Neomycin, sulfate (salt):**

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Subcutaneous  
Exposure time : 14 d  
Target Organs : Kidney

Species : Guinea pig  
NOAEL : 50 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Intramuscular  
Exposure time : 30 - 60 Weeks  
Target Organs : ear

Species : Guinea pig  
NOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Guinea pig  
LOAEL : 100 mg/kg  
Application Route : Subcutaneous  
Exposure time : 34 d

Species : Dog  
LOAEL : 24 mg/kg  
Application Route : Intramuscular  
Exposure time : 30 d  
Target Organs : Kidney

Species : Rat  
LOAEL : 25 mg/kg  
Application Route : oral (feed)  
Exposure time : 84 Weeks  
Target Organs : ear  
Symptoms : hearing loss  
Remarks : mortality observed

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Subcutaneous  
Exposure time : 90 d  
Target Organs : Kidney

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Neomycin, sulfate (salt):**

Skin contact	:	Symptoms: Sensitisation Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Neomycin, sulfate (salt):**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
		LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (Natural microorganism): 107.6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
		EC10 (Natural microorganism): 2.8 mg/l

**M-M-R Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 1.2 d  
Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

**Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Neomycin, sulfate (salt))  
Class : 9  
Packing group : III

---

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Labels : 9  
 Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
 (Neomycin, sulfate (salt))  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 956  
 Packing instruction (passenger aircraft) : 956  
 Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
 N.O.S.  
 (Neomycin, sulfate (salt))  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3077  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
 N.O.S.  
 (Neomycin, sulfate (salt))  
 Class : 9  
 Packing group : III  
 Labels : 9  
 Hazchem Code : 2Z  
 Environmentally hazardous : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date : 30.09.2023  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.  
ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

## M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81067-00023	Date of first issue: 26.03.2015

---

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN