

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : M-M-R Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : Avenida 16 de Septiembre No. 301
Xaltocan - Xochimilco Mexico 16090
Telephone : +52 55 57284444
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	>= 5 -< 10
Sucrose	57-50-1	>= 1 -< 5
Neomycin, sulfate (salt)	1405-10-3	< 0.1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Metal oxides Chlorine compounds Oxides of phosphorus Phosphorus compounds Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	VLE-PPT	10 mg/m ³	NOM-010-STPS-2014
		TWA	10 mg/m ³	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1 mg/m ³ (OEB 1)	Internal
Further information: DSEN, OTO				
		Wipe limit	0.1 mg/100 cm ²	Internal

- Engineering measures : Ensure adequate ventilation, especially in confined areas.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Minimize workplace exposure concentrations.
 Apply measures to prevent dust explosions.
 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	For prolonged or repeated contact use protective gloves. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Skin should be washed after contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	lyophilized cake
Color	:	light yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	Not applicable
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

Relative vapor density : No data available

Density : No data available

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

Method: Calculation method

Components:**Sodium chloride:**

Acute oral toxicity : LD50 (Rat): 3,550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg
LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:**Sodium chloride:**

Species : Rabbit
Result : No skin irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

Components:**Sodium chloride:**

Species : Rabbit
Result : No eye irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Sodium chloride:**

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Neomycin, sulfate (salt):

Routes of exposure : Dermal
Species : Humans
Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:**Sodium chloride:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay
(in vitro)
Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-
thesis in mammalian cells (in vitro)
Result: positive

Test Type: Chromosome aberration test in vitro
Result: positive

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
 Date of first issue: 26.03.2015

- Test Type: Chromosome aberration test in vitro
 Result: negative
- Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative
- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
 Species: Rat
 Application Route: Intraperitoneal injection
 Result: positive
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.
- Sucrose:**
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative
- Neomycin, sulfate (salt):**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
- Test Type: In vitro mammalian cell gene mutation test
 Test system: Chinese hamster ovary cells
 Result: negative
- Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: positive
- Test Type: in vitro micronucleus test
 Result: negative
- Genotoxicity in vivo : Test Type: Cytogenetic assay
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Intravenous injection
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Sodium chloride:**

- Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 25 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight
Result: No adverse effects., No teratogenic effects.

Test Type: Development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear
Assessment : May cause damage to organs through prolonged or repeated exposure.
Remarks : Based on human experience.

M-M-R Formulation

Version 3.1 Revision Date: 30.09.2023 SDS Number: 81081-00023 Date of last issue: 04.04.2023
Date of first issue: 26.03.2015

Repeated dose toxicity**Components:****Sodium chloride:**

Species : Rat
LOAEL : 2,533 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Neomycin, sulfate (salt):

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Subcutaneous
Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks
Target Organs : ear

Species : Guinea pig
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Guinea pig
LOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 34 d

Species : Dog
LOAEL : 24 mg/kg
Application Route : Intramuscular
Exposure time : 30 d
Target Organs : Kidney

Species : Rat
LOAEL : 25 mg/kg
Application Route : oral (feed)
Exposure time : 84 Weeks
Target Organs : ear
Symptoms : hearing loss
Remarks : mortality observed

Species : Dog
LOAEL : 20 mg/kg
Application Route : Subcutaneous
Exposure time : 90 d
Target Organs : Kidney

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

Skin contact	:	Symptoms: Sensitization Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss, Loss of balance

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Sodium chloride:**

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4,136 mg/l Exposure time: 48 h
---	---	--

Toxicity to algae/aquatic plants	:	EC50: > 2,000 mg/l Exposure time: 96 h
----------------------------------	---	---

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d
-------------------------------------	---	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d
--	---	--

Toxicity to microorganisms	:	EC10: > 1,000 mg/l
----------------------------	---	--------------------

Neomycin, sulfate (salt):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	--

	:	LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
--	---	--

Toxicity to algae/aquatic plants	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	---	---

	:	NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h
--	---	---

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Natural microorganism): 107.6 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

Persistence and degradability**Components:****Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 1.2 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

Neomycin, sulfate (salt):

Partition coefficient: n-octanol/water : log Pow: < -2

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Contaminated packaging : Dispose of in accordance with local regulations.
 : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Neomycin, sulfate (salt))
 Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
 (Neomycin, sulfate (salt))
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Neomycin, sulfate (salt))
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Neomycin, sulfate (salt))
 Class : 9
 Packing group : III
 Labels : 9

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

M-M-R Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	81081-00023	Date of first issue: 26.03.2015

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8