

**Moxifloxacin Solid Formulation**

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
Date of first issue: 05.06.2017

---

**SECTION 1. IDENTIFICATION**

Product name : Moxifloxacin Solid Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 855 Leandro N. Alem St., 8 Floor  
Buenos Aires, Argentina C1001AFB  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**


Recommended use : Pharmaceutical

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity (Oral) : Category 4  
Eye irritation : Category 2B  
Reproductive toxicity : Category 2  
Specific target organ toxicity -  
repeated exposure : Category 2 (Liver)

**GHS label elements**

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.  
H320 Causes eye irritation.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver) through prolonged  
or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

---

## Moxifloxacin Solid Formulation

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
 Date of first issue: 05.06.2017

P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Moxifloxacin HCL	186826-86-8	>= 40 -<= 70
Cellulose	9004-34-6	>= 10 -<= 30

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention.

## Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
2.4	13.10.2021	1732310-00008	Date of first issue: 05.06.2017

---

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes eye irritation. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

## Moxifloxacin Solid Formulation

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
 Date of first issue: 05.06.2017

certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray.  
 Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Moxifloxacin HCL	186826-86-8	TWA	1000 µg/m <sup>3</sup> (OEB 2)	Internal
Cellulose	9004-34-6	CMP	10 mg/m <sup>3</sup>	AR OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection  
 Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

## Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
2.4	13.10.2021	1732310-00008	Date of first issue: 05.06.2017

---

Skin and body protection Hygiene measures	: Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. : Work uniform or laboratory coat. : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
--	--

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Color	: pink
Odor	: odorless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	

**Moxifloxacin Solid Formulation**

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
Date of first issue: 05.06.2017

---

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 1.886 mg/kg  
Method: Calculation method

**Components:****Moxifloxacin HCL:**

Acute oral toxicity : LD50 (Rat): 1.320 mg/kg  
LD50 (Mouse): > 435 mg/kg  
LD50 (Monkey): 1.500 mg/kg

**Cellulose:**

**Moxifloxacin Solid Formulation**

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
Date of first issue: 05.06.2017

---

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5,8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Moxifloxacin HCL:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes eye irritation.

**Components:****Moxifloxacin HCL:**

Species : Rabbit  
Result : Moderate eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Moxifloxacin HCL:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive  
  
Test Type: Chromosome aberration test in vitro  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Test Type: in vitro micronucleus test  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Application Route: Oral

## Moxifloxacin Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
2.4	13.10.2021	1732310-00008	Date of first issue: 05.06.2017

---

Result: negative

**Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Moxifloxacin HCL:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 500 mg/kg body weight  
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Monkey  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: negative

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Intravenous injection  
Developmental Toxicity: LOAEL: 20 mg/kg body weight  
Symptoms: Skeletal malformations.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.



**Moxifloxacin Solid Formulation**

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
Date of first issue: 05.06.2017

---

**Cellulose:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Liver) through prolonged or repeated exposure.

**Components:****Moxifloxacin HCL:**

Target Organs : Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Moxifloxacin HCL:**

Species : Rat  
LOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 4 Weeks

Species : Rat  
NOAEL : 100 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Liver  
Symptoms : Liver disorders

Species : Rat  
NOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Liver  
Symptoms : Liver disorders

Species : Monkey  
NOAEL : 50 mg/kg  
Application Route : Oral  
Exposure time : 4 Weeks  
Symptoms : No adverse effects.

**Moxifloxacin Solid Formulation**

Version 2.4      Revision Date: 13.10.2021      SDS Number: 1732310-00008      Date of last issue: 23.03.2020  
Date of first issue: 05.06.2017

---

Species : Monkey  
NOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Gastrointestinal tract  
Symptoms : Vomiting

Species : Monkey  
Application Route : Oral  
Exposure time : 26 Weeks  
Target Organs : Liver  
Symptoms : Liver disorders

**Cellulose:**

Species : Rat  
NOAEL :  $\geq 9.000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Moxifloxacin HCL:**

Ingestion : Symptoms: Nausea, Abdominal pain, Headache, Dizziness, central nervous system effects, joint pain

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)):  $> 100$  mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Moxifloxacin Solid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 23.03.2020  
2.4                13.10.2021                1732310-00008            Date of first issue: 05.06.2017

---

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues            : Dispose of in accordance with local regulations.  
Contaminated packaging        : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents            : Not applicable  
Registry.

Control of precursors and essential chemicals for the        : Not applicable  
preparation of drugs.

**The ingredients of this product are reported in the following inventories:**

AICS                                : not determined

DSL                                 : not determined

IECSC                              : not determined

---

**SECTION 16. OTHER INFORMATION****Further information**

Sources of key data used to        : Internal technical data, data from raw material SDSs, OECD

---

