

Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Omarigliptin Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Specific target organ toxicity : Category 2 (Stomach, Blood, Kidney)

- repeated exposure (Oral)

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Stomach, Blood, Kidney)

through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Cellulose	9004-34-6	>= 10 -< 20	
Omarigliptin	1226781-44-7	>= 10 -< 20	

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

Wash with water and soap. In case of skin contact

Get medical attention if symptoms occur.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

Protection of first-aiders and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment: In the event of fire, wear self-contained breathing apparatus.



Omarigliptin Formulation

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

for fire-fighters Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Avoid release to the environment. Environmental precautions

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation

Do not breathe dust. Advice on safe handling

Do not swallow.

Avoid contact with eves.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage Keep in properly labeled containers.



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	VLE-PPT	10 mg/m ³	NOM-010- STPS-2014
		TWA	10 mg/m ³	ACGIH
Omarigliptin	1226781-44- 7	TWA	10 μg/m³	Internal
		Wipe limit	100 μg/100 cm ²	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Skin should be washed after contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet

Color : yellow



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : I

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Omarigliptin:

Acute oral toxicity : LD50 (Rat): 750 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Omarigliptin:

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Components:

Omarigliptin:

Species : Bovine cornea Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Omarigliptin:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitization.

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Omarigliptin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: negative



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Omarigliptin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

: 20 mg/kg body weight

Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

: 20 mg/kg body weight

Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Omarigliptin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: NOAEL: 100 mg/kg body weight

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Developmental Toxicity: NOAEL: > 50 mg/kg body weight

Result: No effects on fetal development.

Test Type: Embryo-fetal development



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Reduced offspring weight gain., Reduced maternal

food consumption., Skeletal malformations.

Remarks: The effects were seen only at maternally toxic dos-

es.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Stomach, Blood, Kidney) through prolonged or repeated exposure if swallowed.

Components:

Omarigliptin:

Routes of exposure : Ingestion

Target Organs : Stomach, Blood, Kidney

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Omarigliptin:

Species : Rat
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 90 Days

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 100 mg/kg

Application Route : Oral

Exposure time : 180 Days

Target Organs : Blood, Kidney

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 75 mg/kg
Application Route : Oral
Exposure time : 40 Days
Target Organs : Stomach



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 75 mg/kg
Application Route : Oral
Exposure time : 270 Days
Target Organs : Stomach

Species : Monkey NOAEL : 9 mg/kg Application Route : Oral Exposure time : 90 Days

Remarks : No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Omarigliptin:

Ingestion : Symptoms: Headache, stomach discomfort, Dizziness, Tired-

ness, Diarrhea, flu-like symptoms, Back pain, Vomiting, chills

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Omarigliptin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Americamysis): > 100 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 25

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 11 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 11 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 0.1 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Omarigliptin:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 11 d

Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

Omarigliptin:

Partition coefficient: n-

octanol/water

log Pow: 0.525

Mobility in soil

Components:

Omarigliptin:

Distribution among environ-

mental compartments

log Koc: 4.01

Method: OECD Test Guideline 106

Other adverse effects

No data available



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 30.09.2023 402529-00016 Date of first issue: 07.01.2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, essential chemical products and machinery for

: Not applicable

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy



Omarigliptin Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 402529-00016 Date of first issue: 07.01.2016

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8