

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

**SECTION 1. IDENTIFICATION**

Product name : Peginterferon Alfa-2b Redipen Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 1B

Short-term (acute) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360FD May damage fertility. May damage the unborn child.  
H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

## Peginterferon Alfa-2b Redipen Formulation

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
 Date of first issue: 07.10.2014

P308 + P313 IF exposed or concerned: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate	6138-23-4	>= 90 -<= 100
Peginterferon Alfa-2b	215647-85-1	>= 0,3 -< 1

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May damage fertility. May damage the unborn child.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Static electricity may accumulate and ignite suspended dust
-

## Peginterferon Alfa-2b Redipen Formulation

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

- causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Peginterferon Alfa-2b	215647-85-1	TWA (inhalable fraction)	0.2 µg/m <sup>3</sup> (OEB 5)	Internal

- Engineering measures** : Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type

## Peginterferon Alfa-2b Redipen Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
6.1	26.09.2023	19408-00021	Date of first issue: 07.10.2014

---

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

**Components:****α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate:**

Acute oral toxicity : LD50 (Rat): > 16.000 mg/kg  
Method: OECD Test Guideline 401

**Peginterferon Alfa-2b:**

Acute toxicity (other routes of administration) : LD50 (Rat): > 20,1 mg/kg  
Application Route: Intravenous  
  
LD50 (Monkey): > 9,8 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Peginterferon Alfa-2b:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**Peginterferon Alfa-2b:**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

**Components:****α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Peginterferon Alfa-2b:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****α-D-Glucopyranoside, α-D-glucopyranosyl, dihydrate:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**Peginterferon Alfa-2b:**



## Peginterferon Alfa-2b Redipen Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
6.1	26.09.2023	19408-00021	Date of first issue: 07.10.2014

---

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Monkey, female  
 Application Route: Subcutaneous  
 Dose: 0.35 milligram per kilogram  
 Symptoms: Effect on estrous cycle

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Components:

#### Peginterferon Alfa-2b:

Target Organs : Gastrointestinal tract, Immune system, Cardio-vascular system, Endocrine system, Central nervous system, Liver, Respiratory Tract, Eye

Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### $\alpha$ -D-Glucopyranoside, $\alpha$ -D-glucopyranosyl, dihydrate:

Species : Mouse  
 NOAEL : 8.289 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 408

#### Peginterferon Alfa-2b:

Species : Mouse  
 NOAEL : 0,0038 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 9 d

Species : Rat  
 NOAEL : 0,0042 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 30 d

Species : Monkey  
 LOAEL : 0,12 mg/kg  
 Application Route : Subcutaneous  
 Exposure time : 30 d  
 Target Organs : Blood, Bone marrow, Immune system

Species : Monkey

**Peginterferon Alfa-2b Redipen Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
6.1	26.09.2023	19408-00021	Date of first issue: 07.10.2014

---

NOAEL	:	0,015 mg/kg
LOAEL	:	0,077 mg/kg
Exposure time	:	3 Months
Target Organs	:	Respiratory Tract, Cardio-vascular system, Central nervous system, Bone marrow

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Peginterferon Alfa-2b:**

Inhalation	:	Symptoms: flu-like symptoms, Gastrointestinal disturbance, mental depression, tingling
------------	---	--

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:** **$\alpha$ -D-Glucopyranoside,  $\alpha$ -D-glucopyranosyl, dihydrate:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 33,6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  EC10 (Desmodesmus subspicatus (green algae)): 13,82 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

**Peginterferon Alfa-2b:****Ecotoxicology Assessment**

Acute aquatic toxicity	:	No data available
Chronic aquatic toxicity	:	No data available

**Persistence and degradability****Components:** **$\alpha$ -D-Glucopyranoside,  $\alpha$ -D-glucopyranosyl, dihydrate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 68 - 74 % Exposure time: 28 d
------------------	---	--

**Peginterferon Alfa-2b Redipen Formulation**

Version 6.1      Revision Date: 26.09.2023      SDS Number: 19408-00021      Date of last issue: 20.03.2023  
Date of first issue: 07.10.2014

---

**Peginterferon Alfa-2b:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 63 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Bioaccumulative potential****Components:** **$\alpha$ -D-Glucopyranoside,  $\alpha$ -D-glucopyranosyl, dihydrate:**

Partition coefficient: n- : log Pow: < 0,3  
octanol/water                      Method: OECD Test Guideline 117

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Peginterferon Alfa-2b Redipen Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
6.1	26.09.2023	19408-00021	Date of first issue: 07.10.2014

---

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 26.09.2023  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tempera-

**Peginterferon Alfa-2b Redipen Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
6.1	26.09.2023	19408-00021	Date of first issue: 07.10.2014

---

ture; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8