

Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

SECTION 1. IDENTIFICATION

Product name : Posaconazole Suspension Formulation

Manufacturer or supplier's details

Company : MSD

Address : 855 Leandro N. Alem St., 8 Floor

Buenos Aires, Argentina C1001AFB

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Adrenal gland, Bone marrow, Kidney, Liver, Nerv-

ous system, Reproductive organs)

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed. H411 Toxic to aquatic life with long lasting effects.



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerine	56-81-5	>= 10 -< 20
Posaconazole	171228-49-2	>= 3 -< 5
Titanium dioxide	13463-67-7	>= 0,1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Most important symptoms and effects, both acute and

delayed

: Diarrhea Fever Nausea

Headache Vomiting

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod-

ucts

: Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis	
		exposure)	concentration		
Glycerine	56-81-5	CMP (Mist)	10 mg/m ³	AR OEL	
Posaconazole	171228-49-2	TWA	300 μg/m3 (OEB 2)	Internal	
Titanium dioxide	13463-67-7	CMP	10 mg/m ³	AR OEL	
	Further information: A4 - Not classifiable as a human carcinogen				

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to



Posaconazole Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 06.07.2024 28740-00023 Date of first issue: 06.11.2014 8.0

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection Combined particulates and organic vapor type

Material Chemical-resistant gloves

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance suspension

Color white

Odor No data available

Odor Threshold No data available

4,2 - 4,8pΗ

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper No data available



Posaconazole Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 06.07.2024 28740-00023 Date of first issue: 06.11.2014 8.0

flammability limit

Lower explosion limit / Lower

flammability limit

No data available

No data available Vapor pressure

Relative vapor density No data available

Relative density No data available

Density 1 g/cm³

Solubility(ies)

Water solubility soluble

Partition coefficient: n-

octanol/water

Not applicable

No data available Autoignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

tions

Conditions to avoid Incompatible materials

Hazardous decomposition

None known.

Oxidizing agents

No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Acute toxicity

Not classified based on available information.

Components:

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5.000 mg/kg

Posaconazole:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 3.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6,82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No skin irritation

Posaconazole:

Species : Rabbit

Result : No skin irritation

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No eye irritation



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Posaconazole:

Species : Rabbit

Result : Mild eye irritation

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Posaconazole:

Test Type : Magnusson-Kligman-Test

Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intravenous

Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Posaconazole:

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in inhalation studies with



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

ment animals.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male

General Toxicity Parent: NOAEL: 180 mg/kg body weight

Symptoms: No effects on mating performance.

Result: negative

Test Type: Fertility/early embryonic development

Species: Rat, female

General Toxicity Parent: NOAEL: 45 mg/kg body weight

Symptoms: No effects on mating performance.

Result: negative

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat, female Application Route: Oral

Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity., Malformations were observed.

Test Type: Embryo-fetal development

Species: Rabbit, female

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Components:

Posaconazole:

Routes of exposure : Ingestion

Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive

organs, Nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Glycerine:

 Species
 : Rat

 NOAEL
 : 0,167 mg/l

 LOAEL
 : 0,622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8.000 - 10.000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit

NOAEL : 5.040 mg/kg

Application Route : Skin contact

Exposure time : 45 Weeks

Posaconazole:

Species : Rat, female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 6 Months

Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species: DogLOAEL: 3 mg/kgApplication Route: OralExposure time: 392 Days

Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal

cord, lymphoid tissue

Species : Monkey
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 1 Months

Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species : Dog
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 56 Weeks



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system,

spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey
LOAEL : 180 mg/kg
Application Route : Oral
Exposure time : 12 Months

Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey
LOAEL : 8 mg/kg
Application Route : Intravenous
Exposure time : 1 Months

Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Titanium dioxide:

Species : Rat

NOAEL : 24.000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat NOAEL : 10 mg/m³

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Posaconazole:

Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver

effects, Rash, pruritis, Diarrhea, hypertension, neutropenia,

electrolyte imbalance

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54.000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.955 mg/l

Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10.000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

II

Posaconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,95 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,276 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

0,509 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,041

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0,206 mg/l

Exposure time: 33 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,244 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms : EC50 (Natural microorganism): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Skeletonema costatum (marine diatom)): > 10.000 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

Persistence and degradability

Components:

Glycerine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Posaconazole:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 28 h

Method: OECD Test Guideline 314

Stability in water : Degradation half life (DT50): > 30 d

Method: OECD Test Guideline 111

Bioaccumulative potential

Components:

Glycerine:

Partition coefficient: n-

octanol/water

: log Pow: -1,75

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 20 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4,15

Mobility in soil

Components:

Posaconazole:

Distribution among environ-

mental compartments

: log Koc: 5,52

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



Posaconazole Suspension Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 28740-00023 Date of first issue: 06.11.2014 8.0 06.07.2024

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Posaconazole)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Posaconazole)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

Environmentally hazardous

aircraft)

964

964

yes

Packing instruction (passen-

ger aircraft)

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Posaconazole)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Not applicable

Registry.

Control of precursors and essential chemicals for the Not applicable



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 06.07.2024 Date format : dd.mm.yyyy

Further information

Data Sheet

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AR OEL : Argentina. Occupational Exposure Limits

AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tempera-



Posaconazole Suspension Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 8.0 06.07.2024 28740-00023 Date of first issue: 06.11.2014

ture; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8