

# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

#### **Section 1: Identification**

Product name : Posaconazole Suspension Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### Section 2: Hazard identification

**GHS Classification** 

Carcinogenicity (Inhalation) : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity -

repeated exposure (Oral)

Category 2 (Adrenal gland, Bone marrow, Kidney, Liver, Nerv-

ous system, Reproductive organs)

Hazardous to the aquatic

environment - chronic hazard

Category 2

**GHS** label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H351 Suspected of causing cancer if inhaled.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Glycerine	56-81-5	>= 10 -< 20	
Posaconazole	171228-49-2	>= 2.5 -< 10	
Titanium dioxide	13463-67-7	>= 0.1 -< 1	

#### Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Diarrhoea Fever Nausea

Headache Vomiting

Suspected of causing cancer if inhaled. Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters Hazchem Code In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

: 3Z

#### Section 6: Accidental release measures

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

arriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

#### Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL
Posaconazole	171228-49-2	TWA	300 μg/m3 (OEB 2)	Internal
Titanium dioxide	13463-67-7	WES-TWA	10 mg/m3	NZ OEL

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

## Section 9: Physical and chemical properties

Appearance : suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : 4.2 - 4.8

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

# Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

# **Section 11: Toxicological information**

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

## **Components:**

# Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

## Posaconazole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 3,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

#### Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### Glycerine:

Species : Rabbit

Result : No skin irritation

## Posaconazole:

Species : Rabbit

Result : No skin irritation



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 06.07.2024 28773-00022 Date of first issue: 06.11.2014 10.0

Titanium dioxide:

Species : Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

: Rabbit **Species** 

Result No eye irritation

Posaconazole:

**Species** Rabbit

Result Mild eye irritation

Titanium dioxide:

Rabbit

Species Result No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Posaconazole:

Magnusson-Kligman-Test Test Type

Exposure routes Skin contact Species : Guinea pig Result negative

Titanium dioxide:

Test Type Local lymph node assay (LLNA)

Exposure routes Skin contact Species Mouse Result negative

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.



# **Posaconazole Suspension Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 28773-00022
 Date of first issue: 06.11.2014

#### **Components:**

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Intravenous

Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Suspected of causing cancer if inhaled.

**Components:** 

Glycerine:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Posaconazole:

Species : Rat



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

Application Route : oral (feed)
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in inhalation studies with

animals.

### Reproductive toxicity

Suspected of damaging the unborn child.

#### **Components:**

#### Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

: Test Type: Embryo-foetal development

Species: Rat

**Application Route: Ingestion** 

Result: negative

#### Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male

General Toxicity - Parent: NOAEL: 180 mg/kg body weight

Symptoms: No effects on mating performance

Result: negative

Test Type: Fertility/early embryonic development

Species: Rat, female

General Toxicity - Parent: NOAEL: 45 mg/kg body weight

Symptoms: No effects on mating performance

Result: negative



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

Effects on foetal develop: Test Type: Embryo-foetal development

ment Species: Rat, female

Application Route: Oral

Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity, Malformations were observed.

Test Type: Embryo-foetal development

Species: Rabbit, female

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs (Adrenal gland, Bone marrow, Kidney, Liver, Nervous system, Reproductive organs) through prolonged or repeated exposure if swallowed.

# **Components:**

## Posaconazole:

Exposure routes : Ingestion

Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive

organs, Nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

#### Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 yr

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

Posaconazole:

Species : Rat, female
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 6 Months

Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species : Dog
LOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 392 Days
Target Organs : Lungs, Liv

Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal

cord, lymphoid tissue

Species : Monkey
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 1 Months

Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species: DogLOAEL: 3 mg/kgApplication Route: OralExposure time: 56 Weeks

Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system,

spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey
LOAEL : 180 mg/kg
Application Route : Oral
Exposure time : 12 Months

Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey
LOAEL : 8 mg/kg
Application Route : Intravenous
Exposure time : 1 Months

Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

Titanium dioxide:

Species : Rat

NOAEL : 24,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat NOAEL : 10 mg/m3

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 yr



# **Posaconazole Suspension Formulation**

SDS Number: Date of last issue: 06.04.2024 Version Revision Date: 28773-00022 10.0 06.07.2024 Date of first issue: 06.11.2014

## **Aspiration toxicity**

Not classified based on available information.

# **Experience with human exposure**

## **Components:**

#### Posaconazole:

Inaestion Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver

effects, Rash, pruritis, Diarrhoea, hypertension, neutropenia,

electrolyte imbalance

## **Section 12: Ecological information**

## **Ecotoxicity**

#### **Components:**

## **Glycerine:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

NOEC (Pseudomonas putida): > 10,000 mg/l Toxicity to microorganisms

Exposure time: 16 h

Method: DIN 38 412 Part 8

## Posaconazole:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.276 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

0.509 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

Toxicity to fish (Chronic tox-

NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l



# **Posaconazole Suspension Formulation**

SDS Number: Date of last issue: 06.04.2024 Version Revision Date: 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

icity) Exposure time: 33 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.244 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms EC50 (Natural microorganism): > 1,000 mg/l

: 1

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Titanium dioxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to microorganisms EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

## Persistence and degradability

## **Components:**

**Glycerine:** 

Biodegradability Result: Readily biodegradable.

> Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Posaconazole:

Biodegradability Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 28 h

Method: OECD Test Guideline 314

Stability in water Degradation half life (DT50): > 30 d

Method: OECD Test Guideline 111



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

### Bioaccumulative potential

**Components:** 

Glycerine:

Partition coefficient: n-

: log Pow: -1.75

octanol/water

Posaconazole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 20 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4.15

Mobility in soil

**Components:** 

Posaconazole:

Distribution among environ-

mental compartments

log Koc: 5.52

Other adverse effects

No data available

# Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## **Section 14: Transport information**

# International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Posaconazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

(Posaconazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Posaconazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-/

EmS Code : F-A, S-F Marine pollutant : yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**NZS 5433** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Posaconazole)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### Section 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR100425 Pharmaceutical Active Ingredients Group Standard

Tolerable Exposure Limits (TEL)

Not applicable



# **Posaconazole Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 28773-00022 Date of first issue: 06.11.2014

Environmental Exposure Limits (EEL)

Not applicable

### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **Section 16: Other information**

Revision Date : 06.07.2024

**Further information** 

Sources of key data used to compile the Safety Data

compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;



# **Posaconazole Suspension Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 28773-00022
 Date of first issue: 06.11.2014

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN