# Raltegravir Formulation

| Version | Revision Date: | SDS Number: | Date of last issue: 2024/04/06 |
|---|---|---|---|
| 3.0 | 2024/09/28 | 741571-00019 | Date of first issue: 2016/06/06 |

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Raltegravir Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 199 Wenhai North Road
HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : 908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical
Restrictions on use : Not applicable

## 2. HAZARDS IDENTIFICATION

**Emergency Overview**

**Appearance** : powder
**Colour** : No data available
**Odour** : No data available

May be harmful if swallowed. Causes serious eye damage. May cause respiratory irritation. Suspected of damaging the unborn child. Harmful to aquatic life.

**GHS Classification**

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 3

**GHS label elements**

Hazard pictograms :

Signal word : Danger

Hazard statements : H303 May be harmful if swallowed.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H361d Suspected of damaging the unborn child.
H402 Harmful to aquatic life.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P312 Call a POISON CENTER/ doctor if you feel unwell.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Physical and chemical hazards**

Not classified based on available information.

**Health hazards**

May be harmful if swallowed. Causes serious eye damage. Suspected of damaging the unborn child. May cause respiratory irritation.

**Environmental hazards**

Harmful to aquatic life.

**Other hazards which do not result in classification**

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|---|---|
| Raltegravir | 871038-72-1 | >= 50 -< 70 |
| Cellulose | 9004-34-6 | >= 10 -< 20 |
| Magnesium stearate | 557-04-0 | >= 1 -< 10 |

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.
Causes serious eye damage.
May cause respiratory irritation.
Suspected of damaging the unborn child.
Contact with dust can cause mechanical irritation or drying of the skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical

| | | |
|---|---|---|
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides<br>Nitrogen oxides (NOx)<br>Fluorine compounds<br>Metal oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment. |

### 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.<br>Add excess liquid to allow the material to enter into solution.<br>Soak up with inert absorbent material.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).<br>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. |

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

**Handling**

| | | |
|---|---|---|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Avoid breathing dust.<br>Do not swallow.<br>Do not get in eyes.<br>Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Keep container tightly closed.<br>Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact | : | Oxidizing agents |

**Storage**

| | | |
|---|---|---|
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:<br>Strong oxidizing agents |
| Packaging material | : | Unsuitable material: None known. |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Components with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| Raltegravir | 871038-72-1 | TWA | 1000 µg/m3 (OEB 1) | Internal |
| Cellulose | 9004-34-6 | PC-TWA | 10 mg/m3 | CN OEL |
| | | TWA | 10 mg/m3 | ACGIH |
| Magnesium stearate | 557-04-0 | TWA (Inhalable particulate matter) | 10 mg/m3 | ACGIH |
| | | TWA (Respirable particulate matter) | 3 mg/m3 | ACGIH |

**Engineering measures** : Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If sufficient ventilation is unavailable, use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|---|
| Appearance | : | powder |
| Colour | : | No data available |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | No data available |

| | | |
|---|---|---|
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |
| Particle characteristics | | |
| Particle size | : | No data available |

## 10. STABILITY AND REACTIVITY

| | | |
|---|---|---|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid | : | Heat, flames and sparks.<br>Avoid dust formation. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

## 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

**Acute toxicity**

May be harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 4,026 mg/kg
Method: Calculation method

**Components:**

**Raltegravir:**

Acute oral toxicity : LD50 (Mouse, male and female): > 2,000 mg/kg

**Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

| | | |
|---|---|---|
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg |

**Magnesium stearate:**

| | | |
|---|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Assessment: The substance or mixture has no acute oral toxicity<br>Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg<br>Remarks: Based on data from similar materials |

**Skin corrosion/irritation**

Not classified based on available information.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |

**Magnesium stearate:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No skin irritation |
| Remarks | : | Based on data from similar materials |

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Species | : | Bovine cornea |
| Result | : | Severe irritation |

**Magnesium stearate:**

| | | |
|---|---|---|
| Species | : | Rabbit |
| Result | : | No eye irritation |
| Remarks | : | Based on data from similar materials |

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Test Type | : | Local lymph node assay (LLNA) |
| Species | : | Mouse |
| Result | : | negative |

**Magnesium stearate:**

| | | |
|---|---|---|
| Test Type | : | Maximisation Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: reverse mutation assay<br>Result: negative<br><br>Test Type: Alkaline elution assay<br>Test system: rat hepatocytes<br>Result: negative<br><br>Test Type: Chromosomal aberration<br>Method: OECD Test Guideline 473<br>Result: negative |
| Genotoxicity in vivo | : | Test Type: In vivo micronucleus test<br>Species: Mouse<br>Result: negative<br><br>Test Type: Chromosomal aberration<br>Method: OECD Test Guideline 475<br>Result: negative |

**Cellulose:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Result: negative |
| Genotoxicity in vivo | : | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) |

Species: Mouse
Application Route: Ingestion
Result: negative

**Magnesium stearate:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: In vitro mammalian cell gene mutation test<br>Result: negative<br>Remarks: Based on data from similar materials<br><br>Test Type: Chromosome aberration test in vitro<br>Method: OECD Test Guideline 473<br>Result: negative<br>Remarks: Based on data from similar materials<br><br>Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br>Remarks: Based on data from similar materials |

**Carcinogenicity**

Not classified based on available information.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Species | : | Mouse, male and female |
| Exposure time | : | 104 weeks |
| Result | : | negative |

**Cellulose:**

| | | |
|---|---|---|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 72 weeks |
| Result | : | negative |

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: Fertility/early embryonic development<br>Species: Rat, male and female<br>Application Route: Oral<br>General Toxicity - Parent: NOAEL: 600 mg/kg body weight<br>Result: negative |
| Effects on foetal development | : | Species: Rat<br>Application Route: Oral<br>General Toxicity Maternal: NOAEL: >= 600 mg/kg body weight |

| | | |
|---|---|---|
| | | Teratogenicity: LOAEL F1: 300 mg/kg body weight<br>Symptoms: Skeletal malformations<br>Result: positive<br><br>Species: Rabbit<br>General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight<br>Teratogenicity: NOAEL: >= 1,000 mg/kg body weight<br>Result: negative |
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on development, based on animal experiments. |

**Cellulose:**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: One-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |
| Effects on foetal development | : | Test Type: Fertility/early embryonic development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative |

**Magnesium stearate:**

| | | |
|---|---|---|
| Effects on fertility | : | Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test<br>Species: Rat<br>Application Route: Ingestion<br>Method: OECD Test Guideline 422<br>Result: negative<br>Remarks: Based on data from similar materials |
| Effects on foetal development | : | Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials |

**STOT - single exposure**

May cause respiratory irritation.

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Exposure routes | : | Inhalation |
| Target Organs | : | Respiratory Tract |
| Assessment | : | May cause respiratory irritation. |

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Species | : | Dog |
| NOAEL | : | 90 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 371 d |
| Symptoms | : | Vomiting |

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | 30 mg/kg |
| LOAEL | : | 120 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 189 d |
| Target Organs | : | Stomach |

| | | |
|---|---|---|
| Species | : | Mouse |
| NOAEL | : | 50 mg/kg |
| LOAEL | : | 500 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 14 Weeks |
| Target Organs | : | Stomach |

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | 50 mg/kg |
| LOAEL | : | 200 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 8 Weeks |
| Target Organs | : | Stomach |

**Cellulose:**

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | >= 9,000 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |

**Magnesium stearate:**

| | | |
|---|---|---|
| Species | : | Rat |
| NOAEL | : | > 100 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |
| Remarks | : | Based on data from similar materials |

**Aspiration toxicity**
Not classified based on available information.

**Experience with human exposure**

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Ingestion | : | Symptoms: Nausea, Diarrhoea, Headache, Fever, Rash, Skin irritation |

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br><br>LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 66 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 3.8 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 201 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 9.3 mg/l<br>Exposure time: 33 d<br>Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 9.5 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211 |
| Toxicity to microorganisms | : | EC50: > 1,000 mg/l<br>Exposure time: 3 h<br>Test Type: Respiration inhibition<br>Method: OECD Test Guideline 209 |

NOEC: 1,000 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

**Cellulose:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials |

**Magnesium stearate:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l<br>Exposure time: 48 h<br>Method: DIN 38412<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): > 1 mg/l<br>Exposure time: 47 h<br>Test substance: Water Accommodated Fraction<br>Method: Directive 67/548/EEC, Annex V, C.2.<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility |
| Toxicity to algae/aquatic plants | : | EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials<br>No toxicity at the limit of solubility<br><br>NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l<br>Exposure time: 72 h<br>Test substance: Water Accommodated Fraction<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : | EC10 (Pseudomonas putida): > 100 mg/l<br>Exposure time: 16 h<br>Test substance: Water Accommodated Fraction<br>Remarks: Based on data from similar materials |

**Persistence and degradability**

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Biodegradability | : | Result: rapidly degradable |

| | | |
|---|---|---|
| | | Biodegradation: 50 %<br>Exposure time: 9 d<br>Method: OECD Test Guideline 302B |
| Stability in water | : | Hydrolysis: < 10 %(5 d)<br>Method: OECD Test Guideline 111 |

**Cellulose:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Readily biodegradable. |

**Magnesium stearate:**

| | | |
|---|---|---|
| Biodegradability | : | Result: Not biodegradable<br>Remarks: Based on data from similar materials |

**Bioaccumulative potential**

**Components:**

**Raltegravir:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: -0.328 |

**Magnesium stearate:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: > 4 |

**Mobility in soil**

No data available

**Other adverse effects**

No data available

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

| | | |
|---|---|---|
| Waste from residues | : | Do not dispose of waste into sewer.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

## 14. TRANSPORT INFORMATION

**International Regulations**

**UNRTDG**

| | | |
|---|---|---|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |

| | | |
|---|---|---|
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| Environmentally hazardous | : | no |

**IATA-DGR**

| | | |
|---|---|---|
| UN/ID No. | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| Packing instruction (cargo aircraft) | : | Not applicable |
| Packing instruction (passenger aircraft) | : | Not applicable |

**IMDG-Code**

| | | |
|---|---|---|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| EmS Code | : | Not applicable |
| Marine pollutant | : | no |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**GB 6944/12268**

| | | |
|---|---|---|
| UN number | : | Not applicable |
| Proper shipping name | : | Not applicable |
| Class | : | Not applicable |
| Subsidiary risk | : | Not applicable |
| Packing group | : | Not applicable |
| Labels | : | Not applicable |
| Marine pollutant | : | no |

**Special precautions for user**

Not applicable

## 15. REGULATORY INFORMATION

**National regulatory information**

**Law on the Prevention and Control of Occupational Diseases**

**Regulations on Safety Management of Hazardous Chemicals**

| | | |
|---|---|---|
| Catalogue of Hazardous Chemicals | : | This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous |

chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

**Regulations on Labour Protection in Workplaces where Toxic Substances are Used**

Catalogue of Highly Toxic Chemicals : Not listed

**Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

**Regulation on the Administration of Precursor Chemicals**

Catalogue and Classification of Precursor Chemicals : Not listed

**Yangtze River Protection Law**

This product does not contain any dangerous chemicals prohibited for inland river transport.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 2024/09/28

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

| | | |
|---|---|---|
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CN OEL / PC-TWA | : | Permissible concentration - time weighted average |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN