

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Raltegravir Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Oral) : Category 5

Serious eye damage/eye irritation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 3

##### GHS label elements

Hazard pictograms :



Signal word : Danger

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

Hazard statements : H303 May be harmful if swallowed.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H361d Suspected of damaging the unborn child.  
H402 Harmful to aquatic life.

Precautionary statements : **Prevention:**  
P203 Obtain, read and follow all safety instructions before use.  
P261 Avoid breathing dust.  
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P317 IF SWALLOWED: Get medical help.  
P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.  
P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.  
P318 IF exposed or concerned, get medical advice.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Raltegravir	871038-72-1	>= 50 - < 70
Cellulose	9004-34-6	>= 10 - < 20
Magnesium stearate	557-04-0	>= 1 - < 5

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical

## Raltegravir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	743567-00017	Date of first issue: 06.06.2016

---

		advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May be harmful if swallowed. Causes serious eye damage. May cause respiratory irritation. Suspected of damaging the unborn child. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Fluorine compounds Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.  
Add excess liquid to allow the material to enter into solution.  
Soak up with inert absorbent material.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid breathing dust.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

- Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Raltegravir	871038-72-1	TWA	1000 µg/m <sup>3</sup> (OEB 1)	Internal
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Magnesium stearate	557-04-0	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

- Engineering measures** : Minimize workplace exposure concentrations.  
Apply measures to prevent dust explosions.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

- glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- 

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Colour : No data available
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Density : No data available

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

May be harmful if swallowed.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: 4,026 mg/kg  
Method: Calculation method

#### **Components:**

##### **Raltegravir:**

Acute oral toxicity : LD50 (Mouse, male and female): > 2,000 mg/kg

---

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

### Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Raltegravir:

Species : Rabbit  
Result : No skin irritation

#### Magnesium stearate:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Raltegravir:

Species : Bovine cornea  
Result : Severe irritation

#### Magnesium stearate:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials



# SAFETY DATA SHEET

according to the Globally Harmonized System



## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Raltegravir:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : negative

##### Magnesium stearate:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Raltegravir:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
  
Test Type: Alkaline elution assay  
Test system: rat hepatocytes  
Result: negative  
  
Test Type: Chromosomal aberration  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative  
  
Test Type: Chromosomal aberration  
Method: OECD Test Guideline 475  
Result: negative

##### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **Magnesium stearate:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Raltegravir:**

Species : Mouse, male and female  
Exposure time : 104 weeks  
Result : negative

#### **Cellulose:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 72 weeks  
Result : negative

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Components:**

#### **Raltegravir:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 600 mg/kg body weight  
Result: negative

Effects on foetal development : Species: Rat  
Application Route: Oral

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

General Toxicity Maternal: NOAEL:  $\geq$  600 mg/kg body weight  
Teratogenicity: LOAEL F1: 300 mg/kg body weight  
Symptoms: Skeletal malformations  
Result: positive

Species: Rabbit  
General Toxicity Maternal: NOAEL:  $\geq$  1,000 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  1,000 mg/kg body weight  
Result: negative

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

May cause respiratory irritation.

### Components:

#### Raltegravir:

Exposure routes : Inhalation  
Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

### Repeated dose toxicity

#### Components:

##### **Raltegravir:**

Species : Dog  
NOAEL : 90 mg/kg  
Application Route : Oral  
Exposure time : 371 d  
Symptoms : Vomiting

Species : Rat  
NOAEL : 30 mg/kg  
LOAEL : 120 mg/kg  
Application Route : Oral  
Exposure time : 189 d  
Target Organs : Stomach

Species : Mouse  
NOAEL : 50 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Stomach

Species : Rat  
NOAEL : 50 mg/kg  
LOAEL : 200 mg/kg  
Application Route : Oral  
Exposure time : 8 Weeks  
Target Organs : Stomach

##### **Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **Magnesium stearate:**

Species : Rat  
NOAEL :  $> 100$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Raltegravir:**

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

Ingestion : Symptoms: Nausea, Diarrhoea, Headache, Fever, Rash, Skin irritation

---

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Raltegravir:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 66 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 3.8 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 9.3 mg/l  
Exposure time: 33 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

##### **Cellulose:**

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

### **Magnesium stearate:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 48 h  
Method: DIN 38412  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 47 h  
Test substance: Water Accommodated Fraction  
Method: Directive 67/548/EEC, Annex V, C.2.  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EL50 ( Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials  
No toxicity at the limit of solubility

NOELR ( Pseudokirchneriella subcapitata (green algae)): > 1 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l  
Exposure time: 16 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### **Persistence and degradability**

#### **Components:**

##### **Raltegravir:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 9 d  
Method: OECD Test Guideline 302B

Stability in water : Hydrolysis: < 10 %(5 d)  
Method: OECD Test Guideline 111

##### **Cellulose:**

Biodegradability : Result: Readily biodegradable.

## Raltegravir Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 743567-00017      Date of last issue: 04.04.2023  
Date of first issue: 06.06.2016

---

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Bioaccumulative potential**

**Components:**

**Raltegravir:**

Partition coefficient: n-octanol/water : log Pow: -0.328

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

### 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

---

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Raltegravir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	743567-00017	Date of first issue: 06.06.2016

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 30.09.2023

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,



## Raltegravir Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	743567-00017	Date of first issue: 06.06.2016

---

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN