

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
Date of first issue: 10.12.2015

SECTION 1. IDENTIFICATION

Product name : Ribavirin Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Germ cell mutagenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Blood)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H341 Suspected of causing genetic defects.
H360Df May damage the unborn child. Suspected of damaging fertility.
H373 May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
 Date of first issue: 10.12.2015

P260 Do not breathe mist or vapors.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sucrose	57-50-1	>= 30 -< 50
Glycerine	56-81-5	>= 20 -< 30
Ribavirin	36791-04-5	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of causing genetic defects.
 May damage the unborn child. Suspected of damaging fertility.
 May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection,

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
 Date of first issue: 10.12.2015

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
 Do not breathe mist or vapors.
 Do not swallow.
 Avoid contact with eyes.
 Wash skin thoroughly after handling.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Keep container tightly closed.
 Do not eat, drink or smoke when using this product.
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Keep tightly closed.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	CMP	10 mg/m ³	AR OEL
	Further information: A4 - Not classifiable as a human carcinogen			
		TWA	10 mg/m ³	ACGIH
Glycerine	56-81-5	CMP (Mist)	10 mg/m ³	AR OEL
Ribavirin	36791-04-5	Wipe limit	400 µg/100 cm ²	Internal
		TWA	40 µg/m ³ (OEB 3)	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapor type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|---|---|-------------------|
| Appearance | : | liquid |
| Color | : | clear |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | 4,8 - 5,5 |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
Date of first issue: 10.12.2015

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
Date of first issue: 10.12.2015

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:**Sucrose:**

Acute oral toxicity : LD50 (Rat): 29.700 mg/kg

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5.000 mg/kg

Ribavirin:

Acute oral toxicity : LD50 (Rat): 4.116 - 5.584 mg/kg

LD50 (Mouse): > 10.000 mg/kg

LD50 (Dog): >= 1.500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1.554 - 1.758 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 1.268 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:**Glycerine:**

Species : Rabbit

Result : No skin irritation

Ribavirin:

Remarks : No data available
May irritate skin.

Serious eye damage/eye irritation

Not classified based on available information.

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
Date of first issue: 10.12.2015

Components:**Glycerine:**

Species : Rabbit
Result : No eye irritation

Ribavirin:

Remarks : No data available
May irritate eyes.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Ribavirin:**

Remarks : No data available

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:**Sucrose:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Ribavirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Rodent cell line
Result: positive

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
 Date of first issue: 10.12.2015

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
 Species: Rat
 Result: negative

Test Type: Mouse Lymphoma
 Species: Mouse
 Result: positive

Test Type: Micronucleus test
 Species: Mouse
 Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:**Glycerine:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Ribavirin:

Species : Mouse
 Application Route : Oral
 Exposure time : 6 Months
 LOAEL : 75 mg/kg body weight
 Result : negative
 Target Organs : Blood, Testes
 Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Rat
 Application Route : Oral
 Exposure time : 2 Years
 NOAEL : 10 mg/kg body weight
 Result : negative
 Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Mouse
 Application Route : Oral
 Exposure time : 18 Months
 Result : negative
 Remarks : The mechanism or mode of action may not be relevant in hu-

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

mans.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Ribavirin:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Intraperitoneal injection
Fertility: LOAEL: < 20 mg/kg body weight
Symptoms: Reduced fertility
Result: positive

Test Type: Fertility
Species: Mouse, male
Application Route: Oral
Fertility: LOAEL: 35 mg/kg body weight
Symptoms: Reduced fertility
Result: positive

Test Type: Fertility
Species: Rat, females
Application Route: Oral
Fertility: NOAEL: 10 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: NOAEL: 160 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development
Species: Rat, female
Application Route: Oral
Developmental Toxicity: LOAEL: <= 1 mg/kg body weight
Symptoms: Reduced body weight, Reduced number of viable fetuses., Skeletal malformations.
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

Test Type: Development
 Species: Rabbit, female
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 1 mg/kg body weight
 Developmental Toxicity: LOAEL: 1 mg/kg body weight
 Symptoms: Reduced body weight, Skeletal malformations.
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development
 Species: Hamster
 Application Route: Oral
 Developmental Toxicity: LOAEL: 2,5 mg/kg body weight
 Symptoms: Skeletal and visceral variations ., Total Resorptions / resorption rate.
 Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: NOAEL: 0,3 mg/kg body weight
 Embryo-fetal toxicity.: LOAEL: 1 mg/kg body weight
 Symptoms: Skeletal malformations.
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Ribavirin:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Ribavirin:

Routes of exposure : Ingestion
 Target Organs : Blood
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
 Date of first issue: 10.12.2015

Repeated dose toxicity

Components:

Glycerine:

Species : Rat
 NOAEL : 0,167 mg/l
 LOAEL : 0,622 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 13 Weeks

Species : Rat
 NOAEL : 8.000 - 10.000 mg/kg
 Application Route : Ingestion
 Exposure time : 2 y

Species : Rabbit
 NOAEL : 5.040 mg/kg
 Application Route : Skin contact
 Exposure time : 45 Weeks

Ribavirin:

Species : Monkey
 LOAEL : 30 mg/kg
 Exposure time : 10 d
 Target Organs : Blood, Gastrointestinal tract

Species : Rat
 NOAEL : 7,6 mg/kg
 Application Route : Inhalation
 Exposure time : 90 d
 Target Organs : Blood, Lungs

Species : Dog
 NOAEL : 5 mg/kg
 Application Route : Oral
 Exposure time : 1 y
 Target Organs : Blood, Gastrointestinal tract

Species : Mouse
 NOAEL : 20 mg/kg
 Application Route : Oral
 Exposure time : 18 Months
 Target Organs : Blood, Cardio-vascular system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ribavirin:

Inhalation : Symptoms: Headache, Dizziness

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

Skin contact	:	Remarks: Based on Human Evidence Remarks: May cause eye irritation. Based on Human Evidence
Eye contact	:	Remarks: May cause eye irritation. Based on Human Evidence
Ingestion	:	Symptoms: blood effects, immune system effects, anorexia, Dizziness, insomnia, Fatigue, Headache, Itching, Rash, liver function change, Gastrointestinal disturbance

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycerine:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10.000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8

Ribavirin:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 119 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 117 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 119 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 6,9 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Glycerine:

Ribavirin Liquid Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 406963-00020 Date of last issue: 04.04.2023
Date of first issue: 10.12.2015

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d
Method: OECD Test Guideline 301D

Bioaccumulative potential**Components:****Sucrose:**

Partition coefficient: n-octanol/water : Pow: < 1

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1,75

Ribavirin:

Partition coefficient: n-octanol/water : log Pow: 0,971

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
AR OEL / CMP : TLV (Threshold Limit Value)

AllIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	406963-00020	Date of first issue: 10.12.2015

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8