

Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Section 1: Identification

Product identifier Ribavirin Liquid Formulation

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use Not applicable

Manufacturer or supplier's details

: MSD Company

50 Tuas West Drive Address

Singapore - Singapore 638408

Telephone +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Germ cell mutagenicity Category 2

Reproductive toxicity Category 1B

Specific target organ toxicity - : Category 2 (Blood)

repeated exposure (Oral)

GHS Label elements, including precautionary statements

Hazard pictograms

Signal word

Hazard statements H341 Suspected of causing genetic defects.

H360Df May damage the unborn child. Suspected of damaging

H373 May cause damage to organs (Blood) through prolonged

or repeated exposure if swallowed.

Precautionary statements Prevention:

P201 Obtain special instructions before use.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---------------|------------|-----------------------|
| Sucrose | 57-50-1 | >= 30 -< 50 |
| Glycerine | 56-81-5 | >= 20 -< 30 |
| Ribavirin | 36791-04-5 | >= 1 -< 10 |

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Most important symptoms and effects, both acute and delayed

Risks : Suspected of causing genetic defects.

May damage the unborn child. Suspected of damaging fertili-

ty.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures.

industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|------------|-------------------------------------|--|----------|
| Sucrose | 57-50-1 | PEL (long term) | 10 mg/m3 | SG OEL |
| | | TWA | 10 mg/m3 | ACGIH |
| Glycerine | 56-81-5 | PEL (long term) (Mist) | 10 mg/m3 | SG OEL |
| Ribavirin | 36791-04-5 | Wipe limit | 400 μg/100 cm ² | Internal |
| | | TWA | 40 μg/m3 (OEB 3) | Internal |

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).
Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : clear

Odour : No data available

Odour Threshold : No data available

pH : 4.8 - 5.5

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature

No data available



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : Oxidizing agents

No hazardous decomposition products are known.

products

Section 11: Toxicological information

Information on likely routes of : Inhalation exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Ribavirin:



Ribavirin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Acute oral toxicity : LD50 (Rat): 4,116 - 5,584 mg/kg

LD50 (Mouse): > 10,000 mg/kg

LD50 (Dog): >= 1,500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Remarks: No data available Acute dermal toxicity

Acute toxicity (other routes of:

administration)

LD50 (Rat): 1,554 - 1,758 mg/kg Application Route: Intraperitoneal

LD50 (Mouse): 1,268 mg/kg Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result No skin irritation

Ribavirin:

Remarks No data available

May irritate skin.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

Species Rabbit

Result No eye irritation

Ribavirin:

No data available Remarks

May irritate eyes.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Components:

Ribavirin:

Remarks : No data available

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Ribavirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Rodent cell line

Result: positive

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Rat Result: negative

Test Type: Mouse Lymphoma

Species: Mouse Result: positive

Test Type: Micronucleus test

Species: Mouse Result: positive



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Germ cell mutagenicity -

: Positive result(s) from in vivo mammalian somatic cell muta-

Assessment

genicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Glycerine:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Ribavirin:

Species : Mouse
Application Route : Oral
Exposure time : 6 Months

LOAEL : 75 mg/kg body weight

Result : negative Target Organs : Blood, Testes

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 10 mg/kg body weight

Result : negative

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Species : Mouse
Application Route : Oral
Exposure time : 18 Months
Result : negative

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Ribavirin:

Effects on fertility : Test Type: Fertility

Species: Rat, male

Application Route: Intraperitoneal injection Fertility: LOAEL: < 20 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Test Type: Fertility Species: Mouse, male Application Route: Oral

Fertility: LOAEL: 35 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Test Type: Fertility Species: Rat, females Application Route: Oral

Fertility: NOAEL: 10 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: NOAEL: 160 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on foetal develop-

ment

Test Type: Development Species: Rat, female

Application Route: Oral

Developmental Toxicity: LOAEL: <= 1 mg/kg body weight Symptoms: Reduced body weight, Reduced number of viable

fetuses, Skeletal malformations

Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Test Type: Development Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: LOAEL: 1 mg/kg body weight Developmental Toxicity: LOAEL: 1 mg/kg body weight Symptoms: Reduced body weight, Skeletal malformations Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Test Type: Development

Species: Hamster



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Application Route: Oral

Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Symptoms: Skeletal and visceral variations, Total Resorptions

/ resorption rate

Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.3 mg/kg body weight Embryo-foetal toxicity: LOAEL: 1 mg/kg body weight

Symptoms: Skeletal malformations

Result: positive

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

Ribavirin:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Ribavirin:

Exposure routes : Ingestion Target Organs : Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg



Ribavirin Liquid Formulation

Version SDS Number: Date of last issue: 30.09.2023 Revision Date: 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Application Route Ingestion Exposure time 2 yr

Species Rabbit NOAEL 5,040 mg/kg Application Route Skin contact Exposure time : 45 Weeks

Ribavirin:

Species Monkey LOAEL 30 mg/kg

Exposure time 10 d

Target Organs Blood, Gastrointestinal tract

Species Rat NOAEL 7.6 mg/kg Application Route Inhalation Exposure time 90 d

Target Organs Blood, Lungs

Species Dog NOAEL 5 mg/kg Application Route Oral Exposure time 1 yr

Target Organs Blood, Gastrointestinal tract

Species Mouse 20 mg/kg NOAEL Application Route Oral Exposure time 18 Months

Target Organs Blood, Cardio-vascular system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ribavirin:

Inhalation : Symptoms: Headache, Dizziness

Remarks: Based on Human Evidence : Remarks: May cause eye irritation.

Skin contact Based on Human Evidence

: Remarks: May cause eye irritation. Eye contact

Based on Human Evidence

Ingestion Symptoms: blood effects, immune system effects, anorexia,

Dizziness, insomnia, Fatigue, Headache, Itching, Rash, liver

function change, Gastrointestinal disturbance



Ribavirin Liquid Formulation

Version Date of last issue: 30.09.2023 **Revision Date:** SDS Number: 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Section 12: Ecological information

Toxicity

Components:

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l

> Exposure time: 16 h Method: DIN 38 412 Part 8

Ribavirin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 119 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 117 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 119

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.9

Exposure time: 96 h

Method: OECD Test Guideline 201

EC50: > 1,000 mg/lToxicity to microorganisms

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Glycerine:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Bioaccumulative potential

Components:

Sucrose:

Partition coefficient: n- : Pow: < 1

octanol/water

Glycerine:

Partition coefficient: n-

octanol/water

log Pow: -1.75

Ribavirin:

Partition coefficient: n-

octanol/water

: log Pow: 0.971

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

15 / 17



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Packing instruction (passen: Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable UN proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

: Not applicable

Not applicable

Fire Safety (Petroleum and Flammable Materials) :

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to

compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



Ribavirin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 402762-00020 Date of first issue: 10.12.2015

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN