

Ribavirin Solid Formulation

Date of last issue: 04.04.2023 Version Revision Date: SDS Number: 4.1 30.09.2023 402640-00020 Date of first issue: 11.12.2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Ribavirin Solid Formulation

Manufacturer or supplier's details

Company name of supplier **MSD**

Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Pharmaceutical Recommended use Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) Category 5

Germ cell mutagenicity Category 2

Reproductive toxicity Category 1B

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity - repeated exposure (Oral)

Category 1 (Blood)

GHS label elements

Hazard pictograms





Signal Word Danger

Hazard Statements H303 May be harmful if swallowed.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H360Df May damage the unborn child. Suspected of damaging

fertility.

H372 Causes damage to organs (Blood) through prolonged or

repeated exposure if swallowed.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 402640-00020 Date of first issue: 11.12.2015

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ribavirin	36791-04-5	>= 50 -< 70
Cellulose	9004-34-6	>= 10 -< 20
Magnesium stearate	557-04-0	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 402640-00020 Date of first issue: 11.12.2015

Get medical attention.

Rinse mouth thoroughly with water. May be harmful if swallowed.

Most important symptoms and effects, both acute and delayed

May cause respiratory irritation.

Suspected of causing genetic defects.

May damage the unborn child. Suspected of damaging fertili-

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

Protection of first-aiders

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for Surround spill with absorbents and place a damp covering



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

containment and cleaning up over the area to minimize entry of the material into the air.

Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ribavirin	36791-04-5	Wipe limit	400 μg/100 cm ²	Internal
		TWA	40 μg/m3 (OEB 3)	Internal
Cellulose	9004-34-6	VLE-PPT	10 mg/m³	NOM-010- STPS-2014
		TWA	10 mg/m ³	ACGIH
Magnesium stearate	557-04-0	VLE-PPT	10 mg/m³	NOM-010- STPS-2014
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 2,249 mg/kg

Method: Calculation method

Components:

Ribavirin:

Acute oral toxicity : LD50 (Rat): 4,116 - 5,584 mg/kg



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

LD50 (Mouse): > 10,000 mg/kg

LD50 (Dog): >= 1,500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 1,554 - 1,758 mg/kg Application Route: Intraperitoneal

LD50 (Mouse): 1,268 mg/kg Application Route: Intraperitoneal

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Ribavirin:

Remarks : No data available

May irritate skin.

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Components:

Ribavirin:

Remarks : No data available

May irritate eyes.

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Ribavirin:

Remarks : No data available

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Ribavirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Rodent cell line

Result: positive

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Rat Result: negative



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Test Type: Mouse Lymphoma

Species: Mouse Result: positive

Test Type: Micronucleus test

Species: Mouse Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Ribavirin:

Species : Mouse
Application Route : Oral
Exposure time : 6 Months

LOAEL : 75 mg/kg body weight

Result : negative
Target Organs : Blood, Testes

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 10 mg/kg body weight

Result : negative

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Species : Mouse
Application Route : Oral
Exposure time : 18 Months
Result : negative

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Ribavirin:

Effects on fertility : Test Type: Fertility

Species: Rat. male

Application Route: Intraperitoneal injection Fertility: LOAEL: < 20 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Test Type: Fertility Species: Mouse, male Application Route: Oral

Fertility: LOAEL: 35 mg/kg body weight

Symptoms: Reduced fertility

Result: positive

Test Type: Fertility Species: Rat, females Application Route: Oral

Fertility: NOAEL: 10 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: NOAEL: 160 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Species: Rat, female Application Route: Oral

Developmental Toxicity: LOAEL: <= 1 mg/kg body weight Symptoms: Reduced body weight, Reduced number of viable

fetuses., Skeletal malformations.

Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Test Type: Development Species: Rabbit, female Application Route: Oral

General Toxicity Maternal: LOAEL: 1 mg/kg body weight Developmental Toxicity: LOAEL: 1 mg/kg body weight Symptoms: Reduced body weight, Skeletal malformations. Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Test Type: Development

Species: Hamster Application Route: Oral

Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Symptoms: Skeletal and visceral variations ., Total Resorp-

tions / resorption rate.

Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.3 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 1 mg/kg body weight

Symptoms: Skeletal malformations.

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of

adverse effects on development, based on animal

experiments.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 402640-00020 Date of first issue: 11.12.2015

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

May cause respiratory irritation.

Components:

Ribavirin:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Ribavirin:

Routes of exposure : Ingestion Target Organs : Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Ribavirin:

Species : Monkey LOAEL : 30 mg/kg Exposure time : 10 d

Target Organs : Blood, Gastrointestinal tract

Species : Rat
NOAEL : 7.6 mg/kg
Application Route : Inhalation
Exposure time : 90 d
Target Organs : Blood, Lungs

Species : Dog NOAEL : 5 mg/kg Application Route : Oral

Exposure time : 1 y

Target Organs : Blood, Gastrointestinal tract

Species : Mouse



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 402640-00020 Date of first issue: 11.12.2015

NOAEL : 20 mg/kg Application Route : Oral Exposure time : 18 Months

Target Organs : Blood, Cardio-vascular system

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ribavirin:

Inhalation : Symptoms: Headache, Dizziness

Remarks: Based on Human Evidence

Skin contact : Remarks: May cause eye irritation.

Based on Human Evidence

Eye contact : Remarks: May cause eye irritation.

Based on Human Evidence

Ingestion : Symptoms: blood effects, immune system effects, anorexia,

Dizziness, insomnia, Fatigue, Headache, Itching, Rash, liver

function change, Gastrointestinal disturbance

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ribavirin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 119 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 117 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): > 119

mg/l

Exposure time: 96 h



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 6.9

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/I

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials



Ribavirin Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 402640-00020
 Date of first issue: 11.12.2015

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Ribavirin:

Partition coefficient: n-

octanol/water

log Pow: 0.971

Magnesium stearate:

Partition coefficient: n-

octanol/water

: log Pow: > 4

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 402640-00020 Date of first issue: 11.12.2015

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable

essential chemical products and machinery for

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PP1

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect



Ribavirin Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 402640-00020 Date of first issue: 11.12.2015

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8