

Version 3.10	Revision Date: 30.09.2023	-	S Number: 9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016		
SECTION	1. IDENTIFICATION					
Prod	uct name	:	Rocuronium B	Bromide Formulation		
Manu	ufacturer or supplier's o	deta	ils			
Com	pany	:	MSD			
Addro	Address		855 Leandro N. Alem St., 8 Floor Buenos Aires, Argentina C1001AFB			
Telep	phone	:	908-740-4000			
Emei	rgency telephone	:	1-908-423-600	00		
E-ma	il address	:	EHSDATAST	EWARD@msd.com		
Reco	ommended use of the c	hem	ical and restric	ctions on use		
	mmended use rictions on use	:	Pharmaceutica Not applicable			
SECTION	2. HAZARDS IDENTIFI	САТ	ION			
	Classification		Category 1 (N	ervous svetem muscle)		
	e exposure	•				
GHS	label elements					
Haza	rd pictograms	:				
Signa	al Word	:	Danger			
Haza	ard Statements	:	H370 Causes	damage to organs (Nervous system, muscle)		
Preca	autionary Statements	:	P264 Wash sk	preathe mist or vapors. kin thoroughly after handling. eat, drink or smoke when using this product.		
			Response: P308 + P311 CENTER/ doc	IF exposed or concerned: Call a POISON stor.		
			Storage:			



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	439067-00017	Date of first issue: 05.01.2016

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Rocuronium Bromide	119302-91-9	>= 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Causes damage to organs.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire	:	Exposure to combustion products may be a hazard to health.



Versi 3.10	on	Revision Date: 30.09.2023		9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016	
ł	fighting Hazard ucts	ous combustion prod-	:	Carbon oxides		
(Specific extinguishing meth- ods Special protective equipment for fire-fighters		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.		
		ACCIDENTAL RELE	ASE	· ·		
t	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe handl	ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).	
E	Environmental precautions		:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containmer oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	Methods and materials for containment and cleaning up		:	For large spills, pr containment to ke can be pumped, s container.	t absorbent material. rovide diking or other appropriate ep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable	

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation		Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe mist or vapors.
		Do not swallow.
		Avoid contact with eyes.
		Avoid prolonged or repeated contact with skin.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure assessment

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

employed in the cleanup of releases. You will need to

certain local or national requirements.

absorbent.



Version 3.10	Revision Date: 30.09.2023	SDS Number: 439067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016			
Condi	itions for safe storage	 Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. Keep in properly labeled containers. Store locked up. Store in accordance with the particular national regulations. 				
Materials to avoid		 Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases 				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Rocuronium Bromide	119302-91-9	TLV-C	4 µg/m3 (OEB 4)	Internal
		Wipe limit	40 µg/100 cm ²	Internal

Engineering measures :	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.
Personal protective equipmen	t i i i i i i i i i i i i i i i i i i i
Respiratory protection :	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type : Hand protection	Particulates type
Material :	Chemical-resistant gloves
Remarks:Eye protection:Skin and body protection:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat.
	Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
3.10		439067-00017	Date of first issue: 05.01.2016
Hygie	ne measures	eye flushing sy working place. When using do Wash contami The effective o engineering co appropriate de industrial hygie	chemical is likely during typical use, provide stems and safety showers close to the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	colorless
Odor	:	odorless
Odor Threshold	:	No data available
рН	:	5 - 8 (20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-	:	Not applicable

SAFETY DATA SHEET



Rocuronium Bromide Formulation

Version 3.10	Revision Date: 30.09.2023		S Number: 9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
Autoię	ol/water gnition temperature mposition temperature	:	No data availabl No data availabl	-
	sity scosity, kinematic sive properties	:	No data availabl Not explosive	e
	zing properties cular weight	:	The substance o	or mixture is not classified as oxidizing. e
Partic	le size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

formation on likely routes of xposure	:	Inhalation Skin contact
•		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method

Components:

Rocuronium Bromide:

SAFETY DATA SHEET



ersion 10	Revision Date: 30.09.2023		DS Number: 9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
Acute	e oral toxicity	:	LD50 (Rat): 2.000) mg/kg
			LD50 (Rat): 200 r	ng/kg
Acute inhalation toxicity		:	Exposure time: 1 Test atmosphere:	h
			LC50 (Rat, male): Exposure time: 4 Test atmosphere: Remarks: Based	h
			LC50 (Rat, female Exposure time: 4 Test atmosphere: Remarks: Based	ĥ
			LC50 (Rat): 1,09 Exposure time: 1 Test atmosphere: Remarks: Based	h
Acute	e dermal toxicity	:	Acute toxicity esti Method: Expert ju	mate: 1.100 mg/kg idgment
	e toxicity (other routes of nistration)	:	LD50 (Rat): 0,3 m Application Route	
			LD50 (Dog): 135 Application Route Target Organs: C	
	corrosion/irritation lassified based on availa	ble	information	
Serio	ous eye damage/eye irri lassified based on availa	tati	on	
Resp	iratory or skin sensitiz	atio	on	
-	sensitization lassified based on availa	ble	information.	
	iratory sensitization lassified based on availa	ble	information.	
	n cell mutagenicity lassified based on availa	ble	information.	
<u>Com</u>	ponents:			
	rronium Bromide: toxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)



rsion I0	Revision Date: 30.09.2023		OS Number: 9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
				mosomal aberration man lymphocytes
				o mammalian cell gene mutation test inese hamster ovary cells
Geno	toxicity in vivo	:	Test Type: Micro Species: Rat Cell type: Bone r Result: negative	
	nogenicity assified based on av	vailable	information.	
•	oductive toxicity assified based on av	vailable	information.	
<u>Comp</u>	oonents:			
Rocu	ronium Bromide:			
Effect	s on fetal developme	ent :	Result: Embryoto	
			Result: Embryoto	
Repro sessn	oductive toxicity - As- nent	· :	Suspected of dat	maging the unborn child.
STOT	-single exposure			
Cause	es damage to organs	s (Nervo	ous system, muscl	e).
Produ				
	et Organs ssment	:	Nervous system, Shown to produc centrations of 1.0	e significant health effects in animals at con



sion)	Revision Date: 30.09.2023	SDS Number: 439067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
<u>Comp</u>	onents:		
Rocur	onium Bromide:		
	t Organs	: Nervous syste	em muscle
Asses	-	: Causes dama	
STOT	-repeated exposure	•	
Not cla	assified based on av	ailable information.	
Repea	ated dose toxicity		
<u>Comp</u>	onents:		
Rocur	onium Bromide:		
Specie		: Cat	_
NOAE		: 2,5 - 12,5 mg	/kg
Applic Rema	ation Route	: Intravenous	advorce offects were reported
кета	142	. NO SIGNINCAN	adverse effects were reported
Specie	es	: Cat	
LOAE		: 10,8 mg/kg	
	ation Route	: Intravenous	
	ure time	: 4 Weeks	advaraa offecto ware reported
Rema	rks	: No significant	adverse effects were reported
Specie	es	: Dog	
LOAE		: 18 mg/kg	
	ation Route	: Intravenous	
	ure time	: 4 Weeks	advaraa offecto ware reported
Rema	IKS	: No significant	adverse effects were reported
Specie	es	: Rat	
NOAE		: 1,3 - 2,6 mg/k	g
	ation Route	: Subcutaneou	S
	ure time	: 1 Weeks	a duance offerste succession entrol
Rema	rks	: No significant	adverse effects were reported
-	ation toxicity		
Not cla	assified based on av	ailable information.	
Exper	ience with human	exposure	
<u>Produ</u>	<u>ict:</u>		
Inhala	tion		he most common side effects are:, Cardiac a
			astrointestinal disturbance, Asthma, Rash, pr s, paralysis, hypertension, hypotension, Fatig
Comp	onents:	,	,
Rocur	onium Bromide:		
Inhala		· Symptoms · T	he most common side effects are:, Cardiac a
iiiiaia			astrointestinal disturbance, Asthma, Rash, pri
			s, paralysis, hypertension, hypotension, Fatig
	ontact		y produce an allergic reaction.



Version 3.10	Revision Date: 30.09.2023	SDS Number: 439067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
SECTION	I 12. ECOLOGICAL II	NFORMATION	
	oxicity ata available		
	istence and degrada ata available	bility	
	ccumulative potentia	al	
	ility in soil ata available		
	er adverse effects ata available		
SECTION	I 13. DISPOSAL CON	ISIDERATIONS	
	osal methods		
\Moot	ha fram raaiduaa	. Do not dianaac	of worth into cower

Waste from residues	: Do not dispose of waste into sewer.
	Dispose of in accordance with local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable



Version 3.10	Revision Date: 30.09.2023		DS Number: 9067-00017	Date of last issue: 04.04.2023 Date of first issue: 05.01.2016
AICS	gredients of this proc	duct :	not determined	e following inventories:
		:	not determined	
	6. OTHER INFORMATion Date	1017 : :	N 30.09.2023 dd.mm.yyyy	
Source	er information es of key data used to e the Material Safety Sheet	:		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	439067-00017	Date of first issue: 05.01.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8