

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
Date of first issue: 2014/10/31

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Sitagliptin / Metformin Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use :
Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Other hazards which do not result in classification

Important symptoms and out- : Dust contact with the eyes can lead to mechanical irritation.
 lines of the emergency as- : Contact with dust can cause mechanical irritation or drying of
 sumed : the skin.
 : May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
metformin hydrochloride	1115-70-4	>= 70 - < 80	2-2883
Sitagliptin	654671-77-9	>= 2.5 - < 10	
Cellulose	9004-34-6	>= 1 - < 10	
Sodium n-dodecyl sulfate	151-21-3	>= 0.25 - < 1	2-1679
Titanium dioxide	13463-67-7	>= 0.1 - < 1	1-558, 5-5225

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
 Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
 Dust contact with the eyes can lead to mechanical irritation.
 Harmful if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
 Alcohol-resistant foam

Sitagliptin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
9.0	2023/04/04	27112-00022	Date of first issue: 2014/10/31

		Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding
--------------------	---	---

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

- Local/Total ventilation : and bonding, or inert atmospheres.
 Advice on safe handling : Use only with adequate ventilation.
 : Do not breathe dust.
 : Do not swallow.
 : Avoid contact with eyes.
 : Avoid prolonged or repeated contact with skin.
 : Wash skin thoroughly after handling.
 : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 : Minimize dust generation and accumulation.
 : Keep container closed when not in use.
 : Keep away from heat and sources of ignition.
 : Take precautionary measures against static discharges.
 : Do not eat, drink or smoke when using this product.
 : Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
 Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 : When using do not eat, drink or smoke.
 : Wash contaminated clothing before re-use.
 : The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Storage**
- Conditions for safe storage : Keep in properly labelled containers.
 : Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
metformin hydrochloride	1115-70-4	TWA	1 mg/m ³ (OEB 1)	Internal
Sitagliptin	654671-77-9	TWA	0.5 mg/m ³ (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
Titanium dioxide	13463-67-7	OEL-M (Respirable dust)	1 mg/m ³ (Titanium)	JP OEL JSOH
		OEL-M (Total)	4 mg/m ³	JP OEL

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

		dust)	(Titanium)	JSOH
		TWA (Respirable particulate matter)	2.5 mg/m ³ (Titanium dioxide)	ACGIH

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : No data available

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available
 per flammability limit

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
Date of first issue: 2014/10/31

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	Not applicable
Density and / or relative density Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

Sitagliptin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
9.0	2023/04/04	27112-00022	Date of first issue: 2014/10/31

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,380 mg/kg
Method: Calculation method

Components:

metformin hydrochloride:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg
LD50 (Mouse): 1,450 - 3,500 mg/kg
LD50 (Monkey): 463 mg/kg
LD50 (Rabbit): 350 mg/kg
LD50 (Guinea pig): 500 mg/kg

Sitagliptin:

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg
LD50 (Mouse): 3,000 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Sodium n-dodecyl sulfate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
Date of first issue: 2014/10/31

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**metformin hydrochloride:**

Species : Rabbit
Result : Mild skin irritation

Sitagliptin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**metformin hydrochloride:**

Species : Rabbit
Result : Mild eye irritation

Sitagliptin:

Species : Rabbit
Result : Irritating to eyes.
Method : Draize Test

Sodium n-dodecyl sulfate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Titanium dioxide:

Species : Rabbit
 Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Sitagliptin:**

Test Type : Local lymph node assay (LLNA)
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : Not a skin sensitizer.

Sodium n-dodecyl sulfate:

Test Type : Maximisation Test
 Exposure routes : Skin contact
 Species : Guinea pig
 Result : negative
 Remarks : Based on data from similar materials

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
 Exposure routes : Skin contact
 Species : Mouse
 Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**metformin hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: in vitro assay
 Test system: mouse lymphoma cells
 Result: negative

Test Type: Chromosomal aberration
 Test system: Human lymphocytes
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Application Route: Oral

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

		Result: negative
Sitagliptin:		
Genotoxicity in vitro	:	Test Type: Ames test Result: negative
		Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Cellulose:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative
Sodium n-dodecyl sulfate:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Titanium dioxide:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Result: negative

Carcinogenicity

Not classified based on available information.

Components:**metformin hydrochloride:**

Species : Mouse
 Exposure time : 91 weeks
 Dose : 1500 mg/kg body weight
 Result : negative

Species : Rat, male
 Application Route : Oral
 Exposure time : 104 weeks
 Dose : 900 mg/kg body weight
 Result : negative

Species : Rat, female
 Application Route : Oral
 Exposure time : 104 weeks
 LOAEL : 900 mg/kg body weight
 Result : negative
 Target Organs : Uterus (including cervix)
 Remarks : The mechanism or mode of action may not be relevant in humans.

Sitagliptin:

Species : Mouse
 Application Route : Oral
 Exposure time : 2 Years
 Result : negative

Species : Rat
 Application Route : oral (drinking water)
 Exposure time : 2 Years
 Result : positive
 Target Organs : Liver
 Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cellulose:

Species : Rat
 Application Route : Ingestion
 Exposure time : 72 weeks
 Result : negative

Sodium n-dodecyl sulfate:

Species : Rat

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Application Route : Ingestion
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rat
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 Years
 Method : OECD Test Guideline 453
 Result : positive
 Remarks : The mechanism or mode of action may not be relevant in humans.
 This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

Components:**metformin hydrochloride:**

Effects on fertility : Test Type: Fertility
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL: 600 mg/kg body weight
 Result: No effects on fertility

Effects on foetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 600 mg/kg body weight
 Result: No teratogenic effects

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Oral
 Embryo-foetal toxicity: NOAEL: 140 mg/kg body weight
 Result: No teratogenic effects

Sitagliptin:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Oral
 Fertility: NOAEL Parent: 1,000 mg/kg body weight
 Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Application Route: Oral
 Teratogenicity: LOAEL: 250 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the off-spring were detected., No teratogenic effects

Test Type: Embryo-foetal development
 Species: Rabbit
 Teratogenicity: NOAEL: 125 mg/kg body weight
 Result: No teratogenic effects

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Sodium n-dodecyl sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****metformin hydrochloride:**

Species : Rat
 NOAEL : 125 mg/kg
 Application Route : Oral
 Exposure time : 1 year
 Remarks : No significant adverse effects were reported

Species : Rabbit
 NOAEL : 100 mg/kg

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Application Route : Oral
 Exposure time : 1 Year
 Remarks : No significant adverse effects were reported

Species : Dog
 NOAEL : 50 mg/kg
 Application Route : Subcutaneous
 Exposure time : 2 year
 Remarks : No significant adverse effects were reported

Sitagliptin:

Species : Mouse
 NOAEL : 500 mg/kg
 LOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : > 2 yr
 Target Organs : Kidney

Species : Rat
 NOAEL : 500 mg/kg
 LOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : 14 Weeks
 Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog
 NOAEL : 10 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Target Organs : Central nervous system
 Symptoms : Loss of balance
 Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Dog
 NOAEL : 2 mg/kg
 LOAEL : 10 mg/kg
 Application Route : Oral
 Exposure time : 27 Weeks
 Target Organs : Skeletal muscle, Central nervous system
 Symptoms : Loss of balance
 Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey
 NOAEL : 100 mg/kg
 Application Route : Oral
 Exposure time : 14 Weeks
 Remarks : No significant adverse effects were reported

Cellulose:

Species : Rat
 NOAEL : >= 9,000 mg/kg

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Application Route : Ingestion
 Exposure time : 90 Days

Sodium n-dodecyl sulfate:

Species : Rat
 NOAEL : 488 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days
 Remarks : Based on data from similar materials

Titanium dioxide:

Species : Rat
 NOAEL : 24,000 mg/kg
 Application Route : Ingestion
 Exposure time : 28 Days

Species : Rat
 NOAEL : 10 mg/m3
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****metformin hydrochloride:**

Skin contact : Remarks: May irritate skin.
 Eye contact : Remarks: May irritate eyes.
 Ingestion : Symptoms: Diarrhoea, Nausea, Vomiting, Gastrointestinal discomfort, flatulence, asthenia, Fatigue, Headache

Sitagliptin:

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache
 Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****metformin hydrochloride:**

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

plants	mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 10 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 40 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Sitagliptin:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 60 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 150 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

NOEC: 150 mg/l
 Exposure time: 3 h
 Test Type: Respiration inhibition

Cellulose:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 100 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Sodium n-dodecyl sulfate:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 29 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): 5.55 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Desmodesmus subspicatus* (green algae)): > 120 mg/l
 Exposure time: 72 h

NOEC (*Desmodesmus subspicatus* (green algae)): 30 mg/l
 Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): \geq 1.357 mg/l
 Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Ceriodaphnia dubia* (water flea)): 0.88 mg/l
 Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l
 Exposure time: 3 h

Titanium dioxide:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l
 Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Persistence and degradability**Components:**

metformin hydrochloride:

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Biodegradability : Result: rapidly degradable
 Biodegradation: 50 %
 Exposure time: 2 hrs

Sitagliptin:

Biodegradability : Result: not rapidly degradable
 Biodegradation: 39.7 %
 Exposure time: 28 d
 Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(401 d)
 Method: OECD Test Guideline 111

Cellulose:

Biodegradability : Result: Readily biodegradable.

Sodium n-dodecyl sulfate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B

Bioaccumulative potential**Components:****metformin hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: -2

Sitagliptin:

Partition coefficient: n-octanol/water : log Pow: -0.03

Sodium n-dodecyl sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Mobility in soil**Components:****metformin hydrochloride:**

Distribution among environmental compartments : log Koc: 4.3
 Method: OECD Test Guideline 106

Sitagliptin:

Distribution among environmental compartments : log Koc: 4.37

Hazardous to the ozone layer

Not applicable

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
 Do not dispose of waste into sewer.
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Packing instruction (cargo aircraft) : Not applicable
 Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 EmS Code : Not applicable
 Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
 Date of first issue: 2014/10/31

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Sodium alkyl(C=8-18) sulfate	214

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Titanium(IV) oxide	>=0.1 - <1	-

Substances Subject to be Indicated Names

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Sitagliptin / Metformin Formulation

Version 9.0 Revision Date: 2023/04/04 SDS Number: 27112-00022 Date of last issue: 2022/10/01
Date of first issue: 2014/10/31

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Until March 31st, 2023**

Not applicable

From April 1st, 2023

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Sitagliptin / Metformin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
9.0	2023/04/04	27112-00022	Date of first issue: 2014/10/31

Date format : yyyy/mm/dd

Full text of other abbreviationsACGIH : USA. ACGIH Threshold Limit Values (TLV)
JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure LimitsACGIH / TWA : 8-hour, time-weighted average
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN