

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sitagliptin / Simvastatin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Pharmaceutical

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
120 Moorgate
EC2M 6UR London, United Kingdom

Telephone : +44 (0) 2081548000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)


SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

- Hazard pictograms : 
- Signal word : Warning
- Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P260 Do not breathe dust.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Hazardous components which must be listed on the label:
Simvastatin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Sitagliptin	654671-77-9	Eye Irrit. 2; H319	>= 10 - < 20
Simvastatin	79902-63-9	Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 1; H372 (Liver, muscle, optic nerve, Eye) Aquatic Chronic 2; H411	>= 2.5 - < 10

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Substances with a workplace exposure limit :			
Cellulose	9004-34-6 232-674-9		>= 1 - < 10
Starch	9005-25-8 232-679-6		>= 1 - < 10
Ascorbic acid	50-81-7 200-066-2		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

tainer for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|---|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|--------------------------|---|--|
| Requirements for storage | : | Keep in properly labelled containers. Store in accordance with |
|--------------------------|---|--|

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

areas and containers the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind 10 mg/m³
Value type (Form of exposure): TWA (Inhalable)
Basis: GB EH40

4 mg/m³
Value type (Form of exposure): TWA (Respirable fraction)
Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sitagliptin	654671-77-9	TWA	0.5 mg/m ³ (OEB 2)	Internal
Cellulose	9004-34-6	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40
		STEL (inhalable dust)	20 mg/m ³	GB EH40
Simvastatin	79902-63-9	TWA	25 µg/m ³ (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	250 µg/100 cm ²	Internal
Starch	9005-25-8	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40
Ascorbic acid	50-81-7	TWA	5000 µg/m ³ (OEB 1)	Internal

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to BS EN 143
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	pink
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Sitagliptin:

Acute oral toxicity : LD50 (Rat): > 3,000 mg/kg
LD50 (Mouse): 3,000 mg/kg

Simvastatin:

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg
LD50 (Mouse): 3,800 mg/kg

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ascorbic acid:

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Components:

Sitagliptin:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Simvastatin:

Species : Rabbit
Remarks : Moderate skin irritation

Ascorbic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Sitagliptin:

Species : Rabbit
Method : Draize Test
Result : Irritating to eyes.

Simvastatin:

Species : Rabbit
Remarks : slight irritation

Starch:

Species : Rabbit
Result : No eye irritation

Ascorbic acid:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Components:

Sitagliptin:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Simvastatin:

Assessment : Probability or evidence of skin sensitisation in humans
Result : positive

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Ascorbic acid:

Test Type : Maurer optimisation test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Sitagliptin:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Simvastatin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Test Type: Alkaline elution assay

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Ascorbic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Carcinogenicity

Not classified based on available information.

Components:

Sitagliptin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Result : positive
Target Organs : Liver
Remarks : Significant toxicity observed in testing

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Simvastatin:

Species : Mouse
Application Route : Oral
Exposure time : < 92 weeks
Target Organs : Harderian gland
Tumor Type : Liver, Lungs
Remarks : The significance of these findings for humans is not certain.

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Tumor Type : Liver, Thyroid
Remarks : The significance of these findings for humans is not certain.

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Ascorbic acid:

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Components:

Sitagliptin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Oral
Fertility: NOAEL Parent: 1,000 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Teratogenicity: LOAEL: 250 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development
Species: Rabbit
Teratogenicity: NOAEL: 125 mg/kg body weight
Result: No teratogenic effects

Simvastatin:

Effects on fertility : Test Type: Fertility
Species: Rat, male
Application Route: Oral
Fertility: LOAEL: 25 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Embryo-foetal toxicity: NOAEL: 25 mg/kg body weight
Result: No teratogenic effects, No adverse effects

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Embryo-foetal toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects, No adverse effects

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Embryo-foetal toxicity: LOAEL: 60 mg/kg body weight
Result: Teratogenic potential
Remarks: Based on data from similar materials

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

Ascorbic acid:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Simvastatin:

Target Organs : Liver, muscle, optic nerve, Eye
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Sitagliptin:

Species : Mouse
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : > 2 yr
Target Organs : Kidney

Species : Rat
NOAEL : 500 mg/kg
LOAEL : 1,000 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Central nervous system
Symptoms : Loss of balance
Remarks : The mechanism or mode of action may not be relevant in humans.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Species : Dog
NOAEL : 2 mg/kg
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 27 Weeks
Target Organs : Skeletal muscle, Central nervous system
Symptoms : Loss of balance
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Monkey
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Remarks : No significant adverse effects were reported

Simvastatin:

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 14 - 104 Weeks
Target Organs : Liver, Testis, Musculo-skeletal system, Eye

Species : Dog
LOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 14 - 104 Weeks
Target Organs : Liver, Testis, Eye

Species : Rabbit
NOAEL : 30 mg/kg
LOAEL : 50 mg/kg
Application Route : Oral
Target Organs : Liver, Kidney

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Starch:

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Ascorbic acid:

Species : Rat, male
NOAEL : $\geq 8,100$ mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Sitagliptin:

Inhalation : Symptoms: upper respiratory tract infection, pharyngitis, Headache
Ingestion : Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

Simvastatin:

Skin contact : Remarks: May produce an allergic reaction.
Ingestion : Target Organs: Liver
Symptoms: upper respiratory tract infection, Headache, Abdominal pain, constipation, Nausea
Target Organs: Musculo-skeletal system

SECTION 12: Ecological information

12.1 Toxicity

Components:

Sitagliptin:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 60 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 150 mg/l
Exposure time: 3 h

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC : 150 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition

Toxicity to fish (Chronic toxicity) : NOEC: 9.2 mg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.8 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Simvastatin:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.91 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 25 mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 25 mg/l
Exposure time: 96 h

Toxicity to microorganisms : EC50 : > 30 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC : 21 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Ascorbic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50 : 140 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

12.2 Persistence and degradability

Components:

Sitagliptin:

Biodegradability : Result: not rapidly degradable
Biodegradation: 39.7 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Stability in water : pH: 7
Hydrolysis: 50 %(401 d)
Method: OECD Test Guideline 111

Simvastatin:

Biodegradability : Result: rapidly degradable

Stability in water : Hydrolysis: 50 %(3.2 d)

Cellulose:

Biodegradability : Result: Readily biodegradable.

Ascorbic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 5 d
Method: OECD Test Guideline 302

12.3 Bioaccumulative potential

Components:

Sitagliptin:

Partition coefficient: n-
octanol/water : log Pow: -0.03

Simvastatin:

Partition coefficient: n-
octanol/water : log Pow: > 4.07

Ascorbic acid:

Partition coefficient: n-
octanol/water : log Pow: -1.85

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

12.4 Mobility in soil

Components:

Sitagliptin:

Distribution among environmental compartments : log Koc: 4.37

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version 5.1 Revision Date: 26.09.2023 SDS Number: 9371362-00007 Date of last issue: 20.03.2023
Date of first issue: 27.08.2021

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H372 : Causes damage to organs through prolonged or repeated exposure.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Irrit. 2	H319
Skin Sens. 1	H317
STOT RE 2	H373
Aquatic Chronic 3	H412

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by
UK REACH Regulations SI 2019/758



Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
5.1	26.09.2023	9371362-00007	Date of first issue: 27.08.2021

GB / EN