

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
Date of first issue: 2014/10/21

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Sitagliptin / Simvastatin Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure : Category 2 (Liver, muscle, optic nerve, Eye)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
 Date of first issue: 2014/10/21

H373 May cause damage to organs (Liver, muscle, optic nerve, Eye) through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P260 Do not breathe dust.
 P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P314 Get medical advice/ attention if you feel unwell.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Sitagliptin	654671-77-9	>= 10 - < 20	
Cellulose	9004-34-6	>= 1 - < 10	
Starch	9005-25-8	>= 1 - < 10	8-98
Simvastatin	79902-63-9	>= 2.5 - < 10	
Ascorbic acid	50-81-7	>= 1 - < 10	5-62
Titanium dioxide	13463-67-7	>= 0.1 - < 1	1-558, 5-5225

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

4. FIRST AID MEASURES

- | | | |
|---|---|--|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |
-

5. FIREFIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Metal oxides
Oxides of phosphorus |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so. |

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Special protective equipment for firefighters : Evacuate area.
In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
 Date of first issue: 2014/10/21

Avoidance of contact : Take care to prevent spills, waste and minimize release to the environment.
 Hygiene measures : Oxidizing agents
 : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Contaminated work clothing should not be allowed out of the workplace.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
 Store in accordance with the particular national regulations.
 Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Sitagliptin	654671-77-9	TWA	0.5 mg/m ³ (OEB 2)	Internal
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
Simvastatin	79902-63-9	TWA	25 µg/m ³ (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	250 µg/100 cm ²	Internal
Starch	9005-25-8	TWA	10 mg/m ³	ACGIH
Ascorbic acid	50-81-7	TWA	5000 µg/m ³ (OEB 1)	Internal
Titanium dioxide	13463-67-7	OEL-M (Respirable particulate matter)	1.5 mg/m ³ (Titanium)	JP OEL JSOH
	Further information: Group 2B: possibly carcinogenic to humans			
		OEL-M (Total particulate matter)	2 mg/m ³ (Titanium)	JP OEL JSOH
	Further information: Group 2B: possibly carcinogenic to humans			

Sitagliptin / Simvastatin Formulation

Version 11.0	Revision Date: 2023/09/26	SDS Number: 24504-00023	Date of last issue: 2023/03/20 Date of first issue: 2014/10/21
-----------------	------------------------------	----------------------------	---

		TWA (Respirable particulate matter)	2.5 mg/m ³ (Titanium dioxide)	ACGIH
--	--	-------------------------------------	---	-------

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : pink

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit
Upper explosion limit / Up- : No data available
per flammability limit

Lower explosion limit / : No data available
Lower flammability limit

Flash point : Not applicable

Decomposition temperature : No data available

pH : No data available

Evaporation rate : Not applicable

Auto-ignition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : No data available

Partition coefficient: n- : Not applicable
octanol/water

Vapour pressure : Not applicable

Density and / or relative density
Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:**Sitagliptin:**

Acute oral toxicity	:	LD50 (Rat): > 3,000 mg/kg
		LD50 (Mouse): 3,000 mg/kg

Cellulose:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Simvastatin:

Acute oral toxicity	:	LD50 (Rat): 5,000 mg/kg
		LD50 (Mouse): 3,800 mg/kg

Ascorbic acid:

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
Date of first issue: 2014/10/21

Acute oral toxicity : LD50 (Rat): 11,900 mg/kg

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Sitagliptin:**

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Simvastatin:

Species : Rabbit
Remarks : Moderate skin irritation

Ascorbic acid:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Titanium dioxide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Sitagliptin:**

Species : Rabbit
Result : Irritating to eyes.
Method : Draize Test

Starch:

Species : Rabbit
Result : No eye irritation

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
Date of first issue: 2014/10/21

Simvastatin:

Species : Rabbit
Remarks : slight irritation

Ascorbic acid:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Titanium dioxide:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Sitagliptin:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Simvastatin:

Assessment : Probability or evidence of skin sensitisation in humans
Result : positive

Ascorbic acid:

Test Type : Maurer optimisation test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Species	: Mouse
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Sitagliptin:**

Genotoxicity in vitro	: Test Type: Ames test Result: negative
	Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative

Cellulose:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Starch:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Simvastatin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Alkaline elution assay Result: negative

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

		Test Type: Chromosomal aberration Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Ascorbic acid:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Titanium dioxide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Sitagliptin:**

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Rat
Application Route	:	oral (drinking water)

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Exposure time	: 2 Years
Result	: positive
Target Organs	: Liver
Remarks	: Significant toxicity observed in testing

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Cellulose:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

Simvastatin:

Species	: Mouse
Application Route	: Oral
Exposure time	: < 92 weeks
Target Organs	: Harderian gland
Tumor Type	: Liver, Lungs
Remarks	: The significance of these findings for humans is not certain.

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Tumor Type	: Liver, Thyroid
Remarks	: The significance of these findings for humans is not certain.

Ascorbic acid:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

Titanium dioxide:

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: positive
Remarks	: The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment	: Limited evidence of carcinogenicity in inhalation studies with animals.
------------------------------	---

Reproductive toxicity

Not classified based on available information.

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
 Date of first issue: 2014/10/21

Components:

Sitagliptin:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: NOAEL Parent: 1,000 mg/kg body weight Result: Animal testing did not show any effects on fertility.
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Teratogenicity: LOAEL: 250 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects
		Test Type: Embryo-foetal development Species: Rabbit Teratogenicity: NOAEL: 125 mg/kg body weight Result: No teratogenic effects

Cellulose:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

Simvastatin:

Effects on fertility	:	Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: LOAEL: 25 mg/kg body weight
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: NOAEL: 25 mg/kg body weight Result: No teratogenic effects, No adverse effects
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Embryo-foetal toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects, No adverse effects
		Test Type: Embryo-foetal development

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Species: Rat
 Application Route: Oral
 Embryo-foetal toxicity: LOAEL: 60 mg/kg body weight
 Result: Teratogenic potential
 Remarks: Based on data from similar materials

Ascorbic acid:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, muscle, optic nerve, Eye) through prolonged or repeated exposure.

Components:**Simvastatin:**

Target Organs : Liver, muscle, optic nerve, Eye
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Sitagliptin:**

Species : Mouse
 NOAEL : 500 mg/kg
 LOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : > 2 yr
 Target Organs : Kidney

Species : Rat
 NOAEL : 500 mg/kg
 LOAEL : 1,000 mg/kg
 Application Route : Oral
 Exposure time : 14 Weeks
 Target Organs : Liver, Kidney, Heart, Teeth

Species : Dog
 NOAEL : 10 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Oral
 Exposure time : 53 Weeks
 Target Organs : Central nervous system

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
 Date of first issue: 2014/10/21

|| Symptoms : Loss of balance
 || Remarks : The mechanism or mode of action may not be relevant in humans.

|| Species : Dog
 || NOAEL : 2 mg/kg
 || LOAEL : 10 mg/kg
 || Application Route : Oral
 || Exposure time : 27 Weeks
 || Target Organs : Skeletal muscle, Central nervous system
 || Symptoms : Loss of balance
 || Remarks : The mechanism or mode of action may not be relevant in humans.

|| Species : Monkey
 || NOAEL : 100 mg/kg
 || Application Route : Oral
 || Exposure time : 14 Weeks
 || Remarks : No significant adverse effects were reported

Cellulose:

|| Species : Rat
 || NOAEL : >= 9,000 mg/kg
 || Application Route : Ingestion
 || Exposure time : 90 Days

Starch:

|| Species : Rat
 || NOAEL : >= 2,000 mg/kg
 || Application Route : Skin contact
 || Exposure time : 28 Days
 || Method : OECD Test Guideline 410

Simvastatin:

|| Species : Rat
 || NOAEL : 5 mg/kg
 || LOAEL : 30 mg/kg
 || Application Route : Oral
 || Exposure time : 14 - 104 Weeks
 || Target Organs : Liver, Testis, Musculo-skeletal system, Eye

|| Species : Dog
 || LOAEL : 10 mg/kg
 || Application Route : Oral
 || Exposure time : 14 - 104 Weeks
 || Target Organs : Liver, Testis, Eye

|| Species : Rabbit
 || NOAEL : 30 mg/kg
 || LOAEL : 50 mg/kg

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Application Route	: Oral
Target Organs	: Liver, Kidney

Ascorbic acid:

Species	: Rat, male
NOAEL	: >= 8,100 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Titanium dioxide:

Species	: Rat
NOAEL	: 24,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 10 mg/m ³
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Sitagliptin:**

Inhalation	: Symptoms: upper respiratory tract infection, pharyngitis, Headache
Ingestion	: Symptoms: upper respiratory tract infection, nasopharyngitis, Headache, Nausea, Abdominal pain, Diarrhoea

Simvastatin:

Skin contact	: Remarks: May produce an allergic reaction.
Ingestion	: Target Organs: Liver Symptoms: upper respiratory tract infection, Headache, Abdominal pain, constipation, Nausea Target Organs: Musculo-skeletal system

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

12. ECOLOGICAL INFORMATION

Ecotoxicity**Components:****Sitagliptin:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 60 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 39 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 2.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 9.2 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.8 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 150 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 150 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Cellulose:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

Simvastatin:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2.91 mg/l Exposure time: 96 h
------------------	---	---

Sitagliptin / Simvastatin Formulation

Version 11.0 Revision Date: 2023/09/26 SDS Number: 24504-00023 Date of last issue: 2023/03/20
 Date of first issue: 2014/10/21

		Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 25 mg/l Exposure time: 96 h NOEC (Pseudokirchneriella subcapitata (green algae)): 25 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50: > 30 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 21 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Ascorbic acid:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,020 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	:	EC50: 140 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8
Titanium dioxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Persistence and degradability

Components:

Sitagliptin:

Biodegradability	:	Result: not rapidly degradable Biodegradation: 39.7 % Exposure time: 28 d Method: OECD Test Guideline 314
Stability in water	:	Hydrolysis: 50 %(401 d) Method: OECD Test Guideline 111

Cellulose:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Simvastatin:

Biodegradability	:	Result: rapidly degradable
Stability in water	:	Hydrolysis: 50 %(3.2 d)

Ascorbic acid:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 5 d Method: OECD Test Guideline 302
------------------	---	---

Bioaccumulative potential

Components:

Sitagliptin:

Partition coefficient: n-octanol/water	:	log Pow: -0.03
--	---	----------------

Simvastatin:

Partition coefficient: n-octanol/water	:	log Pow: > 4.07
--	---	-----------------

Ascorbic acid:

Partition coefficient: n-octanol/water	:	log Pow: -1.85
--	---	----------------

Mobility in soil

Components:

Sitagliptin:

Distribution among environmental compartments	:	log Koc: 4.37
---	---	---------------

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Titanium(IV) oxide	>=0.1 - <1	-

Substances Subject to be Indicated Names

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

|| Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

Sitagliptin / Simvastatin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/03/20
11.0	2023/09/26	24504-00023	Date of first issue: 2014/10/21

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN