according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Suvorexant Formulation

Manufacturer or supplier's details

Company : MSD

Address : 199 Wenhai North Road

HEDA, Hangzhou - Zhejiang Province - CHINA 310018

Telephone : 908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

**Appearance** : powder

Colour: No data availableOdour: No data available

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**GHS Classification** 

Short-term (acute) aquatic : Category 2

hazard

Long-term (chronic) aquatic : Category 3

hazard

**GHS** label elements

Hazard pictograms : None Signal word : None

Hazard statements : H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### **Environmental hazards**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Suvorexant	1030377-33-3	>= 2.5 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

### 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and Contact with dust can cause mechanical irritation or drying of

the skin.

delaved Protection of first-aiders Dust contact with the eyes can lead to mechanical irritation.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 21531-00024 Date of first issue: 2014/10/14 3.0 2024/09/28

employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Use only with adequate ventilation.

Local/Total ventilation Advice on safe handling

Do not breathe dust.

Do not swallow.

Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

Storage

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Suvorexant	1030377-33- 3	TWA	14 μg/m3 (OEB 3)	Internal
		Wipe limit	140 μg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res-	3 mg/m3	ACGIH

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

pirable particulate matter)

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : No data available

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Molecular weight : No data available

Particle characteristics

Particle size : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Components:**

#### Suvorexant:

Acute oral toxicity : LD50 (Rat): > 1,200 mg/kg

LD50 (Dog): > 1,125 mg/kg

LDLo (Mouse): 2,000 mg/kg

## Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icitv

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

#### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

### Suvorexant:

Species : Rabbit

Result : No skin irritation

### Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

## Serious eye damage/eye irritation

Not classified based on available information.

### Components:

### Suvorexant:

Species : Bovine cornea
Result : Mild eye irritation
Method : Bovine cornea (BCOP)

### Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

### Components:

### Suvorexant:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitisation.

Result : negative

### Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Suvorexant:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Test Type: Micronucleus test

Species: Rat Result: negative

## Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### **Components:**

### Suvorexant:

Species : Mouse

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Application Route : Oral
Exposure time : 6 month(s)
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

### Reproductive toxicity

Not classified based on available information.

### **Components:**

### Suvorexant:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: >= 325 mg/kg body weight

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit, female Application Route: Oral

Developmental Toxicity: NOAEL: 150 mg/kg body weight

Result: negative

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 80 mg/kg body weight

Result: negative

## Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

## STOT - single exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

### **Components:**

**Suvorexant:** 

Remarks : Based on human experience.

## STOT - repeated exposure

Not classified based on available information.

## **Components:**

### Suvorexant:

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

## **Components:**

### **Suvorexant:**

 Species
 : Rat

 NOAEL
 : 325 mg/kg

 LOAEL
 : 1,200 mg/kg

Application Route : Oral Exposure time : 30 d

Target Organs : Blood, Pancreas

Species : Dog
NOAEL : 50 mg/kg
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 30 d

Target Organs : Blood, Liver, Central nervous system

 Species
 : Rat

 NOAEL
 : 75 mg/kg

 LOAEL
 : 300 mg/kg

 Application Route
 : Oral

 Exposure time
 : 180 d

Target Organs : Pancreas, Blood, Stomach

Species : Dog
NOAEL : 50 mg/kg
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 270 d
Target Organs : Blood

Species : Rat NOAEL : 40 mg/kg

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

LOAEL : 80 mg/kg
Application Route : Oral
Exposure time : 18 Months

Target Organs : Eye, Central nervous system

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

**Components:** 

Suvorexant:

Ingestion : Symptoms: Drowsiness, Headache, abnormal dreams, Fa-

tigue, Dizziness, dry mouth, Nausea, liver function change, upper respiratory tract infection, urinary tract infection, Cough,

Diarrhoea, Palpitation, tachycardia

12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Components:** 

Suvorexant:

Toxicity to daphnia and other : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l

aquatic invertebrates Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): > 5

plants mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

Toxicity to fish (Chronic tox- :

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.14 mg/l

Exposure time: 32 d

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

## Persistence and degradability

## **Components:**

Suvorexant:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 314

Stability in water : Hydrolysis: < 10 %(5 d)

Method: OECD Test Guideline 111

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

Bioaccumulative potential

**Components:** 

Suvorexant:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 358 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4.04

Magnesium stearate:

Partition coefficient: n-

octanol/water

:  $\log Pow: > 4$ 

Mobility in soil
No data available

Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

#### 14. TRANSPORT INFORMATION

### International Regulations

### **UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

**IMDG-Code** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

### GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

### Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



# **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

#### 15. REGULATORY INFORMATION

### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals This product is not listed in the cata-

logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de-

termination.

dentification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

16. OTHER INFORMATION

**Revision Date** 2024/09/28

**Further information** 

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

according to GB/T 16483 and GB/T 17519



## **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to GB/T 16483 and GB/T 17519



# **Suvorexant Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 3.0 2024/09/28 21531-00024 Date of first issue: 2014/10/14

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN