

### Suvorexant Formulation

Version 3.1	Revision Date: 26.09.2023		S Number: 52-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
1. PRODU	ICT AND COMPANY IDE	ENT	IFICATION	
Produ	uct name	:	Suvorexant Form	nulation
Manu	facturer or supplier's d	letai	ls	
Comp	bany	:	MSD	
Addre	955	:	50 Tuas West Dr Singapore - Sing	-
Telep	hone	:	+1-908-740-4000	)
Emer	gency telephone number	:	65 6697 2111 (24	4/7/365)
E-ma	il address	:	EHSDATASTEW	'ARD@msd.com
Reco	mmended use of the ch	nem	ical and restriction	ons on use
	mmended use ictions on use	:	Pharmaceutical Not applicable	

#### 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Suvorexant	1030377-33-3	>= 2.5 -< 10
Magnesium stearate	557-04-0	>= 1 -< 10

#### 4. FIRST AID MEASURES



# Suvorexant Formulation

Version 3.1	Revision Date: 26.09.2023		S Number: 552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
Gene	ral advice	:	In the case of acc	cident or if you feel unwell, seek medical ad-
			vice immediately.	
lf inha	aled	:	If inhaled, remove	
In cas	se of skin contact	:	Wash with water	ntion if symptoms occur. and soap. ntion if symptoms occur.
In cas	se of eye contact	:	If in eyes, rinse w	
lf swa	allowed	:	If swallowed, DO Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.
	important symptoms ffects, both acute and	:		t can cause mechanical irritation or drying of
delay Prote	ed ction of first-aiders	:	<ul> <li>Dust contact with the eyes can lead to mechanical irritat</li> <li>First Aid responders should pay attention to self-protection</li> <li>and use the recommended personal protective equipments</li> <li>when the potential for exposure exists (see section 8).</li> </ul>	
Notes	s to physician	:		ically and supportively.
5. FIREFIC	GHTING MEASURES			
Suital	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
Unsui media	itable extinguishing	:	None known.	
	fic hazards during fire-	:	concentrations, a potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a plosion hazard. bustion products may be a hazard to health.
Hazaı ucts	rdous combustion prod-	:	Carbon oxides Metal oxides	
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to d
	al protective equipment efighters	:	In the event of fire	e, wear self-contained breathing apparatus. tective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice (see section 7) and personal pro-
gency procedures	tective equipment recommendations (see section 8).



# Suvorexant Formulation

Versio 3.1	n Revision Date: 26.09.2023	SDS Number: 21552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
E	nvironmental precautions	Prevent furthe Retain and dis	to the environment. er leakage or spillage if safe to do so. spose of contaminated wash water. ies should be advised if significant spillages ntained.
	ethods and materials for ontainment and cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surface with compressed air). Dust deposits should not be allowed to accumulate on surface, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and diposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regard certain local or national requirements.</li> </ul>	
7. HAN	IDLING AND STORAGE		
	echnical measures	causing an ex Provide adequ and bonding,	uate precautions, such as electrical grounding or inert atmospheres.
	ocal/Total ventilation dvice on safe handling	: Do not breath Do not swallo Avoid contact Avoid prolong Handle in acc practice, base sessment Minimize dust Keep containe Keep away fro Take precauti	W.
C	onditions for safe storage		rly labelled containers. dance with the particular national regulations.
М	aterials to avoid	: Do not store with the following product types:	

Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	



# **Suvorexant Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.1	26.09.2023	21552-00023	Date of first issue: 14.10.2014

		exposure)	concentration	
Suvorexant	1030377-33- 3	TWA	14 µg/m3 (OEB 3)	Internal
		Wipe limit	140 µg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
--	--

#### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks Eye protection		Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work- ing place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment,



Version	Revision Date: 26.09.2023	SDS Number:	Date of last issue: 20.03.2023
3.1		21552-00023	Date of first issue: 14.10.2014

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSIC	9. PHYSICAL AND CHEMICAL PROPERTIES				
Appea	rance	:	powder		
Colour		:	No data available		
Odour		:	No data available		
Odour	Threshold	:	No data available		
рН		:	No data available		
Melting	point/freezing point	:	No data available		
Initial b range	poiling point and boiling	:	No data available		
Flash p	point	:	Not applicable		
Evapor	ration rate	:	Not applicable		
Flamm	ability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.		
Flamm	ability (liquids)	:	No data available		
	explosion limit / Upper ability limit	:	No data available		
	explosion limit / Lower ability limit	:	No data available		
Vapou	r pressure	:	Not applicable		
Relativ	e vapour density	:	Not applicable		
Relativ	e density	:	No data available		
Densit	ý	:	No data available		
Solubil Wa	ity(ies) ter solubility	:	No data available		
Partitic octano	n coefficient: n- I/water	:	Not applicable		
Auto-ig	nition temperature	•	No data available		
Decom	position temperature	:	No data available		



ersion .1	Revision Date: 26.09.2023	SDS Number: 21552-00023		Date of last issue: 20.03.2023 Date of first issue: 14.10.2014		
Visco V	osity liscosity, kinematic	:	Not applicable			
Expl	osive properties	:	Not explosive			
Oxid	izing properties	:	The substance	or mixture is not classified as oxidizing.		
Mole	ecular weight	:	No data availa	ble		
Parti	cle size	:	No data availa	ble		
0. STAE		1				
Cher	ctivity mical stability sibility of hazardous reac-	: :	Stable under n May form expl dling or other r	as a reactivity hazard. ormal conditions. osive dust-air mixture during processing, han neans. strong oxidizing agents.		
Cond	ditions to avoid	:	Heat, flames a Avoid dust forr			
	mpatible materials ardous decomposition ucts	:	<ul> <li>Oxidizing agents</li> <li>No hazardous decomposition products are known.</li> </ul>			
1. TOXI		ΓΙΟΙ	N			
Infor expc	mation on likely routes of osure	:	Inhalation Skin contact Ingestion Eye contact			
	<b>te toxicity</b> classified based on availa	bla	information			
	iponents:	IDIE	inionnation.			
Suve	orexant:					
Acut	e oral toxicity	:	LD50 (Rat): > 1	,200 mg/kg		
			LD50 (Dog): > *	1,125 mg/kg		
			LDLo (Mouse):	2,000 mg/kg		
Mag	nesium stearate:					
Acut	e oral toxicity	:	Assessment: Thicity	,000 mg/kg Test Guideline 423 ne substance or mixture has no acute oral to: d on data from similar materials		
			6 / 16			



sion	Revision Date: 26.09.2023	SDS Number: 21552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
Acute	dermal toxicity	: LD50 (Rabbit) Remarks: Bas	: > 2,000 mg/kg ed on data from similar materials
Skin	corrosion/irritation		
Not cl	assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
Suvo	rexant:		
Speci	es	: Rabbit	
Resul		: No skin irritatio	on
Magn	esium stearate:		
Speci	es	: Rabbit	
Resul		: No skin irritation	
Rema	arks	: Based on data	a from similar materials
	us eye damage/eye assified based on ava		
Not cl <u>Comp</u>			
Not cl <u>Comp</u>	assified based on ava <u>conents:</u> rexant:		I
Not cl Comp Suvor Speci Resul	assified based on ava <u>conents:</u> rexant: es t	ailable information. : Bovine cornea : Mild eye irritat	ion
Not cl <u>Comp</u> Suvo Speci	assified based on ava <u>conents:</u> rexant: es t	ailable information. : Bovine cornea	ion
Not cl <u>Comp</u> Suvol Speci Resul Metho	assified based on ava <u>conents:</u> rexant: es t	ailable information. : Bovine cornea : Mild eye irritat	ion
Not cl <u>Comp</u> Suvol Speci Resul Metho	assified based on ava <u>ponents:</u> rexant: es t bd esium stearate:	ailable information. : Bovine cornea : Mild eye irritat	ion
Not cl <u>Comp</u> Suvol Speci Resul Metho Speci Resul Resul	assified based on ava <u>ponents:</u> rexant: es t bd resium stearate: es t	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio	ion (BCOP) on
Not cl <u>Comp</u> Suvol Speci Resul Metho Speci	assified based on ava <u>ponents:</u> rexant: es t bd resium stearate: es t	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio	ion (BCOP)
Not cl <u>Comp</u> Suvoi Speci Resul Metho Magn Speci Resul Rema	assified based on ava <u>ponents:</u> rexant: es t bd resium stearate: es t	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data	ion (BCOP) on
Not cl <u>Comp</u> Suvoi Speci Resul Metho Magn Speci Resul Rema Respi	assified based on ava <u>conents:</u> rexant: es t bd resium stearate: es t urks	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data	ion (BCOP) on
Not cl <u>Comp</u> Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin s	assified based on ava <u>ponents:</u> rexant: es t bd resium stearate: es t urks iratory or skin sensi	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data itisation	ion (BCOP) on
Not cl <u>Comp</u> Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin s Not cl	assified based on ava <u>conents:</u> rexant: es t bd resium stearate: es t iratory or skin sensitisation assified based on ava	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data itisation ailable information.	ion (BCOP) on
Not cl Comp Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin s Not cl Respi	assified based on ava <u>conents:</u> rexant: es t d resium stearate: es t arks iratory or skin sensitisation	ailable information.	ion (BCOP) on
Not cl Comp Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin s Not cl Respi Not cl	assified based on ava <u>conents:</u> rexant: es t bd esium stearate: es t iratory or skin sensi sensitisation assified based on ava iratory sensitisation	ailable information.	ion (BCOP) on
Not cl Comp Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin Not cl Respi Not cl Comp	assified based on avaination avai	ailable information.	ion (BCOP) on
Not cl Comp Suvol Speci Resul Metho Magn Speci Resul Rema Respi Skin Not cl Respi Not cl Comp	assified based on avaination of a second test of a second	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data itisation ailable information.	ion (BCOP) on
Not cl Comp Suvo Speci Resul Metho Magn Speci Resul Rema Resp Skin s Not cl Resp Not cl Comp Suvo Test T Speci	assified based on avaination of the second s	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data itisation ailable information. : Local lymph n : Mouse	ion (BCOP) on a from similar materials ode assay (LLNA)
Not cl Comp Suvo Speci Resul Metho Magn Speci Resul Rema Resp Skin s Not cl Resp Not cl Comp Suvo Test T Speci	assified based on avaination of a second test of a second	ailable information. : Bovine cornea : Mild eye irritat : Bovine cornea : Rabbit : No eye irritatio : Based on data itisation ailable information. : Local lymph n : Mouse	ion (BCOP) on a from similar materials



Version 3.1	Revision Date: 26.09.2023		S Number: 552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
Test T Expos Speci Metho Resul	<b>Magnesium stearate:</b> Test Type Exposure routes Species Method Result Remarks		Maximisation Te Skin contact Guinea pig OECD Test Guic negative Based on data fr	
Not cl	a <b>cell mutagenicity</b> lassified based on ava <b>conents:</b>	ailable	information.	
	<b>rexant:</b> toxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
			Test Type: Alkali Test system: rat Result: negative	ine elution assay hepatocytes
				mosomal aberration inese hamster ovary cells
Geno	toxicity in vivo	:	Test Type: Micro Species: Mouse Result: negative	onucleus test
			Test Type: Micro Species: Rat Result: negative	
Magn	esium stearate:			
-	toxicity in vitro	:	Result: negative	ro mammalian cell gene mutation test I on data from similar materials
			Method: OECD Result: negative	mosome aberration test in vitro Test Guideline 473 I on data from similar materials
			Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)

#### Carcinogenicity

Not classified based on available information.



ersion .1	Revision Date: 26.09.2023	SDS Number: 21552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
<u>Com</u>	oonents:		
Suvo	rexant:		
	cation Route sure time	: Mouse : Oral : 6 month(s) : negative	
	cation Route sure time	: Rat : Oral : 2 Years : negative	
	oductive toxicity lassified based on ava	ailable information.	
Com	oonents:		
Suvo	rexant:		
	ts on fertility	Species: Rat, Application Ro	ity - Parent: NOAEL: >= 325 mg/kg body weig
Effect ment	ts on foetal develop-	Species: Rabb Application Ro	oute: Oral al Toxicity: NOAEL: 150 mg/kg body weight
		Species: Rat Application Ro	al Toxicity: NOAEL: 80 mg/kg body weight
Magn	esium stearate:		
Effect	ts on fertility	reproduction/c Species: Rat Application Rc Method: OECI Result: negati	D Test Guideline 422
Effect ment	ts on foetal develop-	Species: Rat Application Ro Result: negati	



Suvore	Suvorexant Formulation						
Version 3.1	Revision Date: 26.09.2023	SDS Number: 21552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014				
Not cl	- single exposure assified based on ava	ailable information.					
<u>Com</u>	oonents:						
<b>Suvo</b> Rema	<b>rexant:</b> arks	: Based on hum	nan experience.				
	- repeated exposur assified based on ava						
Com	oonents:						
Expos Targe	<b>rexant:</b> sure routes et Organs ssment	<ul> <li>Ingestion</li> <li>Central nervoi</li> <li>May cause da exposure.</li> </ul>	us system mage to organs through prolonged or repeated				
Com	ated dose toxicity						
Speci NOAE LOAE Applic Expos	EL	: Rat : 325 mg/kg : 1,200 mg/kg : Oral : 30 d : Blood, Pancre	as				
Expos	EL	: Dog : 50 mg/kg : 125 mg/kg : Oral : 30 d : Blood, Liver, 0	Central nervous system				
Expos	EL	: Rat : 75 mg/kg : 300 mg/kg : Oral : 180 d : Pancreas, Blo	od, Stomach				
	EL	: Dog : 50 mg/kg : 125 mg/kg : Oral : 270 d					



Target Organs       :       Blood         Species       :       Rat         NOAEL       :       40 mg/kg         LOAEL       :       80 mg/kg         Application Route       :       Oral         Exposure time       :       18 Months         Target Organs       :       Eye, Central nervous system         Magnesium stearate:       :         Species       :       Rat         NOAEL       :       > 100 mg/kg         Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       .       Not classified based on available information.         Exporeure time       :       90 Days         Remarks       :       Based on data from similar materials         Suvorexant:       .       .         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, liver function chan upper respiratory tract infection, unary tract infection, C Diarthoea, Palpitation, tachycardia         Ecotoxicity       .       .         Suvorexant:       .       .         Toxicity to algaphinia and other       :       <	ersion .1	Revision Date: 26.09.2023	-	DS Number: 552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
NOAEL       : 40 mg/kg         LOAEL       : 80 mg/kg         Application Route       :: 0ral         Exposure time       : 18 Months         Target Organs       : Eye, Central nervous system         Magnesium stearate:       Species         Species       : Rat         NOAEL       : > 100 mg/kg         Application Route       : Ingestion         Exposure time       : 90 Days         Remarks       : Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, CD Diarrhoea, Palpitation, tachycardia         Protectoxicity       Components:         Suvorexant:       :         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic       : EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l       : Exposure time: 72 h Method:	Targe	et Organs	:	Blood	
NOAEL       : 40 mg/kg         LOAEL       : 80 mg/kg         Application Route       :: 0ral         Exposure time       : 18 Months         Target Organs       : Eye, Central nervous system         Magnesium stearate:       Species         Species       : Rat         NOAEL       : > 100 mg/kg         Application Route       : Ingestion         Exposure time       : 90 Days         Remarks       : Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, CD Diarrhoea, Palpitation, tachycardia         Protectoxicity       Components:         Suvorexant:       :         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic       : EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l       : Exposure time: 72 h Method:	Spec	ies	:	Rat	
Application Route       :       Oral         Exposure time       :       18 Months         Target Organs       :       Eye, Central nervous system         Magnesium stearate:       :       Species       :         Species       :       Rat       NOAEL       :         NOAEL       :       > 100 mg/kg         Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion       :         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, con particular time, ract infection, urinary tract infection, con particular time, ract infection, urinary tract infection, con particular time, ract infection, initrary tract infection, con particular time, ract infection, initrary tract infection, con particular time, ract infection, initrary tract infection, con particular time, ract infection, con particular tinvertebrates         Suvorexant:	NOA	EL	:		
Exposure time : 18 Months Target Organs : Eye, Central nervous system Magnesium stearate: Species : Rat NOAEL : > 100 mg/kg Application Route : Ingestion Exposure time : 90 Days Remarks : Based on data from similar materials Aspiration toxicity Not classified based on available information. Experience with human exposure Components: Suvorexant: Ingestion : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia Ecotoxicity Components: Suvorexant: Toxicity to daphnia and other : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)):: mg/l Exposure time: 72 h Method: OECD Test Guideline 201	-		:		
Target Organs       :       Eye, Central nervous system         Magnesium stearate:       :       Species       :       Rat         NOAEL       :       > 100 mg/kg         Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       ingestion         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         EcoloGICAL INFORMATION       Ecotoxicity         Components:       Suvorexant:         Toxicity to daphnia and other :       :       EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic invertebrates       :       EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201			:	• • • • •	
Species       :       Rat         NOAEL       :       > 100 mg/kg         Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion       :         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         Components:       Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       :       EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201			:		nervous system
NOAEL       :       > 100 mg/kg         Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion         Ingestion       :         Symptoms: Drowsiness, Headache, abnormal dreams, Intigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, CDiarrhoea, Palpitation, tachycardia         Ecotoxicity       Components:         Suvorexant:       :         Toxicity to daphnia and other       :         EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       :         mg/l       :         Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l         Exposure time: 72 h Method: OECD Test Guideline 201	Magr	nesium stearate:			
Application Route       :       Ingestion         Exposure time       :       90 Days         Remarks       :       Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Suvorexant:         Toxicity to daphnia and other :       :         EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       :         mg/l       :         Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l         Exposure time: 72 h Method: OECD Test Guideline 201			:		
Exposure time       : 90 Days         Remarks       : Based on data from similar materials         Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         Suvorexant:         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants         : EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	-		:		
Remarks       : Based on data from similar materials         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         Suvorexant:       Ingestion         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       : EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201			:		
Not classified based on available information.         Experience with human exposure         Components:         Suvorexant:         Ingestion       :         Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         :       EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       :         :       EC50 (Pseudokirchneriella subcapitata (green algae)): ang/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201			:		a from similar materials
Experience with human exposure         Components:         Suvorexant:         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia         components:       Suvorexant:         components:       Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       : EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Aspii	ration toxicity			
Components:         Suvorexant:         Ingestion       : Symptoms: Drowsiness, Headache, abnormal dreams, I         tigue, Dizziness, dry mouth, Nausea, liver function chan         upper respiratory tract infection, urinary tract infection, C         Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         :       EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       :         EC50 (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Not c	lassified based on avail	able	information.	
Suvorexant:         Ingestion       :       Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia <b>ECOLOGICAL INFORMATION Ecotoxicity Components:</b> Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         Conjumption         Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         Exposure time: 96 h         Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants         :       EC50 (Pseudokirchneriella subcapitata (green algae)): amg/l         Exposure time: 72 h         Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l         Exposure time: 72 h         Method: OECD Test Guideline 201	Expe	rience with human ex	posi	ıre	
Ingestion : Symptoms: Drowsiness, Headache, abnormal dreams, I tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, C Diarrhoea, Palpitation, tachycardia ECOLOGICAL INFORMATION Ecotoxicity <u>Components:</u> Suvorexant: Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): : mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	<u>Com</u>	ponents:			
tigue, Dizziness, dry mouth, Nausea, liver function chan upper respiratory tract infection, urinary tract infection, O Diarrhoea, Palpitation, tachycardia         ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates         EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants         :       EC50 (Pseudokirchneriella subcapitata (green algae)): a mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Suvo	rexant:			
Ecotoxicity         Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       : EC50 (Pseudokirchneriella subcapitata (green algae)): smg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Inges	tion	:	tigue, Dizzine upper respirat	ss, dry mouth, Nausea, liver function change, tory tract infection, urinary tract infection, Coug
Components:         Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       : EC50 (Pseudokirchneriella subcapitata (green algae)): > mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	2. ECOL	OGICAL INFORMATIO	N		
Suvorexant:         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic plants       : EC50 (Pseudokirchneriella subcapitata (green algae)): > mg/l Exposure time: 72 h Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201	Ecote	oxicity			
<ul> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Mysidopsis bahia (opossum shrimp)): 0.56 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035</li> <li>Toxicity to algae/aquatic plants</li> <li>EC50 (Pseudokirchneriella subcapitata (green algae)): &gt; mg/l Exposure time: 72 h Method: OECD Test Guideline 201</li> <li>NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201</li> </ul>	Com	ponents:			
aquatic invertebrates       Exposure time: 96 h         Method: US-EPA OPPTS 850.1035         Toxicity to algae/aquatic       :         plants       :         EC50 (Pseudokirchneriella subcapitata (green algae)): >         mg/l         Exposure time: 72 h         Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)):         mg/l         Exposure time: 72 h         Method: OECD Test Guideline 201         NOEC (Pseudokirchneriella subcapitata (green algae)):         mg/l         Exposure time: 72 h         Method: OECD Test Guideline 201	Suvo	rexant:			
plants mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): mg/l Exposure time: 72 h Method: OECD Test Guideline 201			r:	Exposure time	e: 96 h
mg/l Exposure time: 72 h Method: OECD Test Guideline 201			:	mg/l Exposure time	e: 72 h
M Easter (Acute aquatic tox : 1				mg/l Exposure time	e: 72 h
	M-Fa	ctor (Acute aquatic tox-		1	
	ій-га		•	I	



Vers 3.1	sion	Revision Date: 26.09.2023		S Number: 552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014				
	icity) Toxicity icity)	r to fish (Chronic tox-	:	: NOEC (Pimephales promelas (fathead minnow)): 0.14 Exposure time: 32 d Method: OECD Test Guideline 210					
		to daphnia and other invertebrates (Chron- ty)	:	NOEC (Daphnia n Exposure time: 21 Method: OECD Te					
	Toxicity to microorganisms		:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209					
				NOEC: 1,000 mg/ Exposure time: 3 l Test Type: Respir Method: OECD Te	n ation inhibition				
	Magne	sium stearate:							
	Toxicity	r to fish	:	Exposure time: 48 Method: DIN 3841					
	Toxicity to daphnia and other aquatic invertebrates		:	Exposure time: 47 Test substance: W Method: Directive	/ater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials				
	Toxicity plants	to algae/aquatic	:	mg/l Exposure time: 72 Test substance: W Method: OECD Te	Vater Accommodated Fraction est Guideline 201 on data from similar materials				
				mg/l Exposure time: 72 Test substance: W Method: OECD Te	Vater Accommodated Fraction				
	Toxicity	to microorganisms	:	Exposure time: 16 Test substance: V	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials				



/ersion 8.1	Revision Date: 26.09.2023	SDS Nur 21552-00		Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
Persi	istence and degrada	bility		
Com	ponents:			
Suvo	orexant:			
Biode	egradability	Biode Expo	egradation: sure time:	
Stabi	lity in water		olysis: < 1( od: OECD	) %(5 d) Test Guideline 111
Magr	nesium stearate:			
Biode	egradability			degradable d on data from similar materials
Bioa	ccumulative potentia	ıl		
Com	ponents:			
Suvo	orexant:			
Bioac	ccumulation	Bioco	oncentratio	nis macrochirus (Bluegill sunfish) n factor (BCF): 358 Test Guideline 305
	ion coefficient: n- ol/water	: log P	ow: 4.04	
Partit	nesium stearate: ion coefficient: n- iol/water	: log P	ow: > 4	
	<b>lity in soil</b> ata available			
	<b>r adverse effects</b> ata available			

Disposal methods		
Waste from residues	Do not dispose	e of waste into sewer.
	Dispose of in a	accordance with local regulations.
Contaminated packaging	dling site for re	ers should be taken to an approved waste han- cycling or disposal. e specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations



ersion 1	Revision Date: 26.09.2023	SDS Number: 21552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014
Prope Class Subsi	umber er shipping name diary risk ng group	<ul> <li>Not applicable</li> </ul>	
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		<ul> <li>Not applicable</li> </ul>	
UN nu Prope Class Subsi Packi Label EmS	diary risk ng group s	<ul> <li>Not applicable</li> </ul>	
	sport in bulk accordin pplicable for product as	•	RPOL 73/78 and the IBC Code
-	ial precautions for us pplicable	er	
. REGU		ON	
Safet ture	y, health and environ	mental regulations/l	egislation specific for the substance or m
			ce Safety and Health (General Provisions) SDS, labelling, PEL and other requiremen

in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazard- ous Substances) Regulations	:	Not applicable
Fire Safety (Petroleum and Flammable Materials) Regulations	:	Not applicable





Vers 3.1	sion			0S Number: 552-00023	Date of last issue: 20.03.2023 Date of first issue: 14.10.2014	
	The co	omponents of this pro	oduc	et are reported in t	the following inventories:	
	AICS		:	not determined		
	DSL		:	not determined		
	IECSC		:	not determined		
16. (	OTHER	INFORMATION				
	Revisio	on Date	:	26.09.2023		
	Furthe	r information				
		es of key data used to e the Safety Data	:		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/	
	Date fo	ormat	:	dd.mm.yyyy		
	Full te:	xt of other abbreviation	ons			
	ACGIH SG OE		:	Singapore. Workp	eshold Limit Values (TLV) blace Safety and Health (General Provisions) at Schedule Permissible Exposure Limits of 5.	
		I / TWA EL / PEL (long term)	:	8-hour, time-weig Permissible Expo	hted average sure Level (PEL) Long Term	
	AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys- tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con- centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi- cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Or- ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con- centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Mediar Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships n.o.s Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIQC - New					



## Suvorexant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 20.03.2023
3.1	26.09.2023	21552-00023	Date of first issue: 14.10.2014

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN