Version



Date of last issue: 04.04.2023

Tedizolid Injection Formulation

Revision Date:

SDS Number:

	30.09.2023	657	S Number: 052-00021	Date of first is	sue: 02.05.2016
tion 1	: Identification				
Produ	uct name	:	Tedizolid Injec	tion Formulation	
Manu	ufacturer or supplier's	detai	ls		
Com	bany	:	MSD		
Addre	ess	:	33 Whakatiki S Upper Hutt - N	Street - Private Ba ew Zealand	g 908
Telep	phone	:	0800 800 543		
Emer	gency telephone numbe	er :	0800 764 766 CHEMCALL)	(0800 POISON)	0800 243 622 (0800
E-ma	il address	:	EHSDATASTE	WARD@msd.co	n
Reco	mmended use of the c	hem	ical and restric	tions on use	
	mmended use ictions on use	:	Pharmaceutica Not applicable	al	
tion 2	· Hazard identification				
GHS	: Hazard identification Classification		Cotogoni 2		
GHS		:	Category 2		
GHS Repro	Classification			one marrow, Bloo	d, Gastrointestinal tract)
GHS Repro Spec repea Haza	Classification oductive toxicity ific target organ toxicity			one marrow, Bloo	d, Gastrointestinal tract)
GHS Repro Spec repea Haza enviro Haza	Classification oductive toxicity ific target organ toxicity ated exposure rdous to the aquatic	• :	Category 2 (Bo	one marrow, Bloo	d, Gastrointestinal tract)
GHS Repro Spec repea Haza enviro Haza enviro	Classification oductive toxicity ific target organ toxicity ated exposure rdous to the aquatic onment - acute hazard rdous to the aquatic	• :	Category 2 (Bo Category 1	one marrow, Bloo	d, Gastrointestinal tract)
GHS Repro Spec repea Haza enviro Haza enviro GHS	Classification oductive toxicity ific target organ toxicity ated exposure rdous to the aquatic onment - acute hazard rdous to the aquatic onment - chronic hazard	• :	Category 2 (Bo Category 1	one marrow, Bloo	d, Gastrointestinal tract)
GHS Repro Spec repea Haza enviro Haza enviro GHS Haza	Classification oductive toxicity ific target organ toxicity ated exposure rdous to the aquatic onment - acute hazard rdous to the aquatic onment - chronic hazard	• :	Category 2 (Bo Category 1	one marrow, Bloo	d, Gastrointestinal tract)





Version 6.1	Revision Date: 30.09.2023	SDS Number: 657052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016
Preca	autionary statements	P202 Do not I and understoo P273 Avoid re	elease to the environment. rotective gloves/ protective clothing/ eye protec-
		-	IF exposed or concerned: Get medical advice/ spillage.
		Storage: P405 Store lo	cked up.
		Disposal:	
		P501 Dispose disposal plant	e of contents/ container to an approved waste

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Tedizolid Phosphate	856867-55-5	>= 50 -< 70

Section 4: First-aid measures

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.

Version



Date of last issue: 04.04.2023

Tedizolid Injection Formulation

SDS Number:

Revision Date:

If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the potential for exposure exists (see section 8). Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential dust exposure exists (see section 8). Solitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing meth- ods : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion prod- ucts Specific extinguishing meth- ods : Carbon oxides Specific extinguishing meth- ods : Use extinguishing meta- cumatances and the surrounding environment. Use water spray to cool unoptened containers. Remov	Get medical attention. Rinse mouth thoroughly with water. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeate exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders Protection of first-aiders First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. section 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. media Specific hazards during fire- fighting Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is - potential dust explosion hazard. Exposure to combustion products may be a hazard to health Hazardous combustion prod- ucts Carbon oxides Specific extinguishing meth- ods Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area. Personal protective equipment Follow safe handling advice (see section 7) and personal pri- tective equipment and emer- gency procedures Personal precautions, protec- tive equipment	.1	30.09.2023	65	7052-00021	Date of first issue: 02.05.2016
Get medical attention. Rinse mouth thoroughly with water. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician : Suitable extinguishing media : Suitable extinguishing media : Suitable extinguishing media : Suitable extinguishing media : Specific hazards during fire- fighting : Specific extinguishing meth- ods : Carbon dixide (CO2) Dry chemical : Hazardous combustion prod- ucts : Specific extinguishing meth- ods : : Specific extinguishing meth- ods : : Special protective equipment: for firefighters : Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to or so. Evacuate area. Personal protective equipment : folfinefighters : : Hazchem Code : : : : <td< th=""><th>Get medical attention. Rinse mouth thoroughly with water. Nost important symptoms and effects, both acute and delayed Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeate exposure. Contact with dust can cause mechanical irritation or drying or the skin. Protection of first-aiders Erist Aid responders should pay attention to self-protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. section 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Specific hazards during firefighting measures and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Specific extinguishing methods : ods : Sp</th><th></th><th></th><th></th><th></th><th></th></td<>	Get medical attention. Rinse mouth thoroughly with water. Nost important symptoms and effects, both acute and delayed Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeate exposure. Contact with dust can cause mechanical irritation or drying or the skin. Protection of first-aiders Erist Aid responders should pay attention to self-protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. section 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Specific hazards during firefighting measures and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Specific extinguishing methods : ods : Sp					
Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician : Treat symptomatically and supportively. action 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : None known. Specific hazards during fire- fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. Hazardous combustion prod- ucts : Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Special protective equipment : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment tercommentations (see section 7). Note prevent further leakage or spillage if safe to do so. Retain and dispose of containnated	Most important symptoms and effects, both acute and delayed Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeate exposure. Contact with dust can cause mechanical irritation or drying or the skin. Protection of first-aiders :: Contact with dust can cause mechanical irritation or drying or the skin. Protection of first-aiders :: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician : Treat symptomatically and supportively. section 5: Fire-fighting measures : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide sexplosion hazard. Specific hazards during fire- fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Specific extinguishing meth- ods : Carbon oxides Specific extinguishing meth- ods : Use extinguishing measures that are appropriate to local circ cumstances and the surrounding environment. Yeacuate area. : In the event of fire, wear self-contained breathing apparatus Use personal protective equipment for firefighters	lf swa	allowed	:	Get medical at	tention.
and effects, both acute and delayed May cause damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. ection 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Specific hazards during fire- fighting Avoid generating dust, fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. Hazardous combustion prod- ucts Carbon oxides Specific extinguishing meth- ods Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area. Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Follow safe handling advice (see section 7) and personal prot tective equipment recommendations (s	and effects, both acute and delayed May cause damage to organs through prolonged or repeate exposure. Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Dust contact with the eyes can lead to mechanical irritation. Treat symptomatically and supportively. section 5: Fire-fighting measures Suitable extinguishing media Treat symptomatically and supportively. section 5: Fire-fighting measures Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Concentrations, and in the presence of an ignition source is - potential dust explosion hazard. Exposure to combustion products may be a hazard to health Hazardous combustion prod- ucts Carbon oxides Specific extinguishing meth- ods Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area. Special protective equipment for firefighters Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment and emer- gency procedures Environmental precautions, protec- tive equipment and emer- gency procedures Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro-	Most	important symptoms	:		
Protection of first-aiders Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. ection 5: Fire-fighting measures Suitable extinguishing media Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. specific hazards during fire-fighting Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. Hazardous combustion products Carbon oxides Specific extinguishing methods Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Special protective equipment In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment and emergency procedures Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages can	Protection of first-aiders Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). Notes to physician Treat symptomatically and supportively. science 3. Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Specific hazards during fire-fighting Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is potential dust explosion hazard. Hazardous combustion products Carbon oxides Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Special protective equipment : In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. Forlow safe handling advice (see section 7) and personal protective equipment and emergency procedures : Avoid release to the environment. Personal precautions, protec-tive equipment recommendations (see section 8). : Avoid release to the environment. Forevent further leakage or spillage if safe to do so. Retain and dispose of cont	and e	effects, both acute and		May cause dar exposure.	nage to organs through prolonged or repeated
Notes to physician : Treat symptomatically and supportively. ection 5: Fire-fighting measures Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : None known. Specific hazards during fire- fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. Hazardous combustion prod- ucts : Carbon oxides Specific extinguishing meth- ods : Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area. Special protective equipment for firefighters Hazchem Code : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. : 2Z Personal precautions, protec- tive equipment and emer- gency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8). Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Notes to physician : Treat symptomatically and supportively. action 5: Fire-fighting measures Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : None known. Specific hazards during fire- fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is - potential dust explosion hazard. Exposure to combustion products may be a hazard to health Hazardous combustion prod- ucts : Carbon oxides Specific extinguishing meth- ods : Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacute area. Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri- tective equipment and emer- gency procedures Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Methods and materials for : Sweep up or vacuum up spillage and collect in suitable con-	Prote	ction of first-aiders	:	Dust contact w First Aid respon and use the red	nders should pay attention to self-protection, commended personal protective equipment
Suitable extinguishing media Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Specific hazards during fire- fighting Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health. Hazardous combustion prod- ucts Carbon oxides Specific extinguishing meth- ods Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area. Special protective equipment for firefighters Hazchem Code In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Evice equipment and emer- gency procedures Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment there leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Suitable extinguishing media : Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media : None known. Specific hazards during fire- fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is i potential dust explosion hazard. Exposure to combustion products may be a hazard to health Hazardous combustion prod- ucts : Carbon oxides Specific extinguishing meth- ods : Use extinguishing measures that are appropriate to local cir cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area. Special protective equipment for firefighters Hazchem Code : Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri- tective equipment recommendations (see section 8). Personal precautions, protec- tive equipment and emer- gency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri- tective equipment recommendations (see section 8). Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Methods and materials for : Sweep up or vacuum up spillage and collect in suitabl	Notes	s to physician	:		
Alcohol-resistant foam Carbon dioxide (CO2) Dry chemicalUnsuitable extinguishing media Specific hazards during fire- fighting: Avoid generating dust, fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.Hazardous combustion prod- ucts: Carbon oxidesSpecific extinguishing meth- ods: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Evacuate area.Special protective equipment for firefighters Hazchem Code: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment necommendations (see section 8).Personal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment tecommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Unsuitable extinguishing media None known. Specific hazards during fire- fighting Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is i potential dust explosion hazard. Exposure to combustion products may be a hazard to health Hazardous combustion prod- ucts Carbon oxides Specific extinguishing meth- ods Carbon oxides Special protective equipment- for firefighters Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area. Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Methods and materials for Sweep up or vacuum up spillage and collect in suitable con-	ection 5	: Fire-fighting measure	es		
Carbon dioxide (CO2) Dry chemicalUnsuitable extinguishing mediaNone known.Specific hazards during fire- fighting: None known.Hazardous combustion prod- ucts: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.Hazardous combustion prod- ucts: Carbon oxidesSpecific extinguishing meth- ods: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.Special protective equipment for firefighters Hazchem Code: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. : 2ZPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Carbon dioxide (CO2) Dry chemicalUnsuitable extinguishing media:None known.Specific hazards during fire- fighting:Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to healthHazardous combustion prod- ucts:Carbon oxidesSpecific extinguishing meth- ods:Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. : 2ZPersonal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri- tective equipment recommendations (see section 8).Environmental precautions tective equipment recommendations (see section 8).:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-	Suita	ble extinguishing media	:		
Unsuitable extinguishing mediaDry chemicalSpecific hazards during fire- fighting:None known.fighting:Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.Hazardous combustion prod- ucts:Carbon oxidesSpecific extinguishing meth- ods:Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to c so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. :Personal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Dry chemical mediaDry chemical None known.Specific hazards during fire- fighting:Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to healthHazardous combustion prod- ucts:Carbon oxidesSpecific extinguishing meth- ods:Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri tective equipment recommendations (see section 8).Personal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-					
Unsuitable extinguishing media Specific hazards during fire- fighting: None known.Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.Hazardous combustion prod- ucts: Carbon oxidesSpecific extinguishing meth- ods: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Evacuate area.Special protective equipment for firefighters Hazchem Code: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Evacuate areaPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Unsuitable extinguishing media:None known.Specific hazards during fire- fighting:Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to healthHazardous combustion prod- ucts:Carbon oxidesSpecific extinguishing meth- ods:Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code:10 the event of fire, wear self-contained breathing apparatus Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Personal precautions, protec- tive equipment and emer- gency procedures:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-					(002)
Specific hazards during fire- fighting: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.Hazardous combustion prod- ucts: Carbon oxidesSpecific extinguishing meth- ods: Use extinguishing measures that are appropriate to local cir- curmstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to o so. Evacuate area.Special protective equipment for firefighters Hazchem Code: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. : 2ZPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Specific hazards during fire- fighting: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to healthHazardous combustion prod- ucts: Carbon oxidesSpecific extinguishing meth- ods: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code: Iuse personal protective equipment. 2ZPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pri- tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for: Sweep up or vacuum up spillage and collect in suitable con-			:		
uctsSpecific extinguishing methods:Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. :Personal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	uctsSpecific extinguishing methods:Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. 2ZPersonal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-	Spec	ific hazards during fire-	:	concentrations potential dust e	, and in the presence of an ignition source is a explosion hazard.
odscumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to d so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. :Personal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	odscumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.Special protective equipment for firefighters Hazchem Code:In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. 2ZPersonal precautions, protec- tive equipment and emer- gency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-		rdous combustion prod-	:	Carbon oxides	
Special protective equipment for firefighters Hazchem CodeIn the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. 2Zection 6: Accidental release measuresVersonal precautions, protec- tive equipment and emer- gency proceduresUse personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Special protective equipment for firefighters Hazchem CodeIn the event of fire, wear self-contained breathing apparatus Use personal protective equipment. 2Zection 6: Accidental release measuresUse personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Personal precautions:Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-	•	ific extinguishing meth-	:	cumstances an Use water spra Remove undar so.	nd the surrounding environment. By to cool unopened containers. Inaged containers from fire area if it is safe to c
for firefighters Hazchem CodeUse personal protective equipment.ection 6: Accidental release measuresPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	for firefighters Hazchem CodeUse personal protective equipment. 2Zection 6: Accidental release measuresPersonal precautions, protec- tive equipment and emer- gency procedures: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for: Sweep up or vacuum up spillage and collect in suitable con-	Cree	iel exetentive equipment			
ection 6: Accidental release measures Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Sweep up or vacuum up spillage and collect in suitable con-	for fir	efighters	•	Use personal p	
 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 	Personal precautions, protective equipment and emergency procedures:Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).Environmental precautions:Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-			:		
tive equipment and emer- gency proceduresFollow safe handling advice (see section 7) and personal pro tective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	tive equipment and emergency proceduresFollow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).Environmental precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for: Sweep up or vacuum up spillage and collect in suitable con-					rotativa aquinmant
Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.Methods and materials for:Sweep up or vacuum up spillage and collect in suitable con-	tive e	quipment and emer-	• •	Follow safe ha	ndling advice (see section 7) and personal pro
Methods and materials for : Sweep up or vacuum up spillage and collect in suitable con-		Envir	onmental precautions	:	Prevent further Retain and disp Local authoritie	leakage or spillage if safe to do so. bose of contaminated wash water. as should be advised if significant spillages
	3 / 14	Meth	ods and materials for	:	Sweep up or va	acuum up spillage and collect in suitable con-

SAFETY DATA SHEET



Version 6.1	Revision Date: 30.09.2023	SDS Number: 657052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016		
con	tainment and cleaning up	with compres Dust deposits es, as these leased into th Local or natio posal of this employed in t mine which re Sections 13 a	al of dust in the air (i.e., clearing dust surfaces		
Section	7: Handling and storage	•			
Tec	hnical measures	causing an ex Provide adeq	ity may accumulate and ignite suspended dust plosion. uate precautions, such as electrical grounding or inert atmospheres.		
	al/Total ventilation rice on safe handling	: Do not breath Do not swallo Avoid contac Avoid prolong Handle in acc practice, base sessment Minimize dus	W.		
		Keep away fr Take precaut	om heat and sources of ignition. ionary measures against static discharges. prevent spills, waste and minimize release to the		
Нус	jene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. 			
Cor	nditions for safe storage	: Keep in prop Store locked	erly labelled containers. up.		
Mat	erials to avoid		rdance with the particular national regulations. with the following product types: ing agents		



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	657052-00021	Date of first issue: 02.05.2016

Section 8: Exposure controls/personal protection

Components with workplace control parameters

components with workplace	control paramet						
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
Tedizolid Phosphate	856867-55-5	TWA	400 µg/m3 (OEB 2)	Internal			
Engineering measures	compound. All engineerin design and op	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.					
Personal protective equipme	nt						
Respiratory protection Filter type	 btection If adequate local exhaust ventilation is not available or ex sure assessment demonstrates exposures outside the rec ommended guidelines, use respiratory protection. Particulates type 						
Hand protection Material	: Chemical-resistant gloves						
Eye protection	If the work en mists or aeros Wear a faces	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols					
Skin and body protection	: Work uniform	Work uniform or laboratory coat.					

Section 9: Physical and chemical properties

Appearance	:	(lyophilised)
Colour	:	white to off-white
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	7.4 - 8.1
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable

SAFETY DATA SHEET



Tedizolid Injection Formulation

/ersion 6.1	Revision Date: 30.09.2023		S Number: '052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016	
Flam	mability (solid, gas)	:	May form explosed dling or other me	sive dust-air mixture during processing, han- eans.	
Flam	mability (liquids)	:	Not applicable		
	r explosion limit / Upper nability limit	:	No data availabl	e	
	r explosion limit / Lower nability limit	:	No data availabl	e	
Vapo	ur pressure	:	Not applicable		
Relat	ive vapour density	:	Not applicable		
Relat	ive density	:	No data available		
Dens	ity	:	No data availabl	e	
	ility(ies) ater solubility	:	No data availabl	е	
	ion coefficient: n-	:	Not applicable		
	ol/water ignition temperature	:	No data availabl	e	
Deco	mposition temperature	:	No data availabl	e	
Visco Vis	sity scosity, kinematic	:	No data availabl	e	
Explo	sive properties	:	Not explosive		
Oxidi	zing properties	:	The substance of	or mixture is not classified as oxidizing.	
Moleo	cular weight	:	No data availabl	e	
Partic	cle size	:	No data availabl	e	

Section 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.





rsion	Revision Date: 30.09.2023	SDS Number: 657052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016
	npatible materials rdous decomposition rcts	: Oxidizing a : No hazardo	gents ous decomposition products are known.
ction 1	1: Toxicological inform	nation	
Expos	sure routes	: Inhalation Skin contac Ingestion Eye contact	
	e toxicity		
	lassified based on avail	able information.	
<u>Comp</u>	oonents:		
	olid Phosphate:		
Acute	oral toxicity	: LD50 (Rat):	> 2,000 mg/kg
		LD50 (Mous	se): > 2,000 mg/kg
	e toxicity (other routes o nistration)		se): 256 - 274 mg/kg Route: Intravenous
		LD50 (Rat): Application	244 mg/kg Route: Intravenous
		LD50 (Dog) Application	: 200 mg/kg Route: Intravenous
	corrosion/irritation lassified based on avail	able information.	
	us eye damage/eye in lassified based on avail		
Resp	iratory or skin sensiti	sation	
-	sensitisation lassified based on avail	able information.	
-	iratory sensitisation assified based on avail	able information.	
Chro	nic toxicity		
	a cell mutagenicity lassified based on avail	able information.	
<u>Comp</u>	oonents:		
	tolid Phosphate: toxicity in vitro	: Test Type: I	Bacterial reverse mutation assay (AMES)
	,		



ersion .1	Revision Date: 30.09.2023	SDS Number: 657052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016		
		Result: nega	ıtive		
		Test Type: C Result: posit	Chromosome aberration test in vitro ive		
Genot	toxicity in vivo	cytogenetic a Species: Mo	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative		
		Test Type: u Species: Ra Result: nega			
	cell mutagenicity - sment	: Weight of ev cell mutager	idence does not support classification as a gern		
Not cla Repro	nogenicity assified based on avai oductive toxicity acted of damaging the				
<u>Comp</u>	oonents:				
	olid Phosphate: s on fertility	Species: Ra Application F Fertility: NO			
			t, male		
Effect ment	s on foetal develop-	Species: Mo Application F Developmen			
		Species: Ra Application F Developmen			
		Test Type: E Species: Ra	mbryo-foetal development t		



rsion	Revision Date: 30.09.2023		OS Number: 7052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016
				te: Oral Foxicity: NOAEL: 2.5 mg/kg body weight I foetal weight, Skeletal malformations
Repro sessn	oductive toxicity - As- nent	:	Some evidence animal experime	of adverse effects on development, based on the set of
стот	- single exposure			
Not cl	lassified based on avai	lable	information.	
STOT	- repeated exposure	•		
	cause damage to orgar ted exposure.	ns (Bo	one marrow, Blood	d, Gastrointestinal tract) through prolonged
Comp	oonents:			
Tediz	olid Phosphate:			
	et Organs ssment	:		lood, Gastrointestinal tract age to organs through prolonged or repeate
Repe	ated dose toxicity			
-	-			
Com	oonents:			
Comp Tediz Speci NOAE Applic Expos	conents: colid Phosphate: es	:	Rat, female 10 mg/kg Oral 28 d Lymph nodes, th	ıymus gland, Bone marrow
Comp Tediz Speci NOAE Applic Expos Targe	conents: colid Phosphate: es EL cation Route sure time et Organs	: : : : : : : : : : : : : : : : : : : :	10 mg/kg Oral 28 d Lymph nodes, th	nymus gland, Bone marrow
Comp Tediz Speci NOAE Applic Expos	conents: colid Phosphate: es EL cation Route sure time et Organs es	:	10 mg/kg Oral 28 d	nymus gland, Bone marrow
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral	nymus gland, Bone marrow
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d	
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female	nymus gland, Bone marrow oleen, Lymph nodes, thymus gland
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	conents: colid Phosphate: es EL cation Route sure time et Organs EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg	
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female	
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous	bleen, Lymph nodes, thymus gland
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous 28 d Gastrointestinal Rat, male	bleen, Lymph nodes, thymus gland
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	Ponents: Polid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous 28 d Gastrointestinal Rat, male 30 mg/kg	oleen, Lymph nodes, thymus gland
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	conents: colid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous 28 d Gastrointestinal Rat, male 30 mg/kg Intravenous	oleen, Lymph nodes, thymus gland
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	Ponents: Polid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous 28 d Gastrointestinal Rat, male 30 mg/kg	oleen, Lymph nodes, thymus gland tract
Comp Tediz Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe Speci NOAE Applic Expos Targe	Ponents: Polid Phosphate: es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs es EL cation Route sure time et Organs		10 mg/kg Oral 28 d Lymph nodes, th Rat, male 30 mg/kg Oral 28 d Bone marrow, sp Rat, female 15 mg/kg Intravenous 28 d Gastrointestinal Rat, male 30 mg/kg Intravenous 28 d	pleen, Lymph nodes, thymus gland tract



ersion 1	Revision Date: 30.09.2023		2S Number: 7052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016			
	L cation Route sure time	:	5 mg/kg Oral 6 Months				
	EL cation Route sure time	:	Dog 400 mg/kg Oral 28 d Vomiting				
	ation toxicity assified based on availa	ble	information.				
Exper	rience with human exp	osu	re				
<u>Comp</u>	oonents:						
Tediz Inhala	olid Phosphate: ation	:		sea, Headache, Diarrhoea, Vomiting, Dizzi-			
Ingest	tion	:	ness Symptoms: Nausea, Headache, Diarrhoea, Vomiting, Dizzi- ness				
ction 12	2: Ecological informati	on					
Ecotc	oxicity						
	-						
	oonents:						
Tediz	oonents: olid Phosphate:						
	olid Phosphate: ty to algae/aquatic	:	Exposure time:	a flos-aquae): 0.313 mg/l 72 h Test Guideline 201			
Toxici	olid Phosphate: ty to algae/aquatic	:	Exposure time: Method: OECD NOEC (Anabae Exposure time:	72 h Test Guideline 201 na flos-aquae): 0.0632 mg/l			
Toxici plants M-Fac	olid Phosphate: ty to algae/aquatic	:	Exposure time: Method: OECD NOEC (Anabae Exposure time:	72 h Test Guideline 201 na flos-aquae): 0.0632 mg/l 72 h			
Toxici plants M-Fac icity)	olid Phosphate: ty to algae/aquatic	:	Exposure time: Method: OECD NOEC (Anabae Exposure time: Method: OECD 1 NOEC (Pimepha mg/l Exposure time:	72 h Test Guideline 201 na flos-aquae): 0.0632 mg/l 72 h Test Guideline 201 ales promelas (fathead minnow)): 0.03175			
Toxici plants M-Fac icity) Toxici icity) Toxici aquati	olid Phosphate: ty to algae/aquatic ctor (Acute aquatic tox- ty to fish (Chronic tox- ty to daphnia and other ic invertebrates (Chron-	:	Exposure time: Method: OECD NOEC (Anabae Exposure time: Method: OECD 1 NOEC (Pimepha mg/l Exposure time: Method: OECD	72 h Test Guideline 201 na flos-aquae): 0.0632 mg/l 72 h Test Guideline 201 ales promelas (fathead minnow)): 0.03175 32 d Test Guideline 210 a magna (Water flea)): 0.6 mg/l			
Toxici plants M-Fac icity) Toxici icity) Toxici aquati ic toxici	olid Phosphate: ty to algae/aquatic ctor (Acute aquatic tox- ty to fish (Chronic tox- ty to daphnia and other ic invertebrates (Chron- city) ctor (Chronic aquatic	:	Exposure time: Method: OECD NOEC (Anabae Exposure time: Method: OECD 1 NOEC (Pimepha mg/l Exposure time: Method: OECD NOEC (Daphnia	72 h Test Guideline 201 na flos-aquae): 0.0632 mg/l 72 h Test Guideline 201 ales promelas (fathead minnow)): 0.03175 32 d Test Guideline 210 a magna (Water flea)): 0.6 mg/l			



rsion	Revision Date: 30.09.2023	SDS Numb 657052-000	
			pe: Respiration inhibition © OECD Test Guideline 209
		Exposu Test Ty	100 mg/l re time: 3 h pe: Respiration inhibition : OECD Test Guideline 209
Persi	stence and degradab	ility	
<u>Comp</u>	oonents:		
Tediz	olid Phosphate:		
Biode	gradability	Biodegr Exposu	Not readily biodegradable. adation: 2 % re time: 28 d : OECD Test Guideline 301B
Stabil	ity in water	: Hydroly	sis: 0 %(5 d)
Bioad	cumulative potential		
<u>Comp</u>	oonents:		
Tediz	olid Phosphate:		
	on coefficient: n- ol/water	: log Pow	: 1.3
Mobil	lity in soil		
<u>Comp</u>	oonents:		
Tediz	olid Phosphate:		
	oution among environ- al compartments	: log Koc	2.6
Other	adverse effects		
No da	ata available		

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations



Version 6.1	Revision Date: 30.09.2023	SDS Number: 657052-00021	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016
Prop Class Pack Labe Envir IATA UN/II	iumber er shipping name s ing group	N.O.S. (Tedizolid : 9 : III : 9 : yes : UN 3077	MENTALLY HAZARDOUS SUBSTANCE, SOLID, Phosphate) ntally hazardous substance, solid, n.o.s.
Class Pack Labe Pack aircra Pack ger a	s ing group ls ing instruction (cargo		Phosphate)
UN n Prop Class		N.O.S. (Tedizolid I : 9	MENTALLY HAZARDOUS SUBSTANCE, SOLID, Phosphate)
Labe EmS	ing group ls Code ne pollutant	: III : 9 : F-A, S-F : yes	
	sport in bulk according		MARPOL 73/78 and the IBC Code
	onal Regulations	sappiica.	
	5433	· 11N 3077	

1120 3433		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
		N.O.S.
		(Tedizolid Phosphate)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	2Z
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	657052-00021	Date of first issue: 02.05.2016

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

not allocated

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	30.09.2023
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET



Tedizolid Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	657052-00021	Date of first issue: 02.05.2016

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN