



Vers 3.1	sion	Revision Date: 2023/09/30	-	S Number: /004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
1. P	RODUC	T AND COMPANY IDI	ENT	IFICATION	
	Product	t name	:	Tedizolid Solid F	ormulation
	Manufa	acturer or supplier's d	letai	ls	
	Compa	ny	:	MSD	
	Address	S	:	126 E. Lincoln A Rahway, New Je	venue ersey U.S.A. 07065
	Telepho	one	:	908-740-4000	
	Emerge	ency telephone number	• :	1-908-423-6000	
	E-mail a	address	:	EHSDATASTEW	/ARD@msd.com
	Recom	mended use of the ch	nem	ical and restriction	ons on use
		mended use	:	Pharmaceutical	
	Restrict	ions on use	:	Not applicable	
2. H	AZARD	S IDENTIFICATION			
	GHS CI	lassification			
		uctive toxicity	:	Category 2	
		c target organ toxicity - d exposure	:	Category 2 (Bon	e marrow, Blood, Gastrointestinal tract)
	Short-te hazard	erm (acute) aquatic	:	Category 1	

GHS label elements

Long-term (chronic) aquatic : Category 1

:

1

Hazard pictograms

Signal word

hazard



Hazard statements:H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Bone marrow, Blood,
Gastrointestinal tract) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.





Version 3.1	Revision Date: 2023/09/30	SDS Number: 657004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Preca	utionary statements	P202 Do not h and understoc P260 Do not b P273 Avoid re	breathe dust. lease to the environment. otective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect s	IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
		Disposal: P501 Dispose disposal plant	of contents/ container to an approved waste

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Tedizolid Phosphate	856867-55-5	>= 30 -< 60
Cellulose	9004-34-6	>= 10 -< 30
Magnesium stearate	557-04-0	< 10

4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medica advice. 	
If inhaled	: If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	 In case of contact, immediately flush skin with soap and plent of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 	ty



Version 3.1	Revision Date: 2023/09/30	S Number:Date of last issue: 2023/07004-00019Date of first issue: 2016/0	
In ca	ase of eye contact	If in eyes, rinse well with water. Get medical attention if irritation develops a	nd persists
-	vallowed	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.	nu persists.
	t important symptoms effects, both acute and yed	Suspected of damaging the unborn child. May cause damage to organs through prolo exposure. Contact with dust can cause mechanical irri the skin. Dust contact with the eyes can lead to mech	tation or drying of
	ection of first-aiders	First Aid responders should pay attention to and use the recommended personal protect when the potential for exposure exists (see Treat symptomatically and supportively.	self-protection, tive equipment
	es to physician		
-	able extinguishing media	Water spray Alcohol-resistant foam Carbon dioxide (CO2)	
Unsi med	uitable extinguishing ia	Dry chemical None known.	
Spec fight	cific hazards during fire- ing	Avoid generating dust; fine dust dispersed i concentrations, and in the presence of an ig potential dust explosion hazard. Exposure to combustion products may be a	nition source is a
Haza ucts	ardous combustion prod-	Carbon oxides Nitrogen oxides (NOx) Metal oxides	
Spec ods	cific extinguishing meth-	Use extinguishing measures that are appropried cumstances and the surrounding environme. Use water spray to cool unopened container Remove undamaged containers from fire ar so. Evacuate area.	ent. rs.
	cial protective equipment refighters	In the event of fire, wear self-contained brea Use personal protective equipment.	athing apparatus.
6. ACCID	DENTAL RELEASE MEA	ES	
tive	onal precautions, protec- equipment and emer- cy procedures	Use personal protective equipment. Follow safe handling advice (see section 7) tective equipment recommendations (see se	
Envi	ronmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to Retain and dispose of contaminated wash v Local authorities should be advised if signific cannot be contained.	vater.



/ersion 8.1	Revision Date: 2023/09/30	SDS Number: 657004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
	ods and materials for inment and cleaning up	tainer for dispose Avoid dispersal with compresse Dust deposits si es, as these ma leased into the Local or nationa posal of this ma employed in the mine which regu Sections 13 and	of dust in the air (i.e., clearing dust surfaces
HANDL	ING AND STORAGE		
Techr	nical measures	causing an expl Provide adequa	te precautions, such as electrical grounding
	/Total ventilation e on safe handling	 Use only with ac Do not breathe Do not swallow. Avoid contact w Avoid prolonged Handle in accor practice, based sessment Minimize dust g Keep container Keep away from Take precaution 	
Cond	itions for safe storage	: Keep in properly Store locked up	y labelled containers. ance with the particular national regulations.
Mater	rials to avoid		h the following product types:

	-			
Components	CAS-No.	Value type	Control parame-	Basis
Componente			•	Baolo
		(Form of	ters / Permissible	
		exposure)	concentration	
		expedency	oonoonaalon	
Tedizolid Phosphate	856867-55-5	TWA	400 µg/m3 (OEB	Internal
			2)	
Cellulose	9004-34-6	NAB	10 mg/m3	ID OEL
Condiose	500+ 54-0		io ing/ino	



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	657004-00019	Date of first issue: 2016/05/03

		TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	NAB	10 mg/m3	ID OEL
		classify these r	ied as carcinogenic t naterials as carcinog	
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures	:	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are de- signed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
Personal protective equipme	ent	
Respiratory protection		If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work- ing place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES



ersion .1	Revision Date: 2023/09/30		S Number: 7004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Apr	pearance	:	powder	
Col	our	:	yellow	
Odo	our	:	odourless	
Odd	our Threshold	:	No data available	e
pН		:	No data available	e
Mel	ting point/freezing point	:	No data available	e
Initi rang	al boiling point and boiling ge	:	No data available	e
Flas	sh point	:	Not applicable	
Eva	poration rate	:	Not applicable	
Flar	mmability (solid, gas)	:	May form explos dling or other me	ive dust-air mixture during processing, ha
Flar	mmability (liquids)	:	Not applicable	
	per explosion limit / Upper nmability limit	:	No data available	9
	ver explosion limit / Lower nmability limit	:	No data available	9
Vap	oour pressure	:	Not applicable	
Rel	ative vapour density	:	Not applicable	
Rel	ative density	:	No data available	e
Der	nsity	:	No data available	e
	ubility(ies) Water solubility	:	No data available	e
	tition coefficient: n- anol/water	:	Not applicable	
	o-ignition temperature	:	No data available	e
Dec	composition temperature	:	No data available	e
	cosity Viscosity, dynamic	:	No data available	e
Ņ	Viscosity, kinematic	:	Not applicable	



ersion .1	Revision Date: 2023/09/30		S Number: 7004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Explo	sive properties	:	Not explosive	
Oxidiz	zing properties	:	The substance	or mixture is not classified as oxidizing.
Molec	Molecular weight		No data availa	ble
Particle size		:	No data availa	ble
0. STABI	LITY AND REACTIVITY	,		
Reactivity Chemical stability Possibility of hazardous reac- tions		:	Stable under n May form explo dling or other n	as a reactivity hazard. ormal conditions. osive dust-air mixture during processing, han- neans. strong oxidizing agents.
Condi	tions to avoid	:	Heat, flames a	
	patible materials dous decomposition cts	 Avoid dust formation. Oxidizing agents No hazardous decomposition products are known. 		
1. TOXIC	OLOGICAL INFORMAT		N	
	Information on likely routes of exposure		Inhalation Skin contact Ingestion Eye contact	
	e toxicity			
	assified based on availa conents:	ble	information.	
	olid Phosphate:			
	oral toxicity	:	LD50 (Rat): > 2	,000 mg/kg
			LD50 (Mouse):	> 2,000 mg/kg
	toxicity (other routes of istration)	:	LD50 (Mouse): Application Rou	256 - 274 mg/kg te: Intravenous
			LD50 (Rat): 244 Application Rou	
			LD50 (Dog): 20 Application Rou	
Cellu	lose:			



Tedizolid Solid Formulation

Version 3.1	Revision Date: 2023/09/30		S Number: 004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Acut	e inhalation toxicity	I	_C50 (Rat): > Exposure time Test atmosphe	e: 4 h
Acut	e dermal toxicity	: 1	_D50 (Rabbit)	: > 2,000 mg/kg
-	nesium stearate: e oral toxicity			2 000 ma/ka
Acut		l / i	Assessment: ⁻ city	D Test Guideline 423 The substance or mixture has no acute oral tox- ed on data from similar materials
Acut	e dermal toxicity			: > 2,000 mg/kg ed on data from similar materials
Not o	corrosion/irritation	ilable ir	formation.	
<u>Com</u>	ponents:			
-	nesium stearate:			
Spec Resu			Rabbit No skin irritatio	nc
Rem				a from similar materials
Serie	ous eye damage/eye i	rritatio	n	
Not o	classified based on ava	ilable ir	formation.	
Com	ponents:			
Mag	nesium stearate:			
Spec			Rabbit	
Resu			No eye irritatio	
Rem	aiks	: 1	based on data	a from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Magnesium stearate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig



Version 3.1	Revision Date: 2023/09/30		9S Number: 7004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Re	thod sult marks	:	OECD Test Guide negative Based on data fro	eline 406 m similar materials
No	r m cell mutagenicity t classified based on avail mponents:	able	information.	
Те	dizolid Phosphate: notoxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
			Test Type: Chron Result: positive	nosome aberration test in vitro
Ge	notoxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Result: negative	nalian erythrocyte micronucleus test (in vivo ′)
			Test Type: unsch Species: Rat Result: negative	eduled DNA synthesis assay
	rm cell mutagenicity - sessment	:	Weight of evidend cell mutagen.	e does not support classification as a germ
Ce	Ilulose:			
	notoxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
			Test Type: In vitro Result: negative	o mammalian cell gene mutation test
Ge	notoxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative	
Ма	gnesium stearate:			
	notoxicity in vitro	:	Result: negative Remarks: Based	o mammalian cell gene mutation test on data from similar materials nosome aberration test in vitro
			Method: OECD T Result: negative	



Version 3.1	Revision Date: 2023/09/30	SDS Number: 657004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03

Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

:	Rat
:	Ingestion
:	72 weeks
:	negative
	:

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Tedizolid Phosphate:		
Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, female Application Route: Oral Fertility: NOAEL: 15 mg/kg body weight Result: No effects on fertility
		Test Type: Fertility Species: Rat, male Application Route: Oral Fertility: NOAEL: 50 mg/kg body weight Result: No effects on fertility
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Oral Developmental Toxicity: LOAEL: 25 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations
		Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations
		Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 2.5 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations
Reproductive toxicity - As-	:	Some evidence of adverse effects on development, based on



Version 3.1	Revision Date: 2023/09/30	SDS Number: 657004-00019				
sess	sment	animal exp	periments.			
Cell	ulose:					
Effects on fertility		Species: F Application	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative			
Effe men	cts on foetal develop- t	Species: F	n Route: Ingestion			
Mag	nesium stearate:					
Effe	cts on fertility	reproducti Species: F Application Method: C Result: ne	n Route: Ingestion DECD Test Guideline 422			
Effe men	cts on foetal develop- t	Species: F Application Result: ne	n Route: Ingestion			

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Bone marrow, Blood, Gastrointestinal tract) through prolonged or repeated exposure.

Components:

Tedizolid Phosphate:	
Target Organs Assessment	Bone marrow, Blood, Gastrointestinal tract May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Tedizolid Phosphate:

Species	:	Rat, female
NOAEL	:	10 mg/kg
Application Route	:	Oral



Version 3.1	Revision Date: 2023/09/30	SDS Number: 657004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Expo Targe Spec NOAI Applie Expo Targe Spec NOAI Applie Expo	sure time et Organs EL cation Route sure time et Organs EL EL cation Route sure time	 28 d Lymph nodes, Rat, male 30 mg/kg Oral 28 d Bone marrow, Rat, female 15 mg/kg Intravenous 28 d 	thymus gland, Bone marrow spleen, Lymph nodes, thymus gland
Speci NOAI Applie Expos Targe Speci NOAI LOAE Applie	EL cation Route sure time et Organs ies EL	 Gastrointestination Rat, male 30 mg/kg Intravenous 28 d Gastrointestination Rat 2 mg/kg 5 mg/kg Oral 6 Months 	
	EL cation Route sure time	: Dog : 400 mg/kg : Oral : 28 d : Vomiting	
	ies	: Rat : >= 9,000 mg/k : Ingestion : 90 Days	ŝġ
Speci NOAI Applie	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on data	a from similar materials

Aspiration toxicity

Not classified based on available information.



ersion 1	Revision Date: 2023/09/30		Number: 004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03		
Expe	rience with human exp	osure	•			
Comp	oonents:					
Tediz	olid Phosphate:					
Inhala	ation	: Symptoms: Nausea, Headache, Diarrhoea, Vomiting, Dizz				
Inges	tion	: 8	ness Symptoms: Na ness	usea, Headache, Diarrhoea, Vomiting, Dizzi		
. ECOLO	OGICAL INFORMATION	N				
Ecoto	oxicity					
Comp	oonents:					
Tediz	olid Phosphate:					
Toxici plants	ity to algae/aquatic	E	Exposure time	na flos-aquae): 0.313 mg/l : 72 h) Test Guideline 201		
		E	Exposure time	ena flos-aquae): 0.0632 mg/l : 72 h) Test Guideline 201		
M-Fac icity)	ctor (Acute aquatic tox-	: 1				
• /	ity to fish (Chronic tox-	r E	ng/l Exposure time	nales promelas (fathead minnow)): 0.03175 : 32 d) Test Guideline 210		
aquat	ity to daphnia and other ic invertebrates (Chron-		NOEC (Daphn Exposure time	ia magna (Water flea)): 0.6 mg/l : 21 d		
ic toxi M-Fac toxicit	ctor (Chronic aquatic	: 1				
	ity to microorganisms	E				
		E				
Cellu	lose:					
Toxici	ity to fish	E	Exposure time	latipes (Japanese medaka)): > 100 mg/l : 48 h ed on data from similar materials		



rsion	Revision Date: 2023/09/30	SDS Numbe 657004-000			
Magno	esium stearate:				
Toxicity to fish		Exposur Method:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Method: DIN 38412 Remarks: Based on data from similar materials		
Toxicity to daphnia and other aquatic invertebrates		Exposur Test sub Method: Remark	EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility		
Toxicity to algae/aquatic plants		mg/l Exposur Test sub Method: Remark			
		mg/l Exposur Test sub Method:	(Pseudokirchneriella subcapitata (green algae)): > re time: 72 h ostance: Water Accommodated Fraction OECD Test Guideline 201 s: Based on data from similar materials		
Toxicity to microorganisms		Exposur Test sub	EC10 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials		
Persis	stence and degradabil	ty			
<u>Comp</u>	onents:				
Tedizolid Phosphate: Biodegradability		Biodegra Exposur	Not readily biodegradable. adation: 2 % re time: 28 d OECD Test Guideline 301B		
Stabili	ty in water	: Hydrolys	: Hydrolysis: 0 %(5 d)		
Cellulose: Biodegradability		: Result: I	Readily biodegradable.		
-	esium stearate: gradability	· Poculti l	Not biodegradable		



/ersion 3.1	Revision Date: 2023/09/30		OS Number: 7004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
			Remarks: Based	d on data from similar materials
Bioad	cumulative potential			
<u>Comp</u>	oonents:			
	olid Phosphate:	:	log Pow: 1.3	
octan	ol/water		J.	
Partiti	esium stearate: on coefficient: n- ol/water	:	log Pow: > 4	
Mobil	lity in soil			
Com	oonents:			
Distrik	olid Phosphate: oution among environ- al compartments	:	log Koc: 2.6	
	r adverse effects ata available			
3. DISPO	SAL CONSIDERATION	٧S		
Dispo	osal methods			
-	e from residues	:		of waste into sewer.
Conta	Contaminated packaging		Empty container dling site for rec	cordance with local regulations. s should be taken to an approved waste han ycling or disposal. specified: Dispose of as unused product.
4. TRAN	SPORT INFORMATION	I		
Interr	national Regulations			
UNR1	ſDG			
UN nı	umber er shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
Class			(Tedizolid Phos 9	phate)
Packi	ng group	:	III	
Label Enviro	s onmentally hazardous	:	9 yes	
IATA	-		-	
UN/IC) No. er shipping name	:		hazardous substance, solid, n.o.s.
Prope	11 0		(Tedizolid Phos	nhate)



Version 3.1	Revision Date: 2023/09/30		DS Number: 7004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03
Packing group Labels Packing instruction (cargo		:	III Miscellaneous 956	
aircraft) Packing instruction (passen- ger aircraft) Environmentally hazardous		:	956 yes	
IMDG-Code UN number Proper shipping name		:	UN 3077 ENVIRONMENT/ N.O.S. (Tedizolid Phospl	ALLY HAZARDOUS SUBSTANCE, SOLID,
Label EmS	ng group	:	9 III 9 F-A, S-F yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered

gistered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable

compile the Safety Data

Full text of other abbreviations

Sheet

ACGIH

ID OEL

Date format

ACGIH / TWA

ID OEL / NAB



Tedizolid Solid Formulation

Version 3.1	Revision Date: 2023/09/30		DS Number: 57004-00019	Date of last issue: 2023/04/04 Date of first issue: 2016/05/03		
contro	ol, Annex I					
	Type of hazardous materials subject to distribution and : Not applicable control, Annex II					
The components of this product are reported in the following inventories: AICS : not determined						
DSL		:	not determined			
IECS	C	:	not determined			
16. OTHER INFORMATION						
Revis	ion Date	:	2023/09/30			
Furth	er information					
Sourc	es of key data used to	:	Internal technical	data, data from raw material SDSs, OECD		

cy, http://echa.europa.eu/

: 8-hour, time-weighted average

Long term exposure limit

USA. ACGIH Threshold Limit Values (TLV)

Indonesia. Occupational Exposure Limits

: yyyy/mm/dd

:

:

:

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys- tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con- centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi- cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or- ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

eChem Portal search results and European Chemicals Agen-



Tedizolid Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	657004-00019	Date of first issue: 2016/05/03

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN