

Tedizolid Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 657011-00019 6.1 30.09.2023 Date of first issue: 03.05.2016

Section 1: Identification

Tedizolid Solid Formulation Product name

Manufacturer or supplier's details

Company : MSD

Address 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone 0800 800 543

0800 764 766 (0800 POISON) Emergency telephone number: 0800 243 622 (0800

CHEMCALL)

EHSDATASTEWARD@msd.com E-mail address

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use Not applicable

Section 2: Hazard identification

GHS Classification

Reproductive toxicity Category 2

Specific target organ toxicity - :

repeated exposure

Category 2 (Bone marrow, Blood, Gastrointestinal tract)

Hazardous to the aquatic

environment - acute hazard

Category 1

Hazardous to the aquatic environment - chronic hazard Category 1

GHS label elements

Hazard pictograms





Signal word

Hazard statements H361d Suspected of damaging the unborn child.

> H373 May cause damage to organs (Bone marrow, Blood, Gastrointestinal tract) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Tedizolid Phosphate	856867-55-5	>= 50 -< 70	
Cellulose	9004-34-6	>= 10 -< 20	
Magnesium stearate	557-04-0	>= 1 -< 10	

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

and effects, both a delayed

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

and use the recommended personal protective equipmen when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters Hazchem Code In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

: 2Z

Section 6: Accidental release measures

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages



Tedizolid Solid Formulation

SDS Number: Date of last issue: 04.04.2023 Version Revision Date: 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Static electricity may accumulate and ignite suspended dust Technical measures

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation. Advice on safe handling Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

Conditions for safe storage Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Tedizolid Phosphate	856867-55-5	TWA	400 μg/m3 (OEB 2)	Internal
Cellulose	9004-34-6	WES-TWA	10 mg/m3	NZ OEL
		TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	WES-TWA	10 mg/m3	NZ OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat-	3 mg/m3	ACGIH
		ter)		

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Section 9: Physical and chemical properties

Appearance : powder



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Colour : yellow

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation. Oxidizing agents

Incompatible materials :

Hazardous decomposition

products

: No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Tedizolid Phosphate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 256 - 274 mg/kg Application Route: Intravenous

LD50 (Rat): 244 mg/kg

Application Route: Intravenous

LD50 (Dog): 200 mg/kg

Application Route: Intravenous

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Magnesium stearate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Result : negative

Remarks : Based on data from similar materials

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Tedizolid Phosphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Test Type: unscheduled DNA synthesis assay

Species: Rat Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Tedizolid Phosphate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat, female Application Route: Oral

Fertility: NOAEL: 15 mg/kg body weight

Result: No effects on fertility

Test Type: Fertility Species: Rat, male Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

Developmental Toxicity: LOAEL: 25 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 2.5 mg/kg body weight Result: Reduced foetal weight, Skeletal malformations



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Bone marrow, Blood, Gastrointestinal tract) through prolonged or repeated exposure.

Components:

Tedizolid Phosphate:

Target Organs : Bone marrow, Blood, Gastrointestinal tract

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Tedizolid Phosphate:

Species : Rat, female NOAEL : 10 mg/kg



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Application Route : Oral Exposure time : 28 d

Target Organs : Lymph nodes, thymus gland, Bone marrow

Species : Rat, male
NOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 28 d

Target Organs : Bone marrow, spleen, Lymph nodes, thymus gland

Species : Rat, female NOAEL : 15 mg/kg Application Route : Intravenous

Exposure time : 28 d

Target Organs : Gastrointestinal tract

Species : Rat, male NOAEL : 30 mg/kg Application Route : Intravenous

Exposure time : 28 d

Target Organs : Gastrointestinal tract

Species : Rat

NOAEL : 2 mg/kg

LOAEL : 5 mg/kg

Application Route : Oral

Exposure time : 6 Months

Species : Dog NOAEL : 400 mg/kg

Application Route : Oral
Exposure time : 28 d
Symptoms : Vomiting

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.



Tedizolid Solid Formulation

Version SDS Number: Date of last issue: 04.04.2023 Revision Date: 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Experience with human exposure

Components:

Tedizolid Phosphate:

Inhalation Symptoms: Nausea, Headache, Diarrhoea, Vomiting, Dizzi-

ness

Ingestion Symptoms: Nausea, Headache, Diarrhoea, Vomiting, Dizzi-

ness

Section 12: Ecological information

Ecotoxicity

Components:

Tedizolid Phosphate:

Toxicity to algae/aquatic

plants

EC50 (Anabaena flos-aquae): 0.313 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.0632 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.03175

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

toxicity)

M-Factor (Chronic aquatic : 1

Toxicity to microorganisms

NOEC (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 21 d

EC50: > 100 mg/l Exposure time: 3 h

> Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 100 mg/l

Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Cellulose:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

Components:

Tedizolid Phosphate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 2 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Stability in water : Hydrolysis: 0 %(5 d)

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Tedizolid Phosphate:

Partition coefficient: n-

octanol/water

log Pow: 1.3

Magnesium stearate:

Partition coefficient: n-

octanol/water

log Pow: > 4

Mobility in soil

Components:

Tedizolid Phosphate:

Distribution among environmental compartments

log Koc: 2.6

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tedizolid Phosphate)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Tedizolid Phosphate)

Class : 9



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 6.1 30.09.2023 657011-00019 Date of first issue: 03.05.2016

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen:

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

956

(Tedizolid Phosphate)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Tedizolid Phosphate)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

not allocated

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

IECSC : not determined

Section 16: Other information

Revision Date : 30.09.2023

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



Tedizolid Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 657011-00019 Date of first issue: 03.05.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN