

# **Vericiguat Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 5598515-00009 Date of first issue: 25.03.2020 2.1

#### **SECTION 1. IDENTIFICATION**

Product name Vericiguat Formulation

Manufacturer or supplier's details

MSD Company

Address Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone 908-740-4000

Emergency telephone 1-908-423-6000

EHSDATASTEWARD@msd.com E-mail address

Recommended use of the chemical and restrictions on use

Recommended use Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

repeated exposure (Oral)

Specific target organ toxicity - : Category 2 (Cardio-vascular system)

**GHS** label elements

Hazard pictograms

Signal Word

Hazard Statements H373 May cause damage to organs (Cardio-vascular system)

through prolonged or repeated exposure if swallowed.

**Precautionary Statements** Prevention:

P260 Do not breathe dust.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form combustible dust concentrations in air during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 30 -< 50
Vericiguat	1350653-20-1	>= 1 -< 5
Magnesium stearate	557-04-0	>= 1 -< 5

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow. Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Avoid prolonged of repeated contact with

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation.



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Cellulose	9004-34-6	CMP	10 mg/m <sup>3</sup>	AR OEL	
		TWA	10 mg/m <sup>3</sup>	ACGIH	
Vericiguat	1350653-20- 1	TWA	4 μg/m3 (OEB 4)	Internal	
		Wipe limit	40 μg/100 cm <sup>2</sup>	Internal	
Magnesium stearate	557-04-0	CMP	10 mg/m <sup>3</sup>	AR OEL	
	Further inform	Further information: A4 - Not classifiable as a human carcinogen			
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH	
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH	

**Engineering measures** : Containment technologies suitable for controlling compounds

are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from

stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Particulates type



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 5598515-00009 Date of first issue: 25.03.2020

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : tablet

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper : No data available



# **Vericiguat Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 5598515-00009 Date of first issue: 25.03.2020 2.1

flammability limit

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure Not applicable

Relative vapor density Not applicable

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

Molecular weight No data available

Particle size No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during

processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

Oxidizing agents

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

6/15



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Components:** 

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Vericiguat:

Acute oral toxicity : LD50 (Rat): > 60 mg/kg

Remarks: No mortality observed at this dose.

LD50 (Dog): > 30 mg/kg

Remarks: No mortality observed at this dose.

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### **Components:**

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Vericiguat:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro



# **Vericiguat Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 5598515-00009 Date of first issue: 25.03.2020 2.1

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### **Components:**

#### Cellulose:

**Species** Rat Application Route Ingestion Exposure time 72 weeks Result negative

## Reproductive toxicity

Not classified based on available information.

#### **Components:**

### Cellulose:

Effects on fertility Test Type: One-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

## Vericiguat:

Effects on fertility Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Some evidence of adverse effects on development,

based on animal experiments.

Remarks: Maternal toxicity observed.

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2,5 mg/kg body weight

Result: Postimplantation loss.



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Remarks: Maternal toxicity observed.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

### Components:

#### Vericiguat:

Target Organs : Cardio-vascular system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

## **Components:**

### Cellulose:

Species : Rat

NOAEL : >= 9.000 mg/kg Application Route : Ingestion

Exposure time : 90 Days

Vericiguat:

Species : Mouse
NOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Remarks : No significant adverse effects were reported

Species : Rat
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Liver, Prostate, Adrenal gland



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 2.1 30.09.2023 5598515-00009 Date of first issue: 25.03.2020

Species : Rat
NOAEL : 3 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : small intestine

Species : Rat
NOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Kidney

Species : Dog
NOAEL : 2,5 mg/kg
LOAEL : 7,5 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Kidney, Gastrointestinal tract

Symptoms : Vomiting

Species : Dog
NOAEL : 2,5 mg/kg
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Symptoms : No adverse effects.

Species : Dog NOAEL : 5 mg/kg Application Route : Oral Exposure time : 39 Weeks

Symptoms : No adverse effects.

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

Experience with human exposure

**Components:** 

Vericiguat:

Ingestion : Target Organs: Cardio-vascular system

Symptoms: hypotension, Headache, Dizziness, Nausea, Diar-

rhea, Vomiting, anemia, acid reflux, constipation



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Remarks: Based on data from similar materials

**Bioaccumulative potential** 

**Components:** 

Vericiguat:

Partition coefficient: n-

octanol/water

log Pow: 2,99

Magnesium stearate:

Partition coefficient: n-

: log Pow: > 4

octanol/water

Mobility in soil
No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

**SECTION 15. REGULATORY INFORMATION** 

Safety, health and environmental regulations/legislation specific for the substance or

mixture

Argentina. Carcinogenic Substances and Agents

Registry.

Not applicable



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Control of precursors and essential chemicals for the : Not applicable

preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agentus Materials Agentu

cy, http://echa.europa.eu/

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average AR OEL / CMP : TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,



# **Vericiguat Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 2.1
 30.09.2023
 5598515-00009
 Date of first issue: 25.03.2020

Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8