

Vericiguat Formulation

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
6.0		5598518-00010	Date of first issue: 2020/03/25

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Vericiguat Formulation
Supplier's company name, ad	ldr	ess and phone number
Company name of supplier	:	MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000
Address Telephone E-mail address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltc Menuma factory 048-588-8411 EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Pharmaceutical
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemica Specific target organ toxicity - repeated exposure (Oral)	product Category 2 (Cardio-vascular system)
GHS label elements	
Hazard pictograms	
Signal word	Warning
Hazard statements	H373 May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.
Precautionary statements	Prevention: P260 Do not breathe dust.
	Response: P314 Get medical advice/ attention if you feel unwell.
	Disposal:
	P501 Dispose of contents/ container to an approved waste disposal plant.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	5598518-00010	Date of first issue: 2020/03/25

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form combustible dust concentrations in air during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.	
Cellulose	9004-34-6	>= 30 - < 40		
Vericiguat	1350653-20-1	>= 1 - < 10	-	
Magnesium stearate	557-04-0	>= 1 - < 10	2-611	
Sodium n-dodecyl sulfate	151-21-3	>= 0.25 - < 1	2-1679	

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
delayed		Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray



Vericiguat Formulation

ersion .0	Revision Date: 2024/09/28		OS Number: 98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
			Alcohol-resistant Carbon dioxide ((Dry chemical	
Unsui media	table extinguishing	:	None known.	
Speci fightin	fic hazards during fire- g	:	concentrations, a potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is plosion hazard. bustion products may be a hazard to healt
Hazar ucts	dous combustion prod-	:	Carbon oxides Metal oxides	
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to
	al protective equipment	:		e, wear self-contained breathing apparatus tective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac- es, as these may form an explosive mixture if they are re- leased into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
6.0		5598518-00010	Date of first issue: 2020/03/25

7. HANDLING AND STORAGE

Handling		
Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation Advice on safe handling	:	Use only with adequate ventilation. Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact Hygiene measures	:	Oxidizing agents If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Storage Conditions for safe storage Materials to avoid	:	Keep in properly labelled containers. Store in accordance with the particular national regulations. Do not store with the following product types:
Packaging material	:	Strong oxidizing agents Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con-	Basis
--------------------	-------------------------------------	---	-------



Vericiguat Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	5598518-00010	Date of first issue: 2020/03/25

			centration	
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
Vericiguat	1350653-20- 1	TWA	4 µg/m3 (OEB 4)	Internal
		Wipe limit	40 µg/100 cm ²	Internal
Magnesium stearate	557-04-0	TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures :	Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies.
Personal protective equipment	t
Respiratory protection : Filter type :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
Hand protection	Taniculates type
Material :	Chemical-resistant gloves
Remarks:Eye protection:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection :	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	tablet
Colour	:	No data available



Version 6.0			S Number: 98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Odou	ır	:	No data available	
Odou	ır Threshold	:	No data available	•
Melti	ng point/freezing point	:	No data available	
	ng point, initial boiling and boiling range	:	No data available	
Flam	mability (solid, gas)	:	May form combus cessing, handling	stible dust concentrations in air during pro- or other means.
Flam	mability (liquids)	:	Not applicable	
U	er explosion limit and uppe pper explosion limit / Up- er flammability limit			
	ower explosion limit / ower flammability limit	:	No data available	
Flash	n point	:	Not applicable	
Deco	mposition temperature	:	No data available	
рН		:	No data available	
Evap	oration rate	:	Not applicable	
Auto-	ignition temperature	:	No data available	
Visco Vi	osity scosity, kinematic	:	Not applicable	
	bility(ies) /ater solubility	:	No data available	
	tion coefficient: n- nol/water	:	Not applicable	
Vapo	our pressure	:	Not applicable	
	ity and / or relative densit elative density	у :	No data available	
D	ensity	:	No data available	
Relat	ive vapour density	:	Not applicable	
Explo	osive properties	:	Not explosive	



0	Revision Date: 2024/09/28	-	98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Ovidiz	zing properties		The substance	or mixture is not classified as oxidizing.
		•		-
Molec	ular weight	:	No data availab	le
	le characteristics rticle size	:	No data availab	le
). STABI	LITY AND REACTIVI	ΓY		
	ivity ical stability bility of hazardous rea	: : c- :	Stable under no May form comb cessing, handlir	s a reactivity hazard. ormal conditions. ustible dust concentrations in air during pro- ng or other means. strong oxidizing agents.
Condi	tions to avoid	:	Heat, flames an	
	patible materials dous decomposition cts	:	Avoid dust form Oxidizing agent No hazardous c	
1				
	OLOGICAL INFORM		N	
I. TOXIC	nation on likely routes		N Inhalation Skin contact Ingestion Eye contact	
I. TOXIC Inform expos	nation on likely routes	of :	Inhalation Skin contact Ingestion Eye contact	
I. TOXIC Inform expos Acute Not cl	nation on likely routes sure e toxicity	of :	Inhalation Skin contact Ingestion Eye contact	
I. TOXIC Inform expos Acute Not cl	nation on likely routes sure e toxicity assified based on avai conents:	of :	Inhalation Skin contact Ingestion Eye contact	
I. TOXIC Inform expose Acute Not cl <u>Comp</u> Cellul	nation on likely routes sure e toxicity assified based on avai conents:	of :	Inhalation Skin contact Ingestion Eye contact	000 mg/kg
I. TOXIC Inform expose Acute Not cl <u>Comp</u> Cellul Acute	nation on likely routes sure e toxicity assified based on avai conents: lose:	of :	Inhalation Skin contact Ingestion Eye contact information.	8 mg/l I h
I. TOXIC Inform expose Acute Not cl Cellul Acute Acute	nation on likely routes sure e toxicity assified based on avain conents: lose: oral toxicity	of :	Inhalation Skin contact Ingestion Eye contact information. LD50 (Rat): > 5,0 LC50 (Rat): > 5,0 Exposure time: 4	8 mg/l I h 9: dust/mist
I. TOXIC Inform expose Acute Not cl Cellul Acute Acute	e toxicity assified based on avaination onents: lose: oral toxicity inhalation toxicity dermal toxicity	of :	Inhalation Skin contact Ingestion Eye contact information. LD50 (Rat): > 5,4 LC50 (Rat): > 5,4 Exposure time: 4 Test atmosphere	8 mg/l I h 9: dust/mist
I. TOXIC Inform expose Acute Not cl Cellul Acute Acute Acute Verici	e toxicity assified based on avaination onents: lose: oral toxicity inhalation toxicity dermal toxicity	of :	Inhalation Skin contact Ingestion Eye contact information. LD50 (Rat): > 5,4 LC50 (Rat): > 5,4 Exposure time: 4 Test atmosphere LD50 (Rat): > 60	8 mg/l l h e: dust/mist • 2,000 mg/kg



ersion .0	Revision Date: 2024/09/28	SDS Numb 5598518-0		
Magr	nesium stearate:			
Acute	e oral toxicity	Methoo Assess icity	Rat): > 2,000 mg/kg : OECD Test Guideline 423 ment: The substance or mixture has no acute ks: Based on data from similar materials	oral tox
Acute	e dermal toxicity		Rabbit): > 2,000 mg/kg ks: Based on data from similar materials	
Sodiu	um n-dodecyl sulfate):		
Acute	e oral toxicity		Rat): 1,200 mg/kg : OECD Test Guideline 401	
Acute	e dermal toxicity	Method	Rat): > 2,000 mg/kg : OECD Test Guideline 402 s: Based on data from similar materials	
-	corrosion/irritation			
	lassified based on ava ponents:	ailable informat	on.	
	nesium stearate:			
Spec	ies	: Rabbit		
Resu Rema			irritation on data from similar materials	
Sodiu	um n-dodecyl sulfate):		
Spec Resu	ies It	: Rabbit : Skin irr	tation	
Serio	ous eye damage/eye	irritation		
	lassified based on ava	ailable informat	ion.	
	ponents:			
	nesium stearate:	· Dahh:		
Spec Resu		: Rabbit : No eve	irritation	
Rema			on data from similar materials	
Sodiu	um n-dodecyl sulfate):		
Spec	ies	: Rabbit		
Resu	lt		ible effects on the eye	
Method : OECD Test Guideline 405				



Vericiguat Formulation

6.0 2024/09/28 5598518-00010 Date of first issue: 2020/03/25	Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
	6.0	2024/09/28	5598518-00010	Date of first issue: 2020/03/25

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Magnesium stearate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Test Type Exposure routes Species Method Result Remarks	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Sodium n-dodecyl sulfate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Test Type Exposure routes Species Result Remarks	: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Cellulose:	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative
Vericiguat:	
Genotoxicity in vitro	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	Test Type: Micronucleus test



rsion)	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/065598518-00010Date of first issue: 2020/03/25
		Species: Mouse
		Application Route: Intraperitoneal Result: negative
Magn	esium stearate:	
Geno	toxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test
		Result: negative Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
		Result: negative Remarks: Based on data from similar materials
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Remarks: Based on data from similar materials
	Im n-dodecyl sulfate	
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
	toxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
II Carci	nogenicity	
	assified based on ava	ailable information.
<u>Comp</u>	oonents:	
Cellu		
Speci Applic	es cation Route	: Rat
	sure time	: Ingestion : 72 weeks
Resul		: negative
Sodiu	Im n-dodecyl sulfate	e:
Speci		: Rat
	ation Route	: Ingestion
Expos Metho	sure time	: 2 Years : OECD Test Guideline 453
Resul		: negative
Rema		: Based on data from similar materials



/ersion 6.0	Revision Date: 2024/09/28	-	0S Number: 98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Not c	oductive toxicity lassified based on avai ponents:	lable	information.	
Cellu				
	ts on fertility	:	Test Type: One Species: Rat Application Rou Result: negative	
Effect ment	ts on foetal develop-	:	Test Type: Ferti Species: Rat Application Rou Result: negative	
Veric	iguat:			
	ts on fertility	:	Test Type: Ferti Species: Rat Application Rou Fertility: NOAEL Result: No effect	te: Oral .: 50 mg/kg body weight
Effect ment	ts on foetal develop-	:	Result: Some ev based on anima	te: Oral Toxicity: LOAEL: 50 mg/kg body weight vidence of adverse effects on developm
			Result: Postimp	te: Oral Toxicity: LOAEL: 2.5 mg/kg body weight
Magn	esium stearate:			
Effect	ts on fertility	:	reproduction/de Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 422
Effect ment	ts on foetal develop-	:	Species: Rat Application Rou Result: negative	



Vericiguat Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	5598518-00010	Date of first issue: 2020/03/25

П

Sodium n-dodecyl sulfate:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

Components:

Vericiguat:

Target Organs	: Cardio-vascular system
Assessment	: Causes damage to organs through prolonged or repeated
	exposure.

Repeated dose toxicity

Components:

Cellulose:

Species NOAEL Application Route Exposure time	: Rat
NOAEL Application Route	: >= 9,000 mg/kg : Ingestion
Exposure time	: 90 Days

Vericiguat:

Species NOAEL Application Route Exposure time Remarks	: : : : : : : : : : : : : : : : : : : :	Mouse 50 mg/kg Oral 13 Weeks No significant adverse effects were reported
Species LOAEL Application Route Exposure time	: :	Rat 15 mg/kg Oral 4 Weeks



Version 6.0	Revision Date: 2024/09/28	SDS Number: 5598518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Targe	et Organs	: Liver, Prosta	te, Adrenal gland
Expo	ies EL cation Route sure time et Organs	: Rat : 3 mg/kg : Oral : 13 Weeks : small intestin	ie
Expo		: Rat : 30 mg/kg : Oral : 26 Weeks : Kidney	
Expo	EL EL cation Route sure time et Organs	: Dog : 2.5 mg/kg : 7.5 mg/kg : Oral : 4 Weeks : Kidney, Gast : Vomiting	rointestinal tract
	EL EL cation Route sure time	: Dog : 2.5 mg/kg : 5 mg/kg : Oral : 13 Weeks : No adverse e	effects
	EL cation Route sure time	: Dog : 5 mg/kg : Oral : 39 Weeks : No adverse e	effects
Spec NOAI	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 90 Days : Based on da	ta from similar materials
Speci NOAI Applie	EL cation Route sure time	: Rat : 488 mg/kg : Ingestion : 90 Days	ta from similar materials



v on ong		••							
Version 6.0	Revision Date: 2024/09/28	-	DS Number: 98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25					
•	ration toxicity lassified based on avai	ilahla	information						
	rience with human ex								
-		rhosi	116						
	ponents:								
	iguat:		T						
Inges	Ingestion :			Target Organs: Cardio-vascular system Symptoms: hypotension, Headache, Dizziness, Nausea, Diar- rhoea, Vomiting, anemia, acid reflux, constipation					
12. ECOL	12. ECOLOGICAL INFORMATION								
Ecot	oxicity								
Com	ponents:								
Cellu	lose:								
Toxic	ity to fish	:	Exposure time:	latipes (Japanese medaka)): > 100 mg/l 48 h ed on data from similar materials					
	nesium stearate:								
Toxic	ity to fish	:	Exposure time: Method: DIN 38						
	ity to daphnia and othe tic invertebrates	er :	EL50 (Daphnia Exposure time:	magna (Water flea)): > 1 mg/l 47 h					
			Test substance	: Water Accommodated Fraction					
			Remarks: Base	ve 67/548/EEC, Annex V, C.2. ed on data from similar materials					
			ino toxicity at th	e limit of solubility					

Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility
		NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials



/ersion 6.0	Revision Date: 2024/09/28	-	98518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Toxici	ity to microorganisms	:	Exposure time: 1 Test substance:	onas putida): > 100 mg/l 6 h Water Accommodated Fraction on data from similar materials
	um n-dodecyl sulfate: ity to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 29 mg/l 16 h
	ity to daphnia and other ic invertebrates	:	EC50 (Ceriodapl Exposure time: 4	nnia dubia (water flea)): 5.55 mg/l ŀ8 h
Toxici plants	ity to algae/aquatic	:	ErC50 (Desmode Exposure time: 7	esmus subspicatus (green algae)): > 120 mg '2 h
			NOEC (Desmode Exposure time: 7	esmus subspicatus (green algae)): 30 mg/l '2 h
Toxici icity)	ity to fish (Chronic tox-	:	NOEC (Pimepha mg/l Exposure time: 4	les promelas (fathead minnow)): >= 1.357
	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Ceriodap Exposure time: 7	ohnia dubia (water flea)): 0.88 mg/l ′ d
	ity to microorganisms	:	EC50: 135 mg/l Exposure time: 3	3 h
Persi	stence and degradabil	ity		
	oonents:			
Cellu Biode	lose: gradability	:	Result: Readily b	biodegradable.
	esium stearate: gradability	:	Result: Not biode Remarks: Based	egradable on data from similar materials
	um n-dodecyl sulfate: gradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 7	95 %
Bioad	cumulative potential			
<u>Comp</u>	oonents:			
Veric	iguat:			



Vericiguat Formulation

Version 6.0	Revision Date: 2024/09/28		DS Number: 598518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
	tion coefficient: n- nol/water	:	log Pow: 2.99	
Partit	nesium stearate: tion coefficient: n- nol/water	:	log Pow: > 4	
Partit	um n-dodecyl sulfate: tion coefficient: n- nol/water	:	log Pow: 0.83	
Mobi	i lity in soil ata available			
	Irdous to the ozone lay Applicable	er		
	r adverse effects ata available			
13. DISPO	DSAL CONSIDERATION	NS		
Disp	osal methods			
Wast	e from residues	:		cordance with local regulations. of waste into sewer.
Conta	Contaminated packaging		Empty container dling site for rec	's should be taken to an approved waste han ycling or disposal. specified: Dispose of as unused product.
14. TRAN	SPORT INFORMATION	I		
Inter	national Regulations			
	umber er shipping name	:	Not applicable Not applicable Not applicable	
Subs	idiary risk ing group	:	Not applicable Not applicable Not applicable Not applicable	
	onmentally hazardous	:	no	
UN/II Prope	- DGR D No. er shipping name	:	Not applicable Not applicable	
Pack	idiary risk ing group	:	Not applicable Not applicable Not applicable	
Lahe			Not applicable	

: Not applicable

: Not applicable

Labels

aircraft)

ger aircraft)

Packing instruction (cargo

Packing instruction (passen- : Not applicable



Version 6.0	Revision Date: 2024/09/28	SDS Number: 5598518-00010	Date of last issue: 2024/0 Date of first issue: 2020/0			
Class Subsid Packin Labels EmS C	nber shipping name iary risk g group	 Not applicable 				
	oort in bulk according		OL 73/78 and the IBC Cod	de		
	al Regulations o section 15 for specific	c national regulation.				
•	Il precautions for use	r				
15. REGUL	ATORY INFORMATIO	N				
Relate	d Regulations					
	ervice Law plicable to dangerous r	naterials / designated f	lammables.			
	cal Substance Contro					
	Assessment Chemica	I Substance		Number		
	Chemical nameNumberSodium alkyl(C=8-18) sulfate214					
Indust	rial Safety and Health	Law				
Not app Harmf u	olicable ul Substances Requir	ited from Manufactur ed Permission for Ma	-			
Not ap	plicable					

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Magnesium stearate	>=1 - <10	-



Vericiguat Formulation

/ersion 5.0	Revision Date: 2024/09/28	SDS Number: 5598518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25
Article	tances Subject to be 57 (Enforcement Or		
	nical name		Remarks
Skin a Not a Carci	pplicable nogenic Substance		- quirements (ISHL MO Art. 594-2) Occupational Health and Safety Regula-
tions) Not a) pplicable		
Ordin		of Hazards Due to Sp	pecified Chemical Substances
	ance on Prevention	of Lead Poisoning	
	ance on Prevention	of Tetraalkyl Lead Po	bisoning
	ance on Prevention	of Organic Solvent P	oisoning
Subs	cement Order of the tances) pplicable	e Industrial Safety and	I Health Law - Attached table 1 (Dangerous
	onous and Deleterio	us Substances Contro	bl Law
viron	-		of Specific Chemical Substances in the En- the Management Thereof
-	Pressure Gas Safet	y Act	
•	osive Control Law		
	el Safety Law egulated as a dangero	ous good	
	ion Law egulated as a dangero	ous good	
Marin	e Pollution and Sea	Disaster Prevention	etc Law
Bulk t	ransportation	: Not classified a	s noxious liquid substance
	transportation		s marine pollutant
	otics and Psychotro		
Narco Not a	otic or Psychotropic R pplicable	aw Material (Export / In	
Speci	TIC Narcotic or Psycho	ptropic Raw Material (E	xport / Import permission)



Version 6.0	Revision Date: 2024/09/28	SDS Number: 5598518-00010	Date of last issue: 2024/04/06 Date of first issue: 2020/03/25		
Not a	pplicable				
	Waste Disposal and Public Cleansing Law Industrial waste				
The	The components of this product are reported in the following inventories:				
AICS		: not determined			
DSL		: not determined			
IECS	C	: not determined			

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviatio	-	USA. ACGIH Threshold Limit Values (TLV)
ACGIT	•	USA. ACGITT The shold Link values (TEV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New



Vericiguat Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	5598518-00010	Date of first issue: 2020/03/25

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN